



2007 ANNUAL TRAFFIC REPORT



Published by Traffic Information Division

NEVADA DEPARTMENT OF TRANSPORTATION

\$20.00

www.nevadadot.com

Jim Gibbons, Governor
Susan Martinovich, P.E., Director

The Annual Traffic Report

**Is published by the Nevada Department of Transportation
Traffic Information Division in cooperation
with the U.S. Department of Transportation
Federal Highway Administration.**

*Nevada Department of Transportation
1263 S. Stewart Street
Carson City, Nevada 89712*

**Jim Gibbons, Governor
Susan Martinovich, P.E., Director**

If you have any comments, questions, or need additional information
regarding the contents of this report, please contact
Traffic Information Division at (775) 888-7445
or E-mail at
pio@ndot.state.nv.us
www.nevadadot.com

TABLE OF CONTENTS

<u>DESCRIPTION</u>	<u>PAGE NUMBER</u>
Title Page - - - - -	i
Table of Contents - - - - -	ii
Introduction - - - - -	iii
Statistics - - - - -	1
Traffic Count Station Numbering System - - - - -	2
Automatic Traffic Recorder (ATR) System - - - - -	3
Vehicle Classification & 18 Kip Equivalent Single Axle Load Templates	4
Automatic Traffic Recorder (ATR) Summaries - - - - -	14
Annual Average Daily Traffic Count Stations (Ten year history and maps) - - - - -	108

INTRODUCTION

The administration of approximately 5,400 miles of roads in the State of Nevada Highway System involves the expenditure of hundreds of millions of dollars annually for construction, reconstruction and maintenance. Also, it imposes the responsibility of selecting and designing new roads, and the planning of future construction and development.

It is necessary to keep current data on motor vehicle trends for numerous reasons including: Design of new construction to service the volume and type of traffic a roadway will carry. Selection of new routes to serve the greatest area and maximum number of motorists while maintaining cost efficiency. Design of future projects to coincide with expected development. And to schedule maintenance when and where it is most needed.

Perhaps the single most reliable statistics available to guide the highway engineer and the planner are the type and volume of traffic on each section of highway under consideration for future improvement. Responsibility for the collection, tabulation and analysis of these trends is vested in the Traffic Information Division of the Nevada Department of Transportation.

During 2007, hourly traffic volumes were monitored continuously at 94 locations statewide. These sites commonly referred to as Automatic Traffic Recorders (ATR's) are presented in summary form beginning on page 14 of this report. In addition, traffic volumes were collected in short periods (7days) and factored to Annual Average Daily Traffic (AADT's). These summary statistics including a ten-year history (if available) are presented by county in the Annual Average Daily Traffic Count Stations portion of this report, which begins on page 108.

STATISTICS

The methods used to derive the “Annual Average Daily Traffic” (AADT) for the Automatic Traffic Recorder (ATR) sites in this book are:

1. Each day of the week is averaged for the month.
2. The seven average days (Sunday through Saturday) are averaged which provides “Monthly Average Daily Traffic” (MADT).
3. The twelve MADT’s (January through December) are averaged, which then yields the AADT.

The methods used to derive the “Annual Average Daily Traffic” for Annual Average Daily Traffic Count Station section in this report are:

1. The total raw count from a five to seven day short period count is divided by the number of hours sampled and the quotient is then multiplied by 24 (24 hours in a day).
2. The above product is then factored using summary statistics from ATR’s to derive a Monthly Average Daily Traffic (MADT).
3. The MADT is once again factored for seasonality using summary statistics from ATR’s which produces Annual Average Daily Traffic (AADT). The AADT summary statistics in this report represent a composite of both directions.
4. Those locations sampled with an axle sensor are then factored once more using factors developed from vehicle classification statistics. This procedure factors out inflated counts due to extra axle vehicles.

Data is collected in an hourly increment at all count locations statewide. This data is available upon request from the Traffic Information Division staff by calling at (775) 888-7445.

ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE COUNT STATIONS NUMBERING SYSTEM

The Annual Average Daily Traffic Count Station section of this report contains a ten-year history of Annual Average Daily Traffic at portable (short-term) count locations. This data is divided into counties including maps depicting individual count locations. Short-term count locations are represented on the maps in red and consist of the four-digit identification number with all leading zeros removed. All short-term count locations are listed with the county three digit code and the four-digit station identifier in a table located directly adjunct to the individual county map.

	<u>Depicted on map</u>	Depicted in Table 3
Example of table three: Clark county station number	1	0030001
Mineral county station number	33	0210033
Washoe county station number	114	0310114

*Please note count stations in Clark County in the 2000 series numbers are counts provided by the Regional Transportation Commission and count stations in the 6000 series numbers are counts provided by the City of North Las Vegas.

Below is a listing of the counties and their prefix numbers. County code numbers are in bold print and located in the upper right hand corner on all county maps.

<u>County</u>	<u>Prefix Number</u>
Carson City	025
Churchill	001
Clark	003
Douglas	005
Elko	007
Esmeralda	009
Eureka	011
Humboldt	013
Lander	015
Lincoln	017
Lyon	019
Mineral	021
Nye	023
Pershing	027
Storey	029
Washoe	031
White Pine	033

AUTOMATIC TRAFFIC RECORDERS (ATR)

In addition to the short-term locations, Automatic Traffic Recorder (ATR) locations are indicated on the maps in red with seven-digit identification number.

Summary data for ATR sites can be found in the Automatic Traffic Recorder section of this report. The ATR section provides the user with Monthly Average Daily Traffic (MADT) and a 10-year history of the AADT with the percent of change from the previous year. This section also provides Average Daily Traffic (ADT), Average Weekday Traffic and Average Weekend Traffic. (Please note Friday ADT is not used to calculate Average Weekday or Weekend Traffic). A 10-year AADT history for all ATR's can also be located in the Annual Average Daily Traffic Count Stations section for each County.

The percent design hour volume (DHV) is of the AADT is provided in the ATR summaries and is a tool used in the design process. It is the hour used to design a highway as it represents the highest volume the highway will have to accommodate. To a greater extent, the design hour volume determines pavement widths and other geometric features.

**VEHICLE CLASSIFICATION
&
18 KIP, Equivalent Single Axle Loading (ESAL)
TEMPLATES**


The NDOT Traffic Information, Vehicle Size and Weight section administers the collection of Vehicle Classification and Weigh-In-Motion (WIM) data statewide as outlined in the US Department of Transportation (USDOT) Federal Highway Administration (FHWA) Traffic Monitoring Guide (TMG). Statistics presented are compiled from the most recent three years of data from statewide locations as outlined in the 2001 TMG.

Vehicle Classification data is collected using various axle sensor technologies which group vehicles by number of axles in order to stratify the traffic into the FHWA thirteen categories.


WIM data is collected using portable Capacitive Mat, permanent Bending Plate and Piezoelectric sensor technologies. The equipment collects individual and grouped axle weights, classifies each vehicle according to axle spacing and axle grouping into the FHWA thirteen categories and is used to stratify vehicular traffic. The ESAL data derived from these sessions are used by State and Local entities as well as consulting firms to determine structural numbers which are a primary component for the design of flexible and rigid pavements. Most flexible pavement designs are based on 20-year traffic projections and rigid pavement designs are generally based on 35 years. ESAL values are produced for both site-specific projects (projects with a WIM location on or nearby) and by roadway functional class (Urban or Rural: Interstate, Primary and Arterial roads).

Vehicle Classification and WIM data is also used for capacity analysis, environmental assessment, pavement management and economic development planning.

The following pages contain color coded Urban and Rural Roadway Functional Classification maps outlining State Maintained roadways and vehicle classification distribution templates with ESAL data which correspond to Urban or Rural conditions.



ROADWAY FUNCTIONAL CLASSIFICATION LAS VEGAS URBANIZED AREA



See Washoe
Urbanized Area
Inset for Detail
(Separate Sheet)

The logo features the text "FEDERAL AID HIGHWAY SYSTEM OF" at the top, "NEVADA" in large letters in the center, and "2004" below it. A small five-pointed star is positioned above the word "NEVADA".

PREPARED BY THE NEVADA DEPARTMENT OF TRANSPORTATION

LEGEND


This legend identifies various types of roads and boundaries using different line styles and colors:

- EXISTING**: Blue solid line.
- PROPOSED**: Blue dashed line.
- INTERSTATE HIGHWAY**: Red solid line.
- PRINCIPAL ARTERIAL & OTHER FREEWAYS OR EXPRESSWAYS**: Brown dashed line.
- OTHER PRINCIPAL ARTERIAL**: Red dashed line.
- MINOR ARTERIAL**: Green solid line.
- RURAL MAJOR COLLECTOR**: Purple dashed line.
- URBAN OR RURAL MINOR COLLECTOR**: Yellow dashed line.
- LOCAL SYSTEM**: Black solid line.
- URBAN BOUNDARIES**: Red box icon.
- STATE LINE**: Blue dashed line.
- COUNTY LINE**: Blue dash-dot line.


DATE APPROVED — November 18, 2004

SCALE - 1:125,000

ROADWAY FUNCTIONAL CLASSIFICATION
WASHOE URBANIZED AREA



SCALE - 1:50,000




**NEVADA
2004**

PREPARED BY THE NEVADA DEPARTMENT OF TRANSPORTATION

LEGEND

<u>EXISTING</u>	<u>PROPOSED</u>	
—	—	INTERSTATE HIGHWAY
—	- - -	PRINCIPAL ARTERIAL & OTHER FREEWAYS OR EXPRESSWAYS
—	—	OTHER PRINCIPAL ARTERIAL
—	- - -	MINOR ARTERIAL
—	- - -	RURAL MAJOR COLLECTOR
—	—	URBAN OR RURAL MINOR COLLECTOR
—	- - -	LOCAL SYSTEM
		URBAN BOUNDARIES
		STATE LINE
		COUNTY LINE

DATE APPROVED November 18, 2004



SCALE - 1:50,000

ROADWAY FUNCTIONAL CLASSIFICATION **WASHOE URBANIZED AREA INSETS**

URBAN
VEHICLE DISTRIBUTION and AVERAGE ESAL's
by ROADWAY FUNCTIONAL CLASSIFICATION

STATE: NEVADA


STATE FIPS CODE: 32

DATA YEAR: 2007

DATE: 19-May-08

FUNCTIONAL CLASSIFICATION	PERCENT OF TRAVEL																						
	TRUCK PERCENT (T%)	PASS- ENGER CARS [2 AXLE, 4 TIRE]		BUSSES	SINGLE-UNIT TRUCKS		SINGLE-TRAILER UNITS			MULTI-TRAILER TRUCKS			AVERAGE ESAL										
URBAN																							
INTERSTATE	8.37%	91.63%			0.42%	1.77%	0.62%	0.32%	4.41%	0.12%	0.30%	0.07%	0.35%										
FLEXIBLE ESAL by VEHICLE GROUP					0.812	0.259	0.569	0.617	1.221	1.371	1.558	0.961	2.185	0.979									
RIGID ESAL by VEHICLE GROUP					0.924	0.228	0.752	0.616	1.837	2.017	1.418	0.866	2.750	1.342									
OTHER FREEWAY & EXPRESSWAY	4.88%	95.12%			0.28%	1.63%	0.40%	0.31%	1.62%	0.09%	0.12%	0.05%	0.38%										
FLEXIBLE ESAL by VEHICLE GROUP					0.715	0.198	1.026	0.599	1.191	1.371	1.426	0.761	1.539	0.812									
RIGID ESAL by VEHICLE GROUP					0.746	0.175	1.481	0.588	1.780	2.100	1.305	0.656	2.302	1.107									
OTHER PRINCIPAL ARTERIALS	5.04%	94.96%			0.60%	1.73%	0.41%	0.36%	1.50%	0.06%	0.13%	0.05%	0.20%										
FLEXIBLE ESAL by VEHICLE GROUP					1.012	0.269	0.906	1.085	1.223	1.458	2.253	0.952	1.920	0.890									
MINOR ARTERIALS	4.84%	95.16%			0.48%	2.40%	0.41%	0.41%	0.69%	0.05%	0.11%	0.06%	0.23%										
FLEXIBLE ESAL by VEHICLE GROUP					0.839	0.239	0.938	0.680	1.285	1.259	2.099	0.593	1.844	0.678									
MINOR COLLECTORS	3.50%	96.50%			0.53%	2.20%	0.18%	0.23%	0.14%	0.01%	0.08%	0.07%	0.04%										
FLEXIBLE ESAL by VEHICLE GROUP					*	*	*	*	*	*	*	*	*	*									
LOCAL ROADS	4.51%	95.49%			0.38%	2.93%	0.55%	0.04%	0.46%	0.03%	0.01%	0.01%	0.10%										
FLEXIBLE ESAL by VEHICLE GROUP					*	*	*	*	*	*	*	*	*	*									

* Data not available for these Roadway Functional Classifications



ROADWAY FUNCTIONAL CLASSIFICATION NEVADA

RURAL
VEHICLE DISTRIBUTION and AVERAGE ESAL's
by ROADWAY FUNCTIONAL CLASSIFICATION

STATE: NEVADA

STATE FIPS CODE: 32

DATA YEAR: 2007

DATE: 19-May-08

FUNCTIONAL CLASSIFICATION	PERCENT OF TRAVEL												
	TRUCK PERCENT (T%)	PASS- ENGER CARS [2 AXLE, 4 TIRE]		BUSSES	SINGLE-UNIT TRUCKS		SINGLE-TRAILER UNITS			MULTI-TRAILER TRUCKS			AVERAGE ESAL
RURAL	2 AXLE, 6 TIRE	3 AXLE OR MORE			4 AXLE OR LESS	SAXLE	6 AXLE OR MORE	5 AXLE OR LESS	6 AXLE	7 AXLE OR MORE			
INTERSTATE	30.80%	69.20%			0.69%	5.90%	0.42%	0.79%	19.75%	0.27%	0.95%	0.38%	1.64%
FLEXIBLE ESAL by VEHICLE GROUP					0.745	0.158	0.460	0.550	1.198	1.118	1.759	0.921	1.609
RIGID ESAL by VEHICLE GROUP					0.805	0.135	0.598	0.554	1.719	1.473	1.618	0.810	1.930
OTHER PRINCIPAL ARTERIAL	17.99%	82.01%			0.49%	5.80%	0.60%	1.03%	8.41%	0.21%	0.72%	0.20%	0.54%
FLEXIBLE ESAL by VEHICLE GROUP					0.651	0.187	0.614	0.690	1.244	1.203	1.290	0.941	1.540
MINOR ARTERIAL	13.10%	86.90%			0.60%	4.86%	0.62%	0.59%	5.35%	0.13%	0.43%	0.10%	0.43%
FLEXIBLE ESAL by VEHICLE GROUP					0.669	0.203	0.679	0.482	1.094	1.236	3.308	1.449	2.450
MAJOR COLLECTOR	9.93%	90.07%			0.50%	2.65%	0.52%	0.91%	3.91%	0.14%	0.32%	0.10%	0.86%
FLEXIBLE ESAL by VEHICLE GROUP					0.686	0.377	0.923	0.808	1.158	0.803	1.663	0.000	1.426
MINOR COLLECTOR	4.01%	95.99%			0.06%	1.22%	0.16%	0.23%	1.52%	0.05%	0.12%	0.07%	0.58%
FLEXIBLE ESAL by VEHICLE GROUP				*	*	*	*	*	*	*	*	*	*
LOCAL ROADS	6.47%	93.53%			0.77%	3.45%	0.16%	0.11%	1.42%	0.00%	0.08%	0.03%	0.45%
FLEXIBLE ESAL by VEHICLE GROUP				*	*	*	*	*	*	*	*	*	*

* Data not available for these Roadway Functional Classifications

Daily directional ESALs requested for design specific locations are derived using the following method:

Weights for individual axles and axle groups derived from each vehicle, weighed at a specific location relevant to the design site, are stored in a database along with an axle equivalency factor. This equivalency factor is derived from tables produced by the American Association of State Highway Transportation Officials (AASHTO) (see attached tables). Factors are derived from this table using a structural number of 3.0 and a serviceability index of 2.5 for flexible pavements and a structural number of 2.0 and a slab thickness of 12 inches for rigid pavements.

The following example uses weights from a 3-axle single unit vehicle and values from the flexible pavement tables for both single and tandem axles:

<u>Steering axle (single)</u>	Table <u>Equivalency</u>	<u>Rear axle group (Tandem)</u>	Table <u>Equivalency</u>	Total
Weight = 10,000 lbs.	.118	Weight = 32,000 lbs.	.889	1.007

Once the equivalency factors for each axle and axle group for a specific vehicle configuration are totaled, the totals are averaged for all vehicles of a specific type (such as the 3 axle single unit above) to produce an average ESAL (18 kip/truck) value for each vehicle type.

After calculating the Equivalency factors for each individual vehicle type, the percentage that each vehicle type is of the total vehicles (truck and bus) is calculated and multiplied by 1000 to derive a current year distribution percentage, (1000 trucks are used to increase sample size for low volume sites). The resulting distribution percentage for each vehicle type is then multiplied by the average ESAL (18 kip/truck) value for that vehicle type to get a current ESAL value or flexible load by vehicle type. The Current ESAL value by Vehicle type is totaled for all vehicles types and divided by 1000 to produce a one directional 18 kip per truck factor. This factor is applied to one directional current year, mean year and future year AADT and number of trucks projected for the highway segment being analyzed. The projected AADT * Truck percent divided by 2 will yield the number of daily one directional trucks.

The following example is based on data from a rural minor arterial, and depicts how an 18 KIP per truck factor is derived.

VEHICLE TYPE	TRUCK COUNT DISTRIBUTION PERCENT	CURRENT YEAR DISTRIBUTION	18 KIP PER TRUCK	CURRENT FLEXIBLE LOAD
<u>AUTOS</u>	5,500	93.00%		
SINGLE UNITS				
Bus	28	6.8% (*1000)	68	0.489
2 Axle	123	29.9%	299	0.566
3 Axle	14	3.42%	34	1.388
SEMI TRAILERS				
3 Axle	6	1.46%	15	0.571
4 Axle	3	0.73%	7	1.084
5 Axle	116	28.22%	282	1.660
FULL TRAILERS				
5 Axle	10	2.43%	24	1.928
6 Axle	4	0.97%	10	0.718
MULTI TRAILERS				
5 Axle	6	1.46%	15	1.562
6 Axle	1	0.24%	2	1.170
7 Axle	64	15.57%	156	3.535
8 Axle	36	8.76%	88	1.551
COLUMN TOTALS	411	100.00% (truck & bus)	1000	1499

KIP per Truck Average [Current Flexible Load/1000]----- (1,499/1000) = 1.50
 Truck percent -- Total [Trucks/Total Vehicles]----- 411/5,911 = 7%

Please note! For site specific design requests NDOT generally provides the truck percentages and projected current, mean and future AADT's to which the ESAL factors are applied.

The Vehicle Distribution and Average ESAL's tables that are depicted in the Annual Traffic Report are based on truck weight and classification data collected by roadway functional classification (IE: Urban and Rural -Interstate, Principal Arterial, Minor Arterial and Major and Minor Collector)

Please Note! The table in the Annual Traffic Report is designed to produce an average ESAL value based on a specific type of roadway and is not dependent upon AADT.

The following example uses an Urban Principal Arterial roadway to demonstrate how to use the Vehicle Distribution and average ESAL tables, included on page 7 in this year's report. This example includes a standard ESAL value for automobiles, which is not listed in the Annual Report table. To determine an ESAL based solely on trucks, this table assumes a sample of 1000 trucks as in the example below.

Urban Principal Arterial	T %	Autos	Bus	Single Unit Trucks		Single Unit Trailers			Multi-Unit Trailers		
				2 axle	3 axle +	4 axle	5 axle	6 axle +	5 axle	6 axle	7axle +
Percent of Distribution	4.36	95.65%	0.56%	1.53%	0.36%	0.30%	1.27%	0.06%	0.14%	0.04%	0.09%
Flexible ESAL		.0004	.6390	.2591	.7866	.5315	1.2655	1.6611	2.0304	1.1113	1.7020
Distribution. of Vehicles			128	350	83	68	291	14	32	9	21
New Current Load			82	91	65	36	368	23	65	10	36

* Example from table is based on sample of 1000 trucks.

To determine an average ESAL value by roadway functional type:

1. Divide the vehicle class percentage by the truck percentage and multiply that number by 1000.

This will yield a distribution of vehicles by truck type.

$$\text{Example (Bus percentage/T\%)} .0056/.0436 *1000 = 128$$

2. Multiply each individual distribution by the flexible ESAL value for that vehicle class, to derive a new current load value.


3. Total all the values for the New Current Load and divide by 1000. This will produce an average 18 kip per truck factor based on roadway functional classification.

$$\text{Example: New Current Load total} = 776/1000 \quad \text{Average 18 kip/truck factor} = .776$$


ATR 0012110

US-50, 13.9 MI. EAST OF SR-361 EAST OF FALON


MONTH	MADT	PERCENT % OF AADT
JANUARY	354	57.8%
FEBRUARY	369	60.3%
MARCH	463	75.8%
APRIL	565	92.3%
MAY	705	115.3%
JUNE	786	128.5%
JULY	799	130.7%
AUGUST	831	135.9%
SEPTEMBER	773	126.4%
OCTOBER	730	119.3%
NOVEMBER	564	92.3%
DECEMBER	400	65.4%



YEAR	AADT	% OF PREVIOUS YEAR
2007	612	102.0%
2006	600	99.8%
2005	601	93.6%
2004	642	101.1%
2003	635	97.7%
2002	650	100.0%
2001	650	101.6%
2000	640	94.1%
1999	680	109.7%
1998	620	99.2%



DAY OF WEEK	ADT	% OF AADT
SUN	623	101.9%
MON	599	97.9%
TUE	558	91.2%
WED	587	96.0%
THU	634	103.7%
FRI	704	115.1%
SAT	577	94.3%
AVG WEEKDAY	595	97.2%
AVG WEEKEND	600	98.1%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	15.5%
PERCENT HIGH DIRECTION IS OF DHV	52.6%


ATR 0012120

US-50 0.4 MI. WEST OF US-50A


MONTHLY PERCENT		
MONTH	MADT	% OF AADT
JANUARY	2,132	81.8%
FEBRUARY	2,331	89.5%
MARCH	2,575	98.8%
APRIL	2,893	111.0%
MAY	3,107	119.2%
JUNE	3,034	116.5%
JULY	2,924	112.3%
AUGUST	2,771	106.3%
SEPTEMBER	2,709	104.0%
OCTOBER	2,589	99.4%
NOVEMBER	2,213	84.9%
DECEMBER	1,985	76.2%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2007	2,605	103.3%
2006	2,523	104.3%
2005	2,418	104.2%
2004	2,321	98.3%
2003	2,360	102.3%
2002	2,306	101.4%
2001	2,275	98.7%
2000	2,305	99.1%
1999	2,325	103.6%
1998	2,245	105.4%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	2,126	81.6%
MON	2,555	98.1%
TUE	2,666	102.3%
WED	2,653	101.8%
THU	2,722	104.5%
FRI	2,888	110.9%
SAT	2,626	100.8%
AVG WEEKDAY	2,649	101.7%
AVG WEEKEND	2,376	91.2%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 10.6%

PERCENT HIGH DIRECTION IS OF DHV 53.6%

ATR 0012130


US-50, (WILLIAMS ST) 90 FT. E. OF RUSSELL ST.

MONTH	MADT	% OF AADT
JANUARY	18,937	90.0%
FEBRUARY	20,008	95.1%
MARCH	20,941	99.6%
APRIL	21,530	102.4%
MAY	22,398	106.5%
JUNE	21,903	104.1%
JULY	21,329	101.4%
AUGUST	21,813	103.7%
SEPTEMBER	21,620	102.8%
OCTOBER	21,203	100.8%
NOVEMBER	19,711	93.7%
DECEMBER		0.0%




DATA MISSING DUE TO EQUIPMENT FAILURE

YEAR	AADT	% OF PREVIOUS YEAR
2007	21,036	103.4%
2006	20,337	92.9%
2005	21,897	102.9%
2004	21,278	100.2%
2003	21,235	97.9%
2002	21,680	100.5%
2001	21,565	102.9%
2000	20,960	
1999		
1998		



DAY OF WEEK	ADT	% OF AADT
SUN	15,636	74.3%
MON	21,346	101.5%
TUE	22,256	105.8%
WED	21,962	104.4%
THU	22,553	107.2%
FRI	24,429	116.1%
SAT	19,067	90.6%
AVG WEEKDAY	22,029	104.7%
AVG WEEKEND	17,352	82.5%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.4%
PERCENT HIGH DIRECTION IS OF DHV	52.9%


ATR 0012140

US-95 1.9 MI. S.OF PASTURE RD.


MONTH	MADT	% OF AADT
JANUARY	1,916	83.6%
FEBRUARY	2,093	91.3%
MARCH	2,384	104.1%
APRIL	2,362	103.1%
MAY	2,424	105.8%
JUNE	2,554	111.5%
JULY	2,375	103.7%
AUGUST	2,447	106.8%
SEPTEMBER	2,315	101.1%
OCTOBER	2,306	100.7%
NOVEMBER	2,241	97.8%
DECEMBER	2,074	90.5%



YEAR	AADT	% OF PREVIOUS YEAR
2007	2,291	103.4%
2006	2,216	99.6%
2005	2,224	95.7%
2004	2,325	95.7%
2003	2,255	
2002		
2001		
2000		
1999		
1998		



DAY OF WEEK	ADT	% OF AADT
SUN	2,058	89.8%
MON	2,179	95.1%
TUE	2,287	99.8%
WED	2,350	102.6%
THU	2,394	104.5%
FRI	2,586	112.9%
SAT	2,182	95.2%
AVG WEEKDAY	2,303	100.5%
AVG WEEKEND	2,120	92.5%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.9%
PERCENT HIGH DIRECTION IS OF DHV	60.6%


ATR 0012150

US-50A 0.3 MI WEST OF US-50 JCT


MONTH	MADT	% OF AADT
JANUARY	7,418	87.5%
FEBRUARY	7,922	93.4%
MARCH	8,428	99.4%
APRIL	8,970	105.8%
MAY	8,987	106.0%
JUNE	8,931	105.3%
JULY	8,563	101.0%
AUGUST	8,868	104.6%
SEPTEMBER	8,749	103.2%
OCTOBER	8,797	103.7%
NOVEMBER	8,305	97.9%
DECEMBER	7,821	92.2%



YEAR	AADT	% OF PREVIOUS YEAR
2007	8,480	95.7%
2006	8,080	
2005		
2004		
2003		
2002		
2001		
2000		
1999		
1998		



DAY OF WEEK	ADT	% OF AADT
SUN	6,630	78.2%
MON	8,458	99.7%
TUE	8,846	104.3%
WED	8,927	105.3%
THU	9,016	106.3%
FRI	9,705	114.4%
SAT	7,775	91.7%
AVG WEEKDAY	8,812	103.9%
AVG WEEKEND	7,203	84.9%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.5%
PERCENT HIGH DIRECTION IS OF DHV	56.7%


ATR 003110

I-15 AT THE NV/CA STATELINE


MONTHLY PERCENT		
MONTH	MADT	% OF AADT
JANUARY	34,672	87.1%
FEBRUARY	37,473	94.1%
MARCH	37,781	94.9%
APRIL	40,027	100.5%
MAY	39,934	100.3%
JUNE	41,706	104.8%
JULY	46,156	115.9%
AUGUST	46,319	116.4%
SEPTEMBER	38,571	96.9%
OCTOBER	36,128	90.8%
NOVEMBER	39,824	100.0%
DECEMBER	39,107	98.2%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2007	39,808	98.6%
2006	40,383	101.9%
2005	39,649	102.2%
2004	38,799	101.9%
2003	38,074	100.0%
2002	38,075	100.9%
2001	37,750	105.9%
2000	35,650	102.3%
1999	34,855	102.4%
1998	34,040	105.9%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	54,101	135.9%
MON	38,141	95.8%
TUE	30,623	76.9%
WED	30,758	77.3%
THU	34,136	85.8%
FRI	48,868	122.8%
SAT	42,030	105.6%
AVG WEEKDAY	33,415	83.9%
AVG WEEKEND	48,066	120.7%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	12.6%
PERCENT HIGH DIRECTION IS OF DHV	51.3%


ATR 0031120

I-15 1.5 MI. N. OF THE APEX INTERCHANGE SR-604


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	22,079	84.7%
FEBRUARY	23,332	89.5%
MARCH	26,784	102.8%
APRIL	27,831	106.8%
MAY	26,721	102.6%
JUNE	28,149	108.0%
JULY	28,498	109.4%
AUGUST	28,530	109.5%
SEPTEMBER	25,988	99.7%
OCTOBER	26,638	102.2%
NOVEMBER	25,219	96.8%
DECEMBER	22,901	87.9%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2007	26,056	100.1%
2006	26,035	99.3%
2005	26,231	110.1%
2004	23,824	104.2%
2003	22,870	99.7%
2002	22,940	112.2%
2001	20,450	104.4%
2000	19,580	101.0%
1999	19,380	103.6%
1998	18,710	107.0%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	25,449	97.7%
MON	24,907	95.6%
TUE	24,294	93.2%
WED	25,265	97.0%
THU	26,616	102.1%
FRI	29,740	114.1%
SAT	26,120	100.2%
AVG WEEKDAY	25,271	97.0%
AVG WEEKEND	25,785	99.0%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.4%
PERCENT HIGH DIRECTION IS OF DHV	61.8%

ATR 0031130


I-15 0.7 MI. N. OF THE SR-144 E. MESQUITE INTERCHANGE

MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	20,763	86.4%
FEBRUARY	21,970	91.4%
MARCH	24,715	102.8%
APRIL	24,941	103.8%
MAY	24,380	101.5%
JUNE	25,475	106.0%
JULY	26,223	109.1%
AUGUST	26,255	109.3%
SEPTEMBER	24,349	101.3%
OCTOBER	24,651	102.6%
NOVEMBER	23,239	96.7%
DECEMBER	21,412	89.1%


AUGUST, SEPTEMBER & OCTOBER
ESTIMATED DUE TO CONSTRUCTION



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2007	24,031	100.4%
2006	23,942	101.5%
2005	23,585	103.9%
2004	22,692	103.9%
2003	21,835	101.5%
2002	21,511	107.8%
2001	19,955	106.5%
2000	18,740	100.1%
1999	18,715	105.1%
1998	17,805	106.0%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	24,637	102.5%
MON	21,769	90.6%
TUE	20,971	87.3%
WED	21,877	91.0%
THU	23,446	97.6%
FRI	27,337	113.8%
SAT	25,431	105.8%
AVG WEEKDAY	22,016	91.6%
AVG WEEKEND	25,034	104.2%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.9%
PERCENT HIGH DIRECTION IS OF DHV	N/A

ATR 0031210


I-15 0.2 MI. N. OF SR-589 (SAHARA AVE)

MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY		0.0%
FEBRUARY		0.0%
MARCH		0.0%
APRIL		0.0%
MAY		0.0%
JUNE		0.0%
JULY		0.0%
AUGUST	265,318	99.0%
SEPTEMBER	264,143	98.6%
OCTOBER	265,728	99.2%
NOVEMBER	263,533	98.3%
DECEMBER	262,562	98.0%




DATA MISSING DUE TO CONSTRUCTION

HISTORICAL RECORD		% OF PREVIOUS
YEAR	AADT	YEAR
2007	268,000	101.5%
2006	264,000	101.5%
2005	260,000	101.6%
2004	255,856	106.3%
2003	240,585	106.7%
2002	225,500	101.5%
2001	222,100	96.8%
2000	229,500	101.6%
1999	225,955	111.2%
1998	203,165	99.6%



2000 THROUGH 2007 ESTIMATED AADT

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN		0.0%
MON		0.0%
TUE		0.0%
WED		0.0%
THU		0.0%
FRI		0.0%
SAT		0.0%
AVG WEEKDAY	0	0.0%
AVG WEEKEND	0	0.0%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	N/A
PERCENT HIGH DIRECTION IS OF DHV	N/A


ATR 0031230

I-15 0.7 MI. NORTH OF SR-147 (LAKE MEAD BLVD) INTERCHANGE

MONTHLY PERCENT		% OF AADT
MONTH	MADT	AADT
JANUARY	112,830	95.4%
FEBRUARY	118,322	100.0%
MARCH	120,485	101.9%
APRIL	120,277	101.7%
MAY	116,739	98.7%
JUNE	120,553	101.9%
JULY	120,190	101.6%
AUGUST	120,940	102.2%
SEPTEMBER	119,640	101.1%
OCTOBER	121,575	102.8%
NOVEMBER	116,050	98.1%
DECEMBER	111,840	94.5%




HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	YEAR
2007	118,287	101.5%
2006	116,543	101.4%
2005	114,984	104.1%
2004	110,478	103.5%
2003	106,720	105.5%
2002	101,155	109.1%
2001	92,760	116.0%
2000	80,000	100.6%
1999	79,500	105.1%
1998	75,615	107.7%



*2000, 1999 ESTIMATED

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	93,697	79.2%
MON	118,754	100.4%
TUE	122,277	103.4%
WED	123,998	104.8%
THU	125,589	106.2%
FRI	131,374	111.1%
SAT	112,319	95.0%
AVG WEEKDAY	122,655	103.7%
AVG WEEKEND	103,008	87.1%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 7.0%

PERCENT HIGH DIRECTION IS OF DHV 57.4%


ATR 0031250

I-215 0.2 MI. E. OF EASTERN AVE INTCH.


MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY	121,384	94.8%
FEBRUARY	127,935	100.0%
MARCH	130,902	102.3%
APRIL	131,374	102.6%
MAY	129,198	100.9%
JUNE	130,165	101.7%
JULY	126,831	99.1%
AUGUST	128,044	100.0%
SEPTEMBER	128,677	100.5%
OCTOBER	131,543	102.8%
NOVEMBER	125,530	98.1%
DECEMBER	124,253	97.1%



HISTORICAL RECORD		% OF PREVIOUS
YEAR	AADT	YEAR
2007	127,986	107.7%
2006	118,886	112.5%
2005	105,712	99.3%
2004	106,477	103.0%
2003	103,395	105.5%
2002	98,035	109.9%
2001	89,235	125.8%
2000	70,930	180.0%
1999	39,405	180.0%
1998	23,160	



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	94,200	73.6%
MON	130,081	101.6%
TUE	135,346	105.8%
WED	137,068	107.1%
THU	138,283	108.0%
FRI	143,777	112.3%
SAT	117,150	91.5%
AVG WEEKDAY	135,195	105.6%
AVG WEEKEND	105,675	82.6%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 7.0%

PERCENT HIGH DIRECTION IS OF DHV 57.4%


ATR 0032120

US-95 AT SR-157 (CHARLESTON PARK RD) INTERCHANGE


MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY	10,616	93.3%
FEBRUARY	10,302	90.5%
MARCH	10,876	95.6%
APRIL	10,684	93.9%
MAY	11,474	100.8%
JUNE	11,997	105.4%
JULY	11,959	105.1%
AUGUST	12,364	108.7%
SEPTEMBER	12,159	106.9%
OCTOBER	11,425	100.4%
NOVEMBER	10,590	93.1%
DECEMBER	12,107	106.4%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2007	11,379	103.4%
2006	11,009	104.6%
2005	10,528	99.9%
2004	10,538	98.5%
2003	10,700	108.0%
2002	9,910	99.1%
2001	10,005	103.9%
2000	9,630	104.8%
1999	9,185	99.5%
1998	9,235	105.2%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	11,449	100.6%
MON	11,364	99.9%
TUE	11,274	99.1%
WED	11,542	101.4%
THU	11,662	102.5%
FRI	11,386	100.1%
SAT	10,978	96.5%
AVG WEEKDAY	11,461	100.7%
AVG WEEKEND	11,214	98.5%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 7.8%

PERCENT HIGH DIRECTION IS OF DHV 56.5%

ATR 0032220


US-95 0.2 MI S. OF SR-596 (JONES BLVD) INTCH.

MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY		0.0%
FEBRUARY		0.0%
MARCH		0.0%
APRIL		0.0%
MAY		0.0%
JUNE		0.0%
JULY		0.0%
AUGUST		0.0%
SEPTEMBER		0.0%
OCTOBER		0.0%
NOVEMBER		0.0%
DECEMBER		0.0%




DATA MISSING DUE TO CONSTRUCTION

HISTORICAL RECORD		% OF PREVIOUS
YEAR	AADT	YEAR
2007	190,000	100.5%
2006	189,000	100.5%
2005	188,000	97.9%
2004	192,100	100.0%
2003	192,100	99.7%
2002	192,755	100.7%
2001	191,440	101.2%
2000	189,255	104.3%
1999	181,465	108.2%
1998	167,745	106.2%



2007 THROUGH 2004 AADT ESTIMATED

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN		0.0%
MON		0.0%
TUE		0.0%
WED		0.0%
THU		0.0%
FRI		0.0%
SAT		0.0%
AVG WEEKDAY	#DIV/0!	#DIV/0!
AVG WEEKEND	#DIV/0!	#DIV/0!




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	N/A
PERCENT HIGH DIRECTION IS OF DHV	N/A


ATR 0032240

SR-612 (NELLIS BLVD) 75 FT. N. OF ST. LOUIS AVE.


MONTH	MADT	% OF AADT
JANUARY	42,205	100.8%
FEBRUARY	42,779	102.1%
MARCH	41,458	99.0%
APRIL	41,905	100.1%
MAY	41,629	99.4%
JUNE	42,149	100.6%
JULY	42,315	101.0%
AUGUST	41,578	99.3%
SEPTEMBER	41,191	98.4%
OCTOBER	41,928	100.1%
NOVEMBER	41,432	98.9%
DECEMBER	42,016	100.3%



YEAR	AADT	% OF PREVIOUS YEAR
2007	41,882	94.1%
2006	44,498	96.0%
2005	46,344	103.2%
2004	44,898	110.3%
2003	40,690	96.8%
2002	42,040	101.5%
2001	41,400	100.0%
2000	41,400	96.0%
1999	43,125	99.7%
1998	43,250	102.9%



DAY	ADT	% OF AADT
SUN	35,187	84.0%
MON	41,671	99.5%
TUE	42,009	100.3%
WED	42,403	101.2%
THU	42,856	102.3%
FRI	47,086	112.4%
SAT	41,963	100.2%
AVG WEEKDAY	42,235	100.8%
AVG WEEKEND	38,575	92.1%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	12.0%
PERCENT HIGH DIRECTION IS OF DHV	53.3%


ATR 0033120

SR-562 (SUNSET RD) 0.1MI. E. OF PARADISE RD


MONTH	MADT	% OF AADT
JANUARY	40,464	98.5%
FEBRUARY	42,954	104.6%
MARCH	43,291	105.4%
APRIL	42,596	103.7%
MAY	40,806	99.3%
JUNE	41,113	100.1%
JULY	39,288	95.6%
AUGUST	40,476	98.5%
SEPTEMBER	40,367	98.3%
OCTOBER	41,934	102.1%
NOVEMBER	40,010	97.4%
DECEMBER	39,679	96.6%



YEAR	AADT	% OF PREVIOUS YEAR
2007	41,082	97.6%
2006	42,097	99.9%
2005	42,140	104.6%
2004	40,303	105.6%
2003	38,155	94.6%
2002	40,345	107.8%
2001	37,420	98.1%
2000	38,135	98.8%
1999	38,585	105.8%
1998	36,455	102.0%



DAY	ADT	% OF AADT
SUN	20,061	48.8%
MON	44,879	109.2%
TUE	48,329	117.6%
WED	48,450	117.9%
THU	48,531	118.1%
FRI	49,688	120.9%
SAT	27,632	67.3%
AVG WEEKDAY	47,547	115.7%
AVG WEEKEND	23,847	58.0%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.7%
---	------

PERCENT HIGH DIRECTION IS OF DHV	57.2%
----------------------------------	-------


ATR 0033130

US-95 0.7 MI. N. OF SR-164 (NIPTON RD.)

MONTH	MADT	% OF AADT
JANUARY	9,147	96.8%
FEBRUARY	9,844	104.1%
MARCH	10,895	115.2%
APRIL	11,215	118.6%
MAY	9,758	103.2%
JUNE	9,302	98.4%
JULY	9,232	97.7%
AUGUST	8,741	92.5%
SEPTEMBER	8,566	90.6%
OCTOBER	9,009	95.3%
NOVEMBER	9,087	96.1%
DECEMBER	8,653	91.5%




YEAR	AADT	% OF PREVIOUS YEAR
2007	9,454	99.2%
2006	9,534	104.3%
2005	9,140	103.8%
2004	8,805	113.2%
2003	7,775	100.4%
2002	7,745	112.7%
2001	6,870	110.4%
2000	6,225	98.7%
1999	6,305	105.7%
1998	5,965	100.0%



2003 AADT ESTIMATED

DAY	ADT	% OF AADT
SUN	9,922	105.0%
MON	9,142	96.7%
TUE	8,930	94.5%
WED	9,324	98.6%
THU	9,498	100.5%
FRI	10,432	110.3%
SAT	8,931	94.5%
AVG WEEKDAY	9,224	97.6%
AVG WEEKEND	9,427	99.7%



PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE

12.2%


PERCENT HIGH DIRECTION IS OF DHV

70.3%


ATR 0033150

US-93 0.8 MI. S. OF US-95 INTCH.

MONTH	MADT	% OF AADT
JANUARY	31,704	91.0%
FEBRUARY	33,821	97.0%
MARCH	36,936	106.0%
APRIL	36,934	106.0%
MAY	36,217	103.9%
JUNE	35,842	102.8%
JULY	35,375	101.5%
AUGUST	34,720	99.6%
SEPTEMBER	34,453	98.9%
OCTOBER	35,662	102.3%
NOVEMBER	33,842	97.1%
DECEMBER	32,683	93.8%




HISTORICAL RECORD		
YEAR	AADT	PREVIOUS YEAR
2007	34,849	101.9%
2006	34,200	100.0%
2005	34,191	101.7%
2004	33,625	102.6%
2003	32,770	101.8%
2002	32,190	100.2%
2001	32,135	99.6%
2000	32,250	100.9%
1999	31,965	103.5%
1998	30,895	102.9%



2006 AADT ESTIMATED

DAY	ADT	% OF AADT
SUN	32,158	92.3%
MON	34,370	98.6%
TUE	34,259	98.3%
WED	34,705	99.6%
THU	35,550	102.0%
FRI	38,753	111.2%
SAT	34,148	98.0%
AVG WEEKDAY	34,721	99.6%
AVG WEEKEND	33,153	95.1%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 9.0%

PERCENT HIGH DIRECTION IS OF DHV 50.4%


ATR 0033160

SR-163 (DAVIS DAM RD.) 0.5 MI. E. OF US-95


MONTH	MADT	% OF AADT
JANUARY	6,549	96.3%
FEBRUARY	7,085	104.2%
MARCH	7,784	114.5%
APRIL	8,312	122.3%
MAY	6,804	100.1%
JUNE	6,506	95.7%
JULY	6,620	97.4%
AUGUST	6,364	93.6%
SEPTEMBER	6,217	91.5%
OCTOBER	6,511	95.8%
NOVEMBER	6,602	97.1%
DECEMBER	6,212	91.4%



YEAR	AADT	% OF PREVIOUS YEAR
2007	6,797	97.5%
2006	6,969	98.8%
2005	7,052	107.8%
2004	6,541	107.0%
2003	6,115	100.4%
2002	6,090	116.1%
2001	5,244	108.8%
2000	4,820	97.1%
1999	4,965	98.8%
1998	5,025	102.9%



DAY	ADT	% OF AADT
SUN	7,107	104.6%
MON	6,584	96.9%
TUE	6,457	95.0%
WED	6,722	98.9%
THU	6,821	100.4%
FRI	7,555	111.2%
SAT	6,333	93.2%
AVG WEEKDAY	6,646	97.8%
AVG WEEKEND	6,720	98.9%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	13.1%
PERCENT HIGH DIRECTION IS OF DHV	67.4%


ATR 0033180

SR-160 15.6 MI. W. OF SR-159


MONTH	MADT	% OF AADT
JANUARY	9,297	96.3%
FEBRUARY	9,737	100.9%
MARCH	9,780	101.4%
APRIL	10,182	105.5%
MAY	9,577	99.3%
JUNE	9,659	100.1%
JULY	9,274	96.1%
AUGUST	9,471	98.2%
SEPTEMBER	9,664	100.2%
OCTOBER	10,024	103.9%
NOVEMBER	9,799	101.6%
DECEMBER	9,325	96.6%



YEAR	AADT	% OF PREVIOUS YEAR
2007	9,649	100.0%
2006	9,649	102.2%
2005	9,444	109.0%
2004	8,661	110.3%
2003	7,850	101.7%
2002	7,720	106.0%
2001	7,280	100.6%
2000	7,235	102.9%
1999	7,030	110.5%
1998	6,360	



DAY	ADT	% OF AADT
SUN	7,407	76.8%
MON	9,808	101.6%
TUE	10,301	106.8%
WED	10,432	108.1%
THU	10,580	109.6%
FRI	10,987	113.9%
SAT	9,110	94.4%
AVG WEEKDAY	10,280	106.5%
AVG WEEKEND	8,259	85.6%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 9.2%

PERCENT HIGH DIRECTION IS OF DHV 66.5%


ATR 0033190

SR-599 (RANCHO RD) 0.2 MI. N.OF SR-574 (CHEYENNE AVE)


MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY	30,348	95.1%
FEBRUARY	32,744	102.7%
MARCH	33,602	105.3%
APRIL	33,056	103.6%
MAY	32,364	101.5%
JUNE	32,354	101.4%
JULY	30,862	96.8%
AUGUST	31,797	99.7%
SEPTEMBER	32,202	101.0%
OCTOBER	33,141	103.9%
NOVEMBER	30,920	96.9%
DECEMBER	29,375	92.1%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2007	31,897	101.2%
2006	31,510	100.7%
2005	31,293	111.8%
2004	27,987	105.9%
2003	26,420	96.9%
2002	27,260	99.4%
2001	27,435	98.8%
2000	27,775	97.1%
1999	28,610	
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	21,166	66.4%
MON	32,931	103.2%
TUE	34,378	107.8%
WED	34,873	109.3%
THUR	35,020	109.8%
FRI	36,880	115.6%
SAT	28,033	87.9%
AVG WEEKDAY	34,301	107.5%
AVG WEEKEND	24,600	77.1%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.4%
PERCENT HIGH DIRECTION IS OF DHV	58.1%


ATR 0033200

SR-564 (LAKE MEAD DR.) 1.7 MI. E. OF LAS VEGAS PKWY


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	2,014	73.4%
FEBRUARY	2,489	90.7%
MARCH	3,104	113.2%
APRIL	3,320	121.0%
MAY	3,577	130.4%
JUNE	3,253	118.6%
JULY	2,997	109.3%
AUGUST	2,972	108.4%
SEPTEMBER	2,787	101.6%
OCTOBER	2,431	88.6%
NOVEMBER	2,259	82.4%
DECEMBER	1,714	62.5%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2007	2,743	96.1%
2006	2,855	98.7%
2005	2,892	107.6%
2004	2,687	99.7%
2003	2,695	88.9%
2002	3,030	93.4%
2001	3,245	86.4%
2000	3,755	
1999		
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	3,335	121.6%
MON	2,527	92.1%
TUE	2,430	88.6%
WED	2,428	88.5%
THU	2,416	88.1%
FRI	2,729	99.5%
SAT	3,337	121.6%
AVG WEEKDAY	2,450	89.3%
AVG WEEKEND	3,336	121.6%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	15.4%
PERCENT HIGH DIRECTION IS OF DHV	59.2%


ATR 0035210

SR-159 (CHARLESTON BLVD.) 0.3 MI. E. OF VALLEY VIEW BLVD.


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	40,955	98.6%
FEBRUARY	43,332	104.3%
MARCH	44,373	106.8%
APRIL	43,841	105.6%
MAY	42,117	101.4%
JUNE	41,124	99.0%
JULY	39,307	94.6%
AUGUST	40,994	98.7%
SEPTEMBER	41,906	100.9%
OCTOBER	43,177	104.0%
NOVEMBER	39,518	95.2%
DECEMBER	37,740	90.9%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2007	41,532	100.3%
2006	41,394	102.1%
2005	40,546	94.0%
2004	43,147	108.7%
2003	39,680	97.3%
2002	40,770	113.2%
2001	36,015	91.5%
2000	39,345	97.6%
1999	40,315	97.6%
1998	41,310	100.1%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	25,016	60.2%
MON	45,003	108.4%
TUE	47,315	113.9%
WED	46,778	112.6%
THU	46,892	112.9%
FRI	47,768	115.0%
SAT	31,952	76.9%
AVG WEEKDAY	46,497	112.0%
AVG WEEKEND	28,484	68.6%




PERCENT DESIGN VOLUME (DHV) IS OF ANNUAL AVERAGE	9.5%
PERCENT HIGH DIRECTION IS OF DHV	52.6%


ATR 0035220

US-93 0.3 MI. S. OF BOULDER BEACH HWY.


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	11,237	83.5%
FEBRUARY	11,999	89.2%
MARCH	14,214	105.7%
APRIL	14,458	107.5%
MAY	13,777	102.4%
JUNE	14,168	105.3%
JULY	14,769	109.8%
AUGUST	14,214	105.7%
SEPTEMBER	13,420	99.8%
OCTOBER	13,558	100.8%
NOVEMBER	13,144	97.7%
DECEMBER	12,432	92.4%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2007	13,449	103.6%
2006	12,987	99.9%
2005	12,996	100.2%
2004	12,970	102.9%
2003	12,610	102.7%
2002	12,280	92.9%
2001	13,225	
2000		
1999		
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	15,577	115.8%
MON	12,767	94.9%
TUE	11,655	86.7%
WED	11,875	88.3%
THU	12,622	93.9%
FRI	15,333	114.0%
SAT	14,315	106.4%
AVG WEEKDAY	12,230	90.9%
AVG WEEKEND	14,946	111.1%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	11.0%
PERCENT HIGH DIRECTION IS OF DHV	51.6%


ATR 0035230

EASTERN AVE. 0.1 MI. S. OF SR-159 (CHARLESTON BLVD.)


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	35,473	99.4%
FEBRUARY	37,693	105.6%
MARCH	37,470	105.0%
APRIL	37,358	104.7%
MAY	36,395	102.0%
JUNE	35,718	100.1%
JULY	34,224	95.9%
AUGUST	35,152	98.5%
SEPTEMBER	35,264	98.8%
OCTOBER	35,709	100.1%
NOVEMBER	34,328	96.2%
DECEMBER	33,491	93.8%



HISTORICAL RECORD		
		% OF PREVIOUS YEAR
YEAR	AADT	YEAR
2007	35,690	97.8%
2006	36,508	101.3%
2005	36,030	104.8%
2004	34,373	102.5%
2003	33,530	96.3%
2002	34,810	98.1%
2001	35,495	
2000		
1999		
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	25,061	70.2%
MON	37,448	104.9%
TUE	38,313	107.4%
WED	38,433	107.7%
THU	38,302	107.3%
FRI	40,559	113.6%
SAT	31,711	88.9%
AVG WEEKDAY	38,124	106.8%
AVG WEEKEND	28,386	79.5%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.1%
PERCENT HIGH DIRECTION IS OF DHV	56.3%


ATR 0035240

JONES BLVD. 0.1 MI. N. OF SMOKE RANCH RD.


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	16,742	98.0%
FEBRUARY	17,207	100.7%
MARCH	18,382	107.6%
APRIL	18,158	106.2%
MAY	18,397	107.6%
JUNE	17,284	101.1%
JULY	16,086	94.1%
AUGUST	15,963	93.4%
SEPTEMBER	17,033	99.7%
OCTOBER	17,454	102.1%
NOVEMBER	16,379	95.8%
DECEMBER	16,012	93.7%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	YEAR
2007	17,091	97.7%
2006	17,497	90.1%
2005	19,415	95.1%
2004	20,408	
2003		
2002		
2001		
2000		
1999		
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	12,687	74.2%
MON	17,451	102.1%
TUE	18,286	107.0%
WED	18,387	107.6%
THU	18,247	106.8%
FRI	19,192	112.3%
SAT	15,389	90.0%
AVG WEEKDAY	18,093	105.9%
AVG WEEKEND	14,038	82.1%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.2%
PERCENT HIGH DIRECTION IS OF DHV	64.8%

ATR 0035250


SR-592 (FLAMINGO BLVD) 0.1 MI. E. OF DECATUR BLVD.

MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY		0.0%
FEBRUARY		0.0%
MARCH		0.0%
APRIL		0.0%
MAY		0.0%
JUNE		0.0%
JULY		0.0%
AUGUST		0.0%
SEPTEMBER		0.0%
OCTOBER		0.0%
NOVEMBER		0.0%
DECEMBER		0.0%




DATA MISSING DUE TO EQUIPMENT FAILURE

HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	YEAR
2007	64,100	100.0%
2006	64,100	100.0%
2005	64,100	100.0%
2004	64,109	102.3%
2003	62,650	98.0%
2002	63,915	
2001		
2000		
1999		
1998		



2007, 2006 & 2005 DATA ESTIMATED

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN		0.0%
MON		0.0%
TUE		0.0%
WED		0.0%
THU		0.0%
FRI		0.0%
SAT		0.0%
AVG WEEKDAY	#DIV/0!	#DIV/0!
AVG WEEKEND	#DIV/0!	#DIV/0!



PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE

N/A


PERCENT HIGH DIRECTION IS OF DHV

N/A


ATR 0035260

MESQUITE BLVD. 0.4 MI. E. OF SR-170 (BUNKERVILLE RD)

MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	10,938	96.7%
FEBRUARY	11,918	105.3%
MARCH	12,406	109.6%
APRIL	12,296	108.7%
MAY	11,763	104.0%
JUNE	11,393	100.7%
JULY	10,958	96.8%
AUGUST	10,741	94.9%
SEPTEMBER	10,612	93.8%
OCTOBER	11,514	101.8%
NOVEMBER	10,874	96.1%
DECEMBER	10,364	91.6%




HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	YEAR
2007	11,315	103.7%
2006	10,913	72.8%
2005	15,000	103.1%
2004	14,552	104.5%
2003	13,920	97.6%
2002	14,255	101.0%
2001	14,110	
2000		
1999		
1998		



2005 ESTIMATED

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	9,173	81.1%
MON	11,273	99.6%
TUE	11,119	98.3%
WED	11,264	99.6%
THU	11,465	101.3%
FRI	13,241	117.0%
SAT	11,668	103.1%
AVG WEEKDAY	11,280	99.7%
AVG WEEKEND	10,421	92.1%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 9.7%

PERCENT HIGH DIRECTION IS OF DHV 51.6%

ATR 0035270


I-215 0.8 MI. S. OF THE FAR HILLS INTERCHANGE

MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY	49,025	96.4%
FEBRUARY	51,337	101.0%
MARCH	52,835	103.9%
APRIL	52,257	102.8%
MAY	51,960	102.2%
JUNE	51,479	101.2%
JULY	49,022	96.4%
AUGUST	50,115	98.6%
SEPTEMBER	50,918	100.1%
OCTOBER	51,123	100.5%
NOVEMBER	49,227	96.8%
DECEMBER		0.0%




DATA MISSING DUE TO EQUIPMENT FAILURE

HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2007	50,845	110.1%
2006	46,163	117.0%
2005	39,440	107.5%
2004	36,679	124.4%
2003	29,475	127.7%
2002	23,075	
2001		
2000		
1999		
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	36,269	71.3%
MON	51,777	101.8%
TUE	54,789	107.8%
WED	55,187	108.5%
THU	55,130	108.4%
FRI	57,417	112.9%
SAT	45,348	89.2%
AVG WEEKDAY	54,221	106.6%
AVG WEEKEND	40,809	80.3%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	8.9%
---	------

PERCENT HIGH DIRECTION IS OF DHV	57.3%
----------------------------------	-------


ATR 0035310

SR-593 (TROPICANA AVE) 0.1 MI. EAST OF SPENCER ST.


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	51,871	98.1%
FEBRUARY	54,616	103.3%
MARCH	55,054	104.1%
APRIL	53,856	101.9%
MAY	51,916	98.2%
JUNE	52,790	99.8%
JULY	52,210	98.7%
AUGUST	52,353	99.0%
SEPTEMBER	53,119	100.5%
OCTOBER	54,441	103.0%
NOVEMBER	51,767	97.9%
DECEMBER	50,491	95.5%



HISTORICAL RECORD		
	% OF PREVIOUS	
YEAR	AADT	YEAR
2007	52,874	97.8%
2006	54,073	101.0%
2005	53,513	97.7%
2004	54,782	103.3%
2003	53,045	100.9%
2002	52,560	
2001		
2000		
1999		
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	42,454	80.3%
MON	53,563	101.3%
TUE	54,963	104.0%
WED	55,101	104.2%
THU	55,802	105.5%
FRI	58,263	110.2%
SAT	49,971	94.5%
AVG WEEKDAY	54,857	103.8%
AVG WEEKEND	46,213	87.4%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	7.8%
PERCENT HIGH DIRECTION IS OF DHV	54.2%

ATR 0035320


US-95 0.8 MI. SOUTH OF THE DURANGO INTCH.

MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY		0.0%
FEBRUARY		0.0%
MARCH		0.0%
APRIL		0.0%
MAY		0.0%
JUNE		0.0%
JULY		0.0%
AUGUST		0.0%
SEPTEMBER		0.0%
OCTOBER		0.0%
NOVEMBER		0.0%
DECEMBER		0.0%




DATA MISSING DUE TO EQUIP. FAILURE

HISTORICAL RECORD		% OF PREVIOUS
YEAR	AADT	YEAR
2007	41,000	96.5%
2006	42,500	106.8%
2005	39,807	107.3%
2004	37,093	109.1%
2003	33,995	
2002		
2001		
2000		
1999		
1998		



2007 & 2006 AADT ESTIMATED

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	34,338	83.8%
MON	40,595	99.0%
TUE	41,246	100.6%
WED	42,082	102.6%
THU	42,200	102.9%
FRI	43,689	106.6%
SAT	39,899	97.3%
AVG WEEKDAY	41,531	101.3%
AVG WEEKEND	37,119	90.5%



PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE

N/A


PERCENT HIGH DIRECTION IS OF DHV

N/A


ATR 0035330

SR-604 (N LAS VEGAS BLVD) 0.3 MI S. OF SR-612 (NELLIS BLVD)


MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY	12,812	98.6%
FEBRUARY	13,571	104.4%
MARCH	14,981	115.3%
APRIL	13,583	104.5%
MAY	13,011	100.1%
JUNE	12,680	97.6%
JULY	12,302	94.7%
AUGUST	12,448	95.8%
SEPTEMBER	13,057	100.5%
OCTOBER	12,975	99.8%
NOVEMBER	12,424	95.6%
DECEMBER	12,105	93.1%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2007	12,996	92.5%
2006	14,043	98.4%
2005	14,276	101.5%
2004	14,061	
2003		
2002		
2001		
2000		
1999		
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	11,141	85.7%
MON	12,818	98.6%
TUE	13,087	100.7%
WED	13,185	101.5%
THU	13,419	103.3%
FRI	14,625	112.5%
SAT	12,695	97.7%
AVG WEEKDAY	13,127	101.0%
AVG WEEKEND	11,918	91.7%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 9.8%

PERCENT HIGH DIRECTION IS OF DHV 53.7%

ATR 0035340


I-15 1 MI SOUTH OF THE SR-160 INTERCHANGE (BLUE DIAMOND RD)

MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY		0.0%
FEBRUARY		0.0%
MARCH		0.0%
APRIL		0.0%
MAY		0.0%
JUNE		0.0%
JULY		0.0%
AUGUST		0.0%
SEPTEMBER		0.0%
OCTOBER	87,255	95.7%
NOVEMBER	93,045	102.0%
DECEMBER	93,362	102.3%




NEW SITE

HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2007	91,221	
2006		
2005		
2004		
2003		
2002		
2001		
2000		
1999		
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	90,330	99.0%
MON	88,034	96.5%
TUE	85,847	94.1%
WED	90,303	99.0%
THU	89,978	98.6%
FRI	102,783	112.7%
SAT	91,269	100.1%
AVG WEEKDAY	88,541	97.1%
AVG WEEKEND	90,800	99.5%



PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE

N/A


PERCENT HIGH DIRECTION IS OF DHV

N/A

ATR 0035350


I-15 3.2 MI. N. OF US-93

MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY	18,885	82.6%
FEBRUARY	20,021	87.6%
MARCH	23,006	100.7%
APRIL	25,774	112.8%
MAY	23,256	101.8%
JUNE	24,714	108.2%
JULY	25,227	110.4%
AUGUST	25,843	113.1%
SEPTEMBER	22,683	99.3%
OCTOBER	22,996	100.6%
NOVEMBER	21,913	95.9%
DECEMBER	19,902	87.1%




APRIL & AUGUST ESTIMATED

HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2007	22,852	100.5%
2006	22,731	103.9%
2005	21,881	104.6%
2004	20,916	
2003		
2002		
2001		
2000		
1999		
1998		



2007 AADT ESTIMATED

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	22,749	99.6%
MON	21,079	92.2%
TUE	20,298	88.8%
WED	21,338	93.4%
THU	22,624	99.0%
FRI	25,655	112.3%
SAT	22,823	99.9%
AVG WEEKDAY	21,335	93.4%
AVG WEEKEND	22,786	99.7%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.8%
---	------

PERCENT HIGH DIRECTION IS OF DHV	53.9%
----------------------------------	-------


ATR 0035360

I-15 1.5 MI SOUTH OF THE SLOAN INTERCHANGE


MONTHLY PERCENT		
MONTH	MADT	% OF AADT
JANUARY		0.0%
FEBRUARY		0.0%
MARCH		0.0%
APRIL		0.0%
MAY		0.0%
JUNE		0.0%
JULY		0.0%
AUGUST	51,893	113.0%
SEPTEMBER	43,812	95.4%
OCTOBER	41,626	90.7%
NOVEMBER	45,683	99.5%
DECEMBER	46,557	101.4%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2007	45,914	
2006		
2005		
2004		
2003		
2002		
2001		
2000		
1999		
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	60,141	131.0%
MON	41,865	91.2%
TUE	36,132	78.7%
WED	38,082	82.9%
THU	40,153	87.5%
FRI	54,071	117.8%
SAT	50,955	111.0%
AVG WEEKDAY	39,058	85.1%
AVG WEEKEND	55,548	121.0%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	11.2%
PERCENT HIGH DIRECTION IS OF DHV	54.6%


ATR 0035370

I-215 0.5 MI WEST OF THE GIBSON INTERCHANGE


MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY	103,886	92.7%
FEBRUARY	109,767	98.0%
MARCH	114,609	102.3%
APRIL	114,871	102.5%
MAY	113,587	101.4%
JUNE	113,571	101.4%
JULY	110,356	98.5%
AUGUST	112,480	100.4%
SEPTEMBER	114,859	102.5%
OCTOBER	117,459	104.8%
NOVEMBER	111,564	99.6%
DECEMBER	107,479	95.9%



HISTORICAL RECORD		
		% OF PREVIOUS YEAR
YEAR	AADT	
2007	112,041	116.5%
2006	96,195	
2005		
2004		
2003		
2002		
2001		
2000		
1999		
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	77,611	69.3%
MON	115,507	103.1%
TUE	120,135	107.2%
WED	122,381	109.2%
THU	123,124	109.9%
FRI	126,697	113.1%
SAT	98,830	88.2%
AVG WEEKDAY	120,287	107.4%
AVG WEEKEND	88,221	78.7%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 8.6%

PERCENT HIGH DIRECTION IS OF DHV 52.2%


ATR 0052110

US-50 0.6 MI. E. OF THE NV/CA STATELINE


MONTH	MADT	% OF AADT
JANUARY	27,658	91.3%
FEBRUARY	27,704	91.5%
MARCH	29,043	95.9%
APRIL	27,428	90.6%
MAY	29,242	96.6%
JUNE	33,114	109.4%
JULY	37,951	125.3%
AUGUST	37,380	123.4%
SEPTEMBER	32,925	108.7%
OCTOBER	28,493	94.1%
NOVEMBER	25,890	85.5%
DECEMBER	26,530	87.6%



YEAR	AADT	% OF PREVIOUS YEAR
2007	30,280	98.3%
2006	30,790	91.7%
2005	33,570	101.1%
2004	33,205	101.1%
2003	32,840	102.6%
2002	32,010	101.4%
2001	31,580	97.7%
2000	32,330	104.0%
1999	31,100	100.6%
1998	30,905	96.4%



DAY	ADT	% OF AADT
SUN	27,774	91.7%
MON	29,313	96.8%
TUE	29,224	96.5%
WED	29,472	97.3%
THU	30,351	100.2%
FRI	33,293	110.0%
SAT	32,531	107.4%
AVG WEEKDAY	29,590	97.7%
AVG WEEKEND	30,153	99.6%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.2%
PERCENT HIGH DIRECTION IS OF DHV	51.5%


ATR 0053110

US-395 4.2 MI. N. OF THE NV/CA STATELINE


MONTH	MADT	% OF AADT
JANUARY	5,411	80.3%
FEBRUARY	5,507	81.7%
MARCH	6,354	94.3%
APRIL	6,599	97.9%
MAY	7,172	106.4%
JUNE	7,838	116.3%
JULY	8,106	120.3%
AUGUST	8,181	121.4%
SEPTEMBER	7,334	108.8%
OCTOBER	6,565	97.4%
NOVEMBER	6,268	93.0%
DECEMBER	5,530	82.1%



YEAR	AADT	% OF PREVIOUS YEAR
2007	6739	96.6%
2006	6973	102.1%
2005	6830	95.7%
2004	7136	102.1%
2003	6990	102.9%
2002	6790	106.3%
2001	6385	102.2%
2000	6245	102.7%
1999	6080	104.9%
1998	5795	101.6%



DAY	ADT	% OF AADT
SUN	6,264	93.0%
MON	6,751	100.2%
TUE	6,569	97.5%
WED	6,664	98.9%
THU	6,790	100.8%
FRI	7,583	112.5%
SAT	6,550	97.2%
AVG WEEKDAY	6,694	99.3%
AVG WEEKEND	6,407	95.1%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 10.8%

PERCENT HIGH DIRECTION IS OF DHV 52.4%


ATR 0053120

SR-88 0.5 MI. N. OF THE NV/CA STATELINE


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	3,021	79.8%
FEBRUARY	2,984	78.8%
MARCH	3,480	91.9%
APRIL	3,441	90.9%
MAY	3,954	104.4%
JUNE	4,477	118.2%
JULY	4,687	123.8%
AUGUST	4,705	124.2%
SEPTEMBER	4,376	115.6%
OCTOBER	3,968	104.8%
NOVEMBER	3,387	89.5%
DECEMBER	2,957	78.1%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2007	3,786	99.6%
2006	3,802	99.7%
2005	3,813	97.6%
2004	3,905	100.8%
2003	3,875	102.4%
2002	3,785	106.0%
2001	3,570	106.7%
2000	3,345	101.1%
1999	3,310	108.5%
1998	3,050	94.7%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	4,115	108.7%
MON	3,637	96.1%
TUE	3,432	90.6%
WED	3,469	91.6%
THU	3,567	94.2%
FRI	4,326	114.3%
SAT	3,960	104.6%
AVG WEEKDAY	3,526	93.1%
AVG WEEKEND	4,038	106.6%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	13.1%
PERCENT HIGH DIRECTION IS OF DHV	60.8%


ATR 0053130

SR-756 (CENTERVILLE RD.) 0.2 MI. N. OF DRESSLERVILLE RD.


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	8,015	91.7%
FEBRUARY	8,333	95.3%
MARCH	8,787	100.5%
APRIL	8,862	101.3%
MAY	9,118	104.3%
JUNE	9,359	107.0%
JULY	8,856	101.3%
AUGUST	9,116	104.3%
SEPTEMBER	8,981	102.7%
OCTOBER	8,749	100.1%
NOVEMBER	8,473	96.9%
DECEMBER	8,278	94.7%



HISTORICAL RECORD		
		% OF PREVIOUS YEAR
YEAR	AADT	YEAR
2007	8,744	98.8%
2006	8,848	100.5%
2005	8,805	94.7%
2004	9,297	107.9%
2003	8,620	100.5%
2002	8,580	99.7%
2001	8,610	
2000		
1999		
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	6,876	78.6%
MON	8,845	101.2%
TUE	9,172	104.9%
WED	9,306	106.4%
THU	9,153	104.7%
FRI	9,780	111.9%
SAT	8,075	92.4%
AVG WEEKDAY	9,119	104.3%
AVG WEEKEND	7,476	85.5%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.4%
PERCENT HIGH DIRECTION IS OF DHV	61.9%


ATR 0053150

SR-207 (KINGSBURY GRADE) 0.5 MI. EAST OF US-50


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	11,505	97.1%
FEBRUARY	11,636	98.2%
MARCH	12,003	101.3%
APRIL	10,563	89.1%
MAY	11,135	93.9%
JUNE	12,700	107.2%
JULY	14,307	120.7%
AUGUST	14,119	119.1%
SEPTEMBER	12,435	104.9%
OCTOBER	10,952	92.4%
NOVEMBER	10,129	85.5%
DECEMBER	10,740	90.6%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2007	11,852	98.4%
2006	12,040	99.4%
2005	12,107	98.5%
2004	12,294	97.9%
2003	12,555	107.0%
2002	11,735	
2001		
2000		
1999		
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	10,312	87.0%
MON	11,734	99.0%
TUE	11,900	100.4%
WED	11,987	101.1%
THU	11,984	101.1%
FRI	13,002	109.7%
SAT	12,044	101.6%
AVG WEEKDAY	11,901	100.4%
AVG WEEKEND	11,178	94.3%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.0%
PERCENT HIGH DIRECTION IS OF DHV	57.7%


ATR 007120

I-80 1.7 MI. E. OF THE US-93 INTERCHANGE

MONTH	MADT	% OF AADT
JANUARY	3,918	70.6%
FEBRUARY	3,923	70.7%
MARCH	4,646	83.7%
APRIL	5,208	93.9%
MAY	5,884	106.0%
JUNE	6,928	124.9%
JULY	7,012	126.4%
AUGUST	7,467	134.6%
SEPTEMBER	6,457	116.4%
OCTOBER	5,827	105.0%
NOVEMBER	5,200	93.7%
DECEMBER	4,118	74.2%




HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2007	5,549	104.0%
2006	5,338	101.9%
2005	5,240	107.2%
2004	4,888	93.1%
2003	5,250	98.4%
2002	5,335	104.3%
2001	5,115	96.4%
2000	5,305	103.1%
1999	5,145	105.1%
1998	4,895	101.7%



2003 AADT ESTIMATED

DAY	ADT	% OF AADT
SUN	5,662	102.0%
MON	5,140	92.6%
TUE	5,423	97.7%
WED	5,723	103.1%
THU	5,828	105.0%
FRI	5,595	100.8%
SAT	5,471	98.6%
AVG WEEKDAY	5,529	99.6%
AVG WEEKEND	5,567	100.3%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.3%
---	-------

PERCENT HIGH DIRECTION IS OF DHV	54.0%
----------------------------------	-------


ATR 0072110

US-93 16.5 MI. S. OF THE NV / ID STATE LINE


MONTH	MADT	% OF AADT
JANUARY	1,672	75.9%
FEBRUARY	1,741	79.1%
MARCH	2,274	103.2%
APRIL	2,257	102.5%
MAY	2,216	100.7%
JUNE	2,577	117.0%
JULY	2,716	123.3%
AUGUST	2,611	118.6%
SEPTEMBER	2,263	102.8%
OCTOBER	2,272	103.2%
NOVEMBER	2,111	95.8%
DECEMBER	1,715	77.9%



YEAR	AADT	% OF PREVIOUS YEAR
2007	2,202	100.9%
2006	2,184	101.4%
2005	2,153	100.1%
2004	2,151	99.4%
2003	2,165	100.0%
2002	2,165	105.9%
2001	2,045	100.7%
2000	2,030	99.8%
1999	2,035	102.3%
1998	1,990	103.9%



DAY	ADT	% OF AADT
SUN	2,242	101.8%
MON	1,999	90.8%
TUE	2,099	95.3%
WED	2,231	101.3%
THU	2,217	100.7%
FRI	2,286	103.8%
SAT	2,340	106.3%
AVG WEEKDAY	2,137	97.0%
AVG WEEKEND	2,291	104.0%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 10.8%

PERCENT HIGH DIRECTION IS OF DHV 54.4%


ATR 0073110

SR-227 (LAMOILLE HWY.) 2.4 MI. W. OF SR-228 (JIGGS RD.)


MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY	13,309	91.7%
FEBRUARY	13,919	95.9%
MARCH	14,395	99.2%
APRIL	14,956	103.0%
MAY	15,233	104.9%
JUNE	15,285	105.3%
JULY	14,836	102.2%
AUGUST	15,243	105.0%
SEPTEMBER	15,042	103.6%
OCTOBER	14,714	101.4%
NOVEMBER	13,898	95.7%
DECEMBER	13,387	92.2%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2007	14,518	103.3%
2006	14,060	105.1%
2005	13,374	102.7%
2004	13,019	101.8%
2003	12,785	100.9%
2002	12,665	100.0%
2001	12,665	97.4%
2000	13,000	98.5%
1999	13,200	99.3%
1998	13,290	97.5%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	9,893	68.1%
MON	15,074	103.8%
TUE	15,660	107.9%
WED	15,767	108.6%
THU	15,801	108.8%
FRI	16,373	112.8%
SAT	13,058	89.9%
AVG WEEKDAY	15,576	107.3%
AVG WEEKEND	11,476	79.0%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	11.1%
PERCENT HIGH DIRECTION IS OF DHV	74.5%


ATR 0075210

SR-535 (IDAHO ST) 600 FT. E. OF CONVENTION CENTER DR.


MONTHLY PERCENT		
MONTH	MADT	% OF AADT
JANUARY	16,951	89.7%
FEBRUARY	18,272	96.7%
MARCH	18,462	97.7%
APRIL	19,410	102.7%
MAY	19,853	105.0%
JUNE	20,924	110.7%
JULY	19,995	105.8%
AUGUST	20,247	107.1%
SEPTEMBER	19,808	104.8%
OCTOBER	18,886	99.9%
NOVEMBER	17,385	92.0%
DECEMBER	16,654	88.1%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2007	18,904	100.1%
2006	18,893	103.6%
2005	18,239	101.5%
2004	17,962	106.4%
2003	16,885	96.5%
2002	17,495	94.2%
2001	18,575	95.2%
2000	19,505	97.4%
1999	20,025	98.4%
1998	20,355	87.0%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	11,986	63.4%
MON	19,502	103.2%
TUE	20,055	106.1%
WED	20,271	107.2%
THU	20,479	108.3%
FRI	22,737	120.3%
SAT	17,298	91.5%
AVG WEEKDAY	20,077	106.2%
AVG WEEKEND	14,642	77.5%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.6%
PERCENT HIGH DIRECTION IS OF DHV	51.6%


ATR 0075230

I-80 0.8 MI. W. OF SR-756 (W. CARLIN INTERCHANGE)


MONTH	MADT	% OF AADT
JANUARY	5,684	73.8%
FEBRUARY	5,808	75.4%
MARCH	6,711	87.1%
APRIL	7,512	97.5%
MAY	8,236	106.9%
JUNE	9,598	124.6%
JULY	9,672	125.6%
AUGUST	9,851	127.9%
SEPTEMBER	8,695	112.9%
OCTOBER	7,978	103.6%
NOVEMBER	7,157	92.9%
DECEMBER	5,534	71.8%



YEAR	AADT	% OF PREVIOUS YEAR
2007	7,703	105.8%
2006	7,280	102.6%
2005	7,097	101.2%
2004	7,015	100.9%
2003	6,955	99.7%
2002	6,975	101.9%
2001	6,845	96.6%
2000	7,085	99.0%
1999	7,155	111.8%
1998	6,400	99.8%



DAY	ADT	% OF AADT
SUN	7,263	94.3%
MON	7,318	95.0%
TUE	7,712	100.1%
WED	8,105	105.2%
THU	8,249	107.1%
FRI	7,973	103.5%
SAT	7,303	94.8%
AVG WEEKDAY	7,846	101.9%
AVG WEEKEND	7,283	94.5%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.2%
PERCENT HIGH DIRECTION IS OF DHV	50.6%


ATR 0075240

SR-225 (MOUNTAIN CITY HWY.) 0.1 MI. N. OF SR-226


MONTH	MADT	% OF AADT
JANUARY	479	76.3%
FEBRUARY	439	69.9%
MARCH	527	83.8%
APRIL	487	77.5%
MAY	627	99.8%
JUNE	742	118.1%
JULY	742	118.2%
AUGUST	789	125.7%
SEPTEMBER	752	119.8%
OCTOBER	751	119.5%
NOVEMBER	667	106.2%
DECEMBER	535	85.1%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2007	628	93.3%
2006	673	116.4%
2005	578	90.2%
2004	641	110.5%
2003	580	
2002		
2001		
2000		
1999		
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	574	91.4%
MON	628	100.0%
TUE	593	94.4%
WED	625	99.5%
THU	658	104.8%
FRI	736	117.2%
SAT	582	92.7%
AVG WEEKDAY	626	99.7%
AVG WEEKEND	578	92.0%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	12.7%
PERCENT HIGH DIRECTION IS OF DHV	72.5% ⁴


ATR 0075250

5TH ST. 300 FT. S. OF SPRUCE RD.


MONTH	MADT	% OF AADT
JANUARY	7,736	90.2%
FEBRUARY	8,351	97.3%
MARCH	8,434	98.3%
APRIL	9,166	106.8%
MAY	9,378	109.3%
JUNE	8,862	103.3%
JULY	8,092	94.3%
AUGUST	8,673	101.1%
SEPTEMBER	9,057	105.6%
OCTOBER	8,834	103.0%
NOVEMBER	8,273	96.4%
DECEMBER	8,090	94.3%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2007	8,579	98.5%
2006	8,712	107.4%
2005	8,114	97.8%
2004	8,294	102.5%
2003	8,090	
2002		
2001		
2000		
1999		
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	5,738	66.9%
MON	8,946	104.3%
TUE	9,421	109.8%
WED	9,452	110.2%
THU	9,381	109.4%
FRI	9,672	112.7%
SAT	7,441	86.7%
AVG WEEKDAY	9,300	108.4%
AVG WEEKEND	6,590	76.8%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 11.0%

PERCENT HIGH DIRECTION IS OF DHV 50.4%


ATR 0075260

I-80 3.5 MI. E. OF THE OSINO INTCH.


MONTH	MADT	% OF AADT
JANUARY	6,255	74.0%
FEBRUARY	6,394	75.7%
MARCH	7,357	87.1%
APRIL	8,068	95.5%
MAY	8,889	105.2%
JUNE	10,257	121.4%
JULY	10,568	125.1%
AUGUST	10,641	125.9%
SEPTEMBER	9,434	111.7%
OCTOBER	8,894	105.3%
NOVEMBER	8,108	96.0%
DECEMBER	6,516	77.1%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2007	8,448	103.8%
2006	8,138	103.8%
2005	7,842	100.4%
2004	7,808	
2003		
2002		
2001		
2000		
1999		
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	8,089	95.7%
MON	8,067	95.5%
TUE	8,383	99.2%
WED	8,673	102.7%
THU	8,881	105.1%
FRI	8,839	104.6%
SAT	8,208	97.2%
AVG WEEKDAY	8,501	100.6%
AVG WEEKEND	8,149	96.4%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.8%
PERCENT HIGH DIRECTION IS OF DHV	53.6%


ATR 0092110

US-95 12.6 MI N. OF THE NYE / ESMERALDA COUNTY LINE


MONTHLY PERCENT		
MONTH	MADT	% OF AADT
JANUARY	1,557	77.2%
FEBRUARY	1,663	82.5%
MARCH	2,049	101.7%
APRIL	2,071	102.7%
MAY	2,170	107.7%
JUNE	2,276	112.9%
JULY	2,229	110.6%
AUGUST	2,326	115.4%
SEPTEMBER	2,097	104.0%
OCTOBER	2,072	102.8%
NOVEMBER	2,030	100.7%
DECEMBER	1,648	81.7%



HISTORICAL RECORD	
	% OF PREVIOUS YEAR
YEAR	AADT
2007	2,016
2006	2,006
2005	2,035
2004	2,094
2003	2,070
2002	2,015
2001	1,965
2000	1,950
1999	1,940
1998	1,845



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	2,154	106.9%
MON	1,960	97.2%
TUE	1,855	92.0%
WED	1,958	97.1%
THU	2,058	102.1%
FRI	2,240	111.1%
SAT	1,885	93.5%
AVG WEEKDAY	1,958	97.1%
AVG WEEKEND	2,020	100.2%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	12.6%
PERCENT HIGH DIRECTION IS OF DHV	59.1%


ATR 0092120

US-95 0.10 MI. S. OF SR-266 (LIDA JCT)


MONTHLY PERCENT		
MONTH	MADT	% OF AADT
JANUARY	1,686	78.0%
FEBRUARY	1,827	84.5%
MARCH	2,248	104.0%
APRIL	2,247	103.9%
MAY	2,302	106.5%
JUNE	2,383	110.2%
JULY	2,381	110.2%
AUGUST	2,488	115.1%
SEPTEMBER *	2,218	102.6%
OCTOBER	2,215	102.5%
NOVEMBER	2,165	100.1%
DECEMBER	1,779	82.3%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2007	2,162	101.8%
2006	2,123	98.0%
2005	2,166	96.9%
2004	2,236	102.8%
2003	2,175	101.9%
2002	2,135	105.2%
2001	2,030	102.3%
2000	1,985	98.5%
1999	2,015	105.5%
1998	1,910	100.3%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	2,362	109.3%
MON	2,096	97.0%
TUE	1,951	90.3%
WED	2,058	95.2%
THU	2,190	101.3%
FRI	2,427	112.3%
SAT	2,047	94.7%
AVG WEEKDAY	2,074	95.9%
AVG WEEKEND	2,205	102.0%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 12.7%

PERCENT HIGH DIRECTION IS OF DHV 56.9%

ATR 013110


I-80 800 FT. E. OF THE SR-794 (E. WINNEMUCCA INTERCHANGE)

MONTHLY PERCENT		
MONTH	MADT	% OF AADT
JANUARY	5,950	74.9%
FEBRUARY	5,956	75.0%
MARCH	7,089	89.3%
APRIL	7,924	99.8%
MAY	8,518	107.3%
JUNE		0.0%
JULY		0.0%
AUGUST		0.0%
SEPTEMBER		0.0%
OCTOBER		0.0%
NOVEMBER		0.0%
DECEMBER		0.0%




SITE REMOVED PERMANENTLY

HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2007	7,940	102.5%
2006	7,748	100.8%
2005	7,684	102.6%
2004	7,489	105.0%
2003	7,135	101.0%
2002	7,065	100.6%
2001	7,020	97.1%
2000	7,230	97.4%
1999	7,420	98.7%
1998	7,515	99.5%



2007 AADT ESTIMATED

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	6,794	85.6%
MON	7,368	92.8%
TUE	7,597	95.7%
WED	7,587	95.6%
THU	7,586	95.5%
FRI	7,814	98.4%
SAT	6,724	84.7%
AVG WEEKDAY	7,535	94.9%
AVG WEEKEND	6,759	85.1%



PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE

N/A


PERCENT HIGH DIRECTION IS OF DHV

N/A


ATR 0131120

SR-294 (GRASS VALLEY RD) 0.4 MI. SOUTH OF SR-787 (HANSON ST)


MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY	8,497	94.0%
FEBRUARY	8,848	97.9%
MARCH	9,211	101.9%
APRIL	9,134	101.1%
MAY	9,562	105.8%
JUNE	9,390	103.9%
JULY	9,246	102.3%
AUGUST	9,199	101.8%
SEPTEMBER	9,135	101.1%
OCTOBER	9,152	101.3%
NOVEMBER	8,689	96.1%
DECEMBER	8,392	92.9%



HISTORICAL RECORD		
		% OF PREVIOUS YEAR
YEAR	AADT	YEAR
2007	9,038	102.6%
2006	8,808	101.3%
2005	8,692	100.1%
2004	8,687	101.3%
2003	8,575	99.9%
2002	8,585	
2001		
2000		
1999		
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	6,898	76.3%
MON	9,330	103.2%
TUE	9,475	104.8%
WED	9,639	106.6%
THU	9,642	106.7%
FRI	9,969	110.3%
SAT	8,313	92.0%
AVG WEEKDAY	9,522	105.3%
AVG WEEKEND	7,606	84.2%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.9%
PERCENT HIGH DIRECTION IS OF DHV	62.9%


ATR 0132120

US-95 0.2 MI N. OF SR-293 (KINGS RIVER VALLEY RD)


MONTHLY PERCENT		
MONTH	MADT	% OF AADT
JANUARY	1,087	71.8%
FEBRUARY	1,198	79.2%
MARCH	1,463	96.7%
APRIL	1,539	101.7%
MAY	1,600	105.8%
JUNE	1,790	118.3%
JULY	1,859	122.9%
AUGUST	1,836	121.3%
SEPTEMBER	1,602	105.9%
OCTOBER	1,543	102.0%
NOVEMBER	1,477	97.6%
DECEMBER	1,162	76.8%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2007	1,513	96.8%
2006	1,563	100.1%
2005	1,561	104.0%
2004	1,502	101.1%
2003	1,485	102.8%
2002	1,445	105.9%
2001	1,365	102.2%
2000	1,335	95.7%
1999	1,395	106.9%
1998	1,305	102.8%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	1,518	100.3%
MON	1,460	96.5%
TUE	1,444	95.4%
WED	1,512	99.9%
THU	1,580	104.4%
FRI	1,627	107.5%
SAT	1,450	95.8%
AVG WEEKDAY	1,499	99.1%
AVG WEEKEND	1,484	98.1%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	12.9%
PERCENT HIGH DIRECTION IS OF DHV	53.8%


ATR 0132130

I-80 7.6 MI. W. OF SR-305 (BATTLE MOUNTAIN RD.)


MONTH	MADT	% OF AADT
JANUARY	5,402	75.4%
FEBRUARY	5,385	75.1%
MARCH	6,310	88.0%
APRIL	7,062	98.5%
MAY	7,675	107.1%
JUNE	8,783	122.5%
JULY	8,921	124.5%
AUGUST	9,007	125.6%
SEPTEMBER	7,977	111.3%
OCTOBER	7,484	104.4%
NOVEMBER	6,757	94.3%
DECEMBER	5,256	73.3%



YEAR	AADT	% OF PREVIOUS YEAR
2007	7,168	100.5%
2006	7,135	99.9%
2005	7,143	102.7%
2004	6,953	102.6%
2003	6,780	99.9%
2002	6,785	104.2%
2001	6,510	
2000		
1999		
1998		



DAY	ADT	% OF AADT
SUN	7,009	97.8%
MON	6,770	94.4%
TUE	7,143	99.6%
WED	7,444	103.8%
THU	7,648	106.7%
FRI	7,390	103.1%
SAT	6,773	94.5%
AVG WEEKDAY	7,251	101.2%
AVG WEEKEND	6,891	96.1%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 10.4%

PERCENT HIGH DIRECTION IS OF DHV 55.4%


ATR 0132140

SR-140 2.4 MI WEST OF US-95


MONTH	MADT	% OF AADT
JANUARY	193	62.9%
FEBRUARY	181	59.1%
MARCH	250	81.4%
APRIL	268	87.5%
MAY	333	108.7%
JUNE	418	136.5%
JULY	397	129.6%
AUGUST	460	150.0%
SEPTEMBER	399	130.1%
OCTOBER	350	114.1%
NOVEMBER	250	81.6%
DECEMBER	179	58.5%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2007	307	104.4%
2006	294	95.3%
2005	308	95.1%
2004	324	99.7%
2003	325	
2002		
2001		
2000		
1999		
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	297	96.8%
MON	317	103.4%
TUE	293	95.5%
WED	296	96.5%
THU	309	100.8%
FRI	338	110.2%
SAT	296	96.5%
		0.0%
AVG WEEKDAY	304	99.0%
AVG WEEKEND	297	96.7%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	15.7%
PERCENT HIGH DIRECTION IS OF DHV	52.1%


ATR 0172110

US-93 1.0 MI. S. OF SR-319


MONTH	MADT	% OF AADT
JANUARY	1,101	78.5%
FEBRUARY	1,264	90.1%
MARCH	1,398	99.6%
APRIL	1,457	103.8%
MAY	1,592	113.4%
JUNE	1,483	105.6%
JULY	1,486	105.9%
AUGUST	1,582	112.7%
SEPTEMBER	1,593	113.5%
OCTOBER	1,484	105.7%
NOVEMBER	1,271	90.5%
DECEMBER	1,132	80.7%



YEAR	AADT	% OF PREVIOUS YEAR
2007	1,403	103.7%
2006	1,354	98.8%
2005	1,370	102.6%
2004	1,335	102.3%
2003	1,305	97.4%
2002	1,340	105.9%
2001	1,265	99.6%
2000	1,270	101.6%
1999	1,250	104.6%
1998	1,195	103.0%



DAY	ADT	% OF AADT
SUN	1,106	78.8%
MON	1,453	103.5%
TUE	1,441	102.7%
WED	1,438	102.5%
THU	1,483	105.7%
FRI	1,594	113.6%
SAT	1,310	93.3%
AVG WEEKDAY	1,454	103.6%
AVG WEEKEND	1,208	86.1%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	11.5%
PERCENT HIGH DIRECTION IS OF DHV	53.4%


ATR 0173110

SR-318 4.5 MI. N. OF SR-375


MONTH	MADT	% OF AADT
JANUARY	911	86.0%
FEBRUARY	929	87.7%
MARCH	1,276	120.4%
APRIL	1,118	105.5%
MAY	1,065	100.5%
JUNE	1,081	102.0%
JULY	1,012	95.5%
AUGUST	1,047	98.8%
SEPTEMBER	992	93.6%
OCTOBER	1,243	117.3%
NOVEMBER	1,095	103.4%
DECEMBER	946	89.3%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2007	1,060	99.5%
2006	1,065	100.0%
2005	1,066	99.6%
2004	1,070	106.4%
2003	1,005	102.6%
2002	980	106.5%
2001	920	103.4%
2000	890	101.7%
1999	875	97.8%
1998	895	109.8%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	1,187	112.0%
MON	947	89.4%
TUE	955	90.1%
WED	1,024	96.6%
THU	1,061	100.1%
FRI	1,165	110.0%
SAT	1,078	101.7%
AVG WEEKDAY	997	94.1%
AVG WEEKEND	1,133	106.9%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	13.9%
PERCENT HIGH DIRECTION IS OF DHV	73.5%


ATR 0193110

SR-208 200 FT. WEST OF SR-339 (NORDYKE RD)


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	1,215	83.1%
FEBRUARY	1,316	90.1%
MARCH	1,490	101.9%
APRIL	1,486	101.7%
MAY	1,556	106.5%
JUNE	1,589	108.7%
JULY	1,619	110.8%
AUGUST	1,637	112.1%
SEPTEMBER	1,576	107.8%
OCTOBER	1,486	101.7%
NOVEMBER	1,347	92.2%
DECEMBER	1,216	83.2%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2007	1,461	97.4%
2006	1,500	99.9%
2005	1,501	100.0%
2004	1,501	104.6%
2003	1,435	100.3%
2002	1,430	107.9%
2001	1,325	100.0%
2000	1,325	100.4%
1999	1,320	98.9%
1998	1,335	100.0%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	1,276	87.3%
MON	1,461	100.0%
TUE	1,477	101.1%
WED	1,528	104.6%
THU	1,509	103.3%
FRI	1,584	108.4%
SAT	1,392	95.3%
AVG WEEKDAY	1,494	102.2%
AVG WEEKEND	1,334	91.3%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.6%
---	-------

PERCENT HIGH DIRECTION IS OF DHV	51.0%
----------------------------------	-------


ATR 0193120

SR-339 200 FT. N. OF SR-208 (YERINGTON RD)


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	1,009	84.6%
FEBRUARY	1,087	91.1%
MARCH	1,212	101.6%
APRIL	1,212	101.6%
MAY	1,260	105.6%
JUNE	1,281	107.3%
JULY	1,290	108.1%
AUGUST	1,309	109.7%
SEPTEMBER	1,276	106.9%
OCTOBER	1,281	107.4%
NOVEMBER	1,100	92.2%
DECEMBER	1,001	83.9%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2007	1,193	96.7%
2006	1,234	100.3%
2005	1,231	101.9%
2004	1,208	104.6%
2003	1,155	102.7%
2002	1,125	100.4%
2001	1,120	103.7%
2000	1,080	99.5%
1999	1,085	98.6%
1998	1,100	106.3%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	1,019	85.4%
MON	1,195	100.2%
TUE	1,215	101.8%
WED	1,254	105.1%
THU	1,243	104.2%
FRI	1,305	109.4%
SAT	1,122	94.0%
AVG WEEKDAY	1,227	102.8%
AVG WEEKEND	1,071	89.7%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 10.6%

PERCENT HIGH DIRECTION IS OF DHV 58.3%


ATR 0193130

SR-208 200 FT. E. OF SR-339 (NORDYKE RD)


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	313	75.8%
FEBRUARY	349	84.5%
MARCH	416	100.8%
APRIL	399	96.8%
MAY	441	106.9%
JUNE	451	109.3%
JULY	462	111.9%
AUGUST	463	112.3%
SEPTEMBER	460	111.5%
OCTOBER	520	126.1%
NOVEMBER	361	87.6%
DECEMBER	315	76.4%



HISTORICAL RECORD		
		% OF PREVIOUS YEAR
YEAR	AADT	YEAR
2007	413	99.9%
2006	413	100.0%
2005	413	95.4%
2004	433	106.9%
2003	405	93.1%
2002	435	111.5%
2001	390	105.4%
2000	370	102.8%
1999	360	98.6%
1998	365	101.4%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	396	96.0%
MON	401	97.2%
TUE	397	96.2%
WED	413	100.1%
THU	413	100.1%
FRI	444	107.6%
SAT	424	102.8%
AVG WEEKDAY	406	98.4%
AVG WEEKEND	410	99.4%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	13.6%
PERCENT HIGH DIRECTION IS OF DHV	51.8%


ATR 0233110

SR-376 0.4 MI. N OF US-6


MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY	423	83.1%
FEBRUARY	463	91.0%
MARCH	522	102.5%
APRIL	522	102.5%
MAY	569	111.8%
JUNE	558	109.6%
JULY	518	101.9%
AUGUST	533	104.8%
SEPTEMBER	530	104.2%
OCTOBER	549	108.0%
NOVEMBER	490	96.4%
DECEMBER	428	84.1%



HISTORICAL RECORD		
		% OF PREVIOUS YEAR
YEAR	AADT	
2007	509	102.6%
2006	496	101.2%
2005	490	97.7%
2004	501	99.3%
2003	505	99.0%
2002	510	100.0%
2001	510	
2000		
1999		
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	421	82.7%
MON	510	100.2%
TUE	524	103.0%
WED	527	103.6%
THU	564	110.8%
FRI	583	114.6%
SAT	433	85.1%
AVG WEEKDAY	531	104.4%
AVG WEEKEND	427	83.9%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	11.6%
PERCENT HIGH DIRECTION IS OF DHV	54.2%


ATR 0252110

US-395 0.2 MI. S. OF EAST LAKE INTERCHANGE

MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	31,372	88.6%
FEBRUARY	32,737	92.5%
MARCH	35,177	99.4%
APRIL	35,413	100.1%
MAY	36,318	102.6%
JUNE	37,790	106.8%
JULY	37,785	106.8%
AUGUST	39,372	111.2%
SEPTEMBER	37,765	106.7%
OCTOBER	35,566	100.5%
NOVEMBER	33,578	94.9%
DECEMBER	31,857	90.0%




HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2007	35,394	100.4%
2006	35,264	100.1%
2005	35,230	97.8%
2004	36,015	106.9%
2003	33,705	103.2%
2002	32,650	100.9%
2001	32,355	100.3%
2000	32,250	103.4%
1999	31,195	101.8%
1998	30,655	103.8%



2005, 2004 AADT ESTIMATED

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	26,188	74.0%
MON	35,750	101.0%
TUE	37,195	105.1%
WED	37,805	106.8%
THU	38,211	108.0%
FRI	40,418	114.2%
SAT	32,192	91.0%
AVG WEEKDAY	37,240	105.2%
AVG WEEKEND	29,190	82.5%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 10.0%

PERCENT HIGH DIRECTION IS OF DHV 52.3%


ATR 0252120

US-50 3.4 MI. W. OF US-395


MONTH	MADT	% OF AADT
JANUARY	9,835	80.0%
FEBRUARY	9,764	79.5%
MARCH	10,982	89.4%
APRIL	11,099	90.3%
MAY	12,677	103.2%
JUNE	14,237	115.9%
JULY	15,822	128.8%
AUGUST	15,900	129.4%
SEPTEMBER	14,137	115.1%
OCTOBER	12,258	99.8%
NOVEMBER	10,839	88.2%
DECEMBER	9,885	80.5%



YEAR	AADT	% OF PREVIOUS YEAR
2007	12,286	100.9%
2006	12,173	96.2%
2005	12,650	95.1%
2004	13,298	102.4%
2003	12,985	100.3%
2002	12,950	104.8%
2001	12,355	106.6%
2000	11,595	104.5%
1999	11,095	103.6%
1998	10,710	100.4%



DAY	ADT	% OF AADT
SUN	11,215	91.3%
MON	12,043	98.0%
TUE	12,102	98.5%
WED	12,214	99.4%
THU	12,295	100.1%
FRI	13,423	109.3%
SAT	12,711	103.5%
AVG WEEKDAY	12,164	99.0%
AVG WEEKEND	11,963	97.4%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	11.3%
PERCENT HIGH DIRECTION IS OF DHV	57.7%

ATR 0252210


SR-530 (WILLIAMS ST) 0.1 MI. E. OF ROOP ST.

MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY		0.0%
FEBRUARY		0.0%
MARCH		0.0%
APRIL	24,371	100.3%
MAY	25,173	103.6%
JUNE	25,139	103.4%
JULY	24,755	101.8%
AUGUST	25,359	104.3%
SEPTEMBER	25,326	104.2%
OCTOBER	24,274	99.9%
NOVEMBER	22,651	93.2%
DECEMBER	21,721	89.4%




DATA MISSING DUE TO CONSTRUCTION

HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2007	24,308	92.3%
2006	26,337	104.2%
2005	25,279	100.8%
2004	25,070	100.0%
2003	25,060	100.0%
2002	25,065	98.4%
2001	25,460	98.7%
2000	25,805	99.8%
1999	25,865	100.0%
1998	25,865	103.2%



2005 ESTIMATED

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	17,482	71.9%
MON	24,967	102.7%
TUE	25,564	105.2%
WED	25,541	105.1%
THU	25,913	106.6%
FRI	28,238	116.2%
SAT	22,450	92.4%
AVG WEEKDAY	25,496	104.9%
AVG WEEKEND	19,966	82.1%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.6%
---	------

PERCENT HIGH DIRECTION IS OF DHV	50.2%
----------------------------------	-------


ATR 0252220

SR-513 (5TH ST) 0.1 MI. W. OF SALIMAN RD.


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	8,170	97.3%
FEBRUARY	8,570	102.1%
MARCH	8,934	106.4%
APRIL	8,920	106.2%
MAY	8,973	106.9%
JUNE	8,714	103.8%
JULY	8,303	98.9%
AUGUST	8,355	99.5%
SEPTEMBER	8,570	102.1%
OCTOBER	8,303	98.9%
NOVEMBER	7,568	90.1%
DECEMBER	7,365	87.7%



HISTORICAL RECORD		
	AADT	% OF PREVIOUS YEAR
2007	8,395	96.1%
2006	8,734	98.3%
2005	8,881	97.6%
2004	9,096	101.2%
2003	8,985	102.0%
2002	8,810	101.7%
2001	8,665	99.1%
2000	8,740	
1999		
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	5,595	66.6%
MON	8,684	103.4%
TUE	9,286	110.6%
WED	9,329	111.1%
THU	9,277	110.5%
FRI	9,701	115.6%
SAT	6,897	82.2%
AVG WEEKDAY	9,144	108.9%
AVG WEEKEND	6,246	74.4%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	11.3%
PERCENT HIGH DIRECTION IS OF DHV	60.3%


ATR 0252230

SR-525 (AIRPORT RD) 150 FT. N. OF E. NYE


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	3,131	95.0%
FEBRUARY	3,251	98.7%
MARCH	3,304	100.3%
APRIL	3,379	102.5%
MAY	3,452	104.7%
JUNE	3,428	104.0%
JULY	3,292	99.9%
AUGUST	3,380	102.6%
SEPTEMBER	3,308	100.4%
OCTOBER	3,273	99.3%
NOVEMBER	3,179	96.5%
DECEMBER	3,165	96.1%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2007	3,295	91.7%
2006	3,594	80.9%
2005	4,440	86.8%
2004	5,116	115.9%
2003	4,415	107.6%
2002	4,105	109.2%
2001	3,760	
2000		
1999		
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	2,605	79.1%
MON	3,352	101.7%
TUE	3,447	104.6%
WED	3,440	104.4%
THU	3,457	104.9%
FRI	3,708	112.5%
SAT	3,059	92.8%
AVG WEEKDAY	3,424	103.9%
AVG WEEKEND	2,832	85.9%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.6%
PERCENT HIGH DIRECTION IS OF DHV	60.3%

ATR 0252240


US-395 0.2 MI NORTH OF SR-530 (US-50 / WILLIAM ST.)

MONTHLY PERCENT		
MONTH	MADT	% OF AADT
JANUARY		0.0%
FEBRUARY		0.0%
MARCH		0.0%
APRIL	13,717	97.8%
MAY	14,010	99.9%
JUNE	14,389	102.6%
JULY	14,234	101.5%
AUGUST	14,907	106.3%
SEPTEMBER	14,547	103.7%
OCTOBER	14,095	100.5%
NOVEMBER	13,484	96.1%
DECEMBER	12,838	91.5%




NEW SITE

HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2007	14,025	
2006		
2005		
2004		
2003		
2002		
2001		
2000		
1999		
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	10,397	74.1%
MON	14,219	101.4%
TUE	14,739	105.1%
WED	14,943	106.5%
THU	15,156	108.1%
FRI	15,918	113.5%
SAT	12,800	91.3%
AVG WEEKDAY	14,764	105.3%
AVG WEEKEND	11,599	82.7%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.0%
---	-------

PERCENT HIGH DIRECTION IS OF DHV	57.8%
----------------------------------	-------


ATR 0271130

I-80 0.8 MI. W. OF SR-396 (W LOVELOCK INTERCHANGE)

MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	6,084	74.2%
FEBRUARY	6,142	74.9%
MARCH	7,198	87.8%
APRIL	7,862	95.8%
MAY	8,769	106.9%
JUNE	10,131	123.5%
JULY	10,288	125.4%
AUGUST	10,414	127.0%
SEPTEMBER	9,096	110.9%
OCTOBER	8,532	104.0%
NOVEMBER	7,767	94.7%
DECEMBER	6,149	75.0%




HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2007	8,203	102.0%
2006	8,042	101.1%
2005	7,954	100.6%
2004	7,910	102.0%
2003	7,755	98.4%
2002	7,885	103.9%
2001	7,590	100.0%
2000	7,590	99.0%
1999	7,665	104.3%
1998	7,350	102.3%



2001 AADT ESTIMATED

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	8,282	101.0%
MON	7,890	96.2%
TUE	7,921	96.6%
WED	8,191	99.9%
THU	8,506	103.7%
FRI	8,775	107.0%
SAT	7,853	95.7%
AVG WEEKDAY	8,127	99.1%
AVG WEEKEND	8,068	98.4%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 10.9%

PERCENT HIGH DIRECTION IS OF DHV 57.1%


ATR 029110

SR-341 (VIRGINIA CITY HWY) 0.2 MI. N. OF B ST.


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	2,080	73.3%
FEBRUARY	2,316	81.6%
MARCH	2,721	95.9%
APRIL	2,902	102.3%
MAY	3,059	107.8%
JUNE	3,214	113.3%
JULY	3,212	113.2%
AUGUST	3,305	116.5%
SEPTEMBER	3,652	128.7%
OCTOBER	2,931	103.3%
NOVEMBER	2,531	89.2%
DECEMBER	2,121	74.8%



HISTORICAL RECORD		
	AADT	% OF PREVIOUS YEAR
2007	2,837	109.7%
2006	2,587	86.0%
2005	3,009	102.1%
2004	2,949	107.4%
2003	2,745	102.6%
2002	2,675	105.3%
2001	2,540	
2000		
1999		
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	2,530	89.2%
MON	2,729	96.2%
TUE	2,766	97.5%
WED	2,888	101.8%
THU	2,811	99.1%
FRI	2,988	105.3%
SAT	3,146	110.9%
AVG WEEKDAY	2,799	98.6%
AVG WEEKEND	2,838	100.0%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	15.0%
PERCENT HIGH DIRECTION IS OF DHV	79.5%


ATR 031110

I-80 0.9 MI E. OF THE VISTA BLVD. INTCH.


MONTHLY PERCENT		
MONTH	MADT	% OF AADT
JANUARY	29,569	84.9%
FEBRUARY	30,773	88.3%
MARCH	33,787	97.0%
APRIL	35,340	101.5%
MAY	35,999	103.4%
JUNE	38,281	109.9%
JULY	37,724	108.3%
AUGUST	39,439	113.2%
SEPTEMBER	37,485	107.6%
OCTOBER	35,667	102.4%
NOVEMBER	33,851	97.2%
DECEMBER	30,060	86.3%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2007	34,831	100.0%
2006	34,827	116.1%
2005	30,000	100.1%
2004	29,956	108.2%
2003	27,685	104.4%
2002	26,510	102.4%
2001	25,880	102.4%
2000	25,285	107.5%
1999	23,510	
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	24,624	70.7%
MON	36,372	104.4%
TUE	37,381	107.3%
WED	37,989	109.1%
THU	38,413	110.3%
FRI	39,902	114.6%
SAT	29,137	83.7%
AVG WEEKDAY	37,539	107.8%
AVG WEEKEND	26,881	77.2%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.5%
PERCENT HIGH DIRECTION IS OF DHV	50.3%

ATR 031120


I-80 1.0 MI E. OF THE NV / CA STATELINE

MONTH	MADT	% OF AADT
JANUARY	23,482	80.7%
FEBRUARY	26,151	89.9%
MARCH	23,209	79.8%
APRIL	27,421	94.2%
MAY	29,775	102.3%
JUNE	32,687	112.3%
JULY	34,852	119.8%
AUGUST	36,163	124.3%
SEPTEMBER	32,942	113.2%
OCTOBER	29,213	100.4%
NOVEMBER	27,889	95.8%
DECEMBER	25,753	88.5%




JAN, FEB. & MARCH ESTIMATED

YEAR	AADT	% OF PREVIOUS YEAR
2007	29,100	109.8%
2006	26,500	91.1%
2005	29,100	100.2%
2004	29,056	99.6%
2003	29,165	100.4%
2002	29,040	99.4%
2001	29,210	104.5%
2000	27,965	98.5%
1999	28,385	104.0%
1998	27,305	107.4%
	25,435	



2007, 2006 AADT ESTIMATED

DAY	ADT	% OF AADT
SUN	32,914	113.1%
MON	29,289	100.6%
TUE	27,936	96.0%
WED	28,344	97.4%
THU	29,708	102.1%
FRI	34,998	120.3%
SAT	32,018	110.0%
AVG WEEKDAY	28,819	99.0%
AVG WEEKEND	32,466	111.6%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.5%
---	-------

PERCENT HIGH DIRECTION IS OF DHV	55.2%
----------------------------------	-------


ATR 0311210

I-80 0.1 MI W. OF THE US-395 INTERCHANGE

MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY	110,508	90.0%
FEBRUARY	117,190	95.5%
MARCH	122,734	100.0%
APRIL	124,563	101.5%
MAY	124,829	101.7%
JUNE	128,344	104.5%
JULY	126,729	103.2%
AUGUST	130,400	106.2%
SEPTEMBER	128,533	104.7%
OCTOBER	124,260	101.2%
NOVEMBER	120,070	97.8%
DECEMBER	115,036	93.7%




HISTORICAL RECORD		% OF PREVIOUS
YEAR	AADT	YEAR
2007	122,766	100.9%
2006	121,672	106.7%
2005	114,000	96.6%
2004	118,000	100.0%
2003	118,015	99.0%
2002	119,205	101.2%
2001	117,835	101.1%
2000	116,530	101.8%
1999	114,465	102.2%
1998	111,960	101.1%



2005,2004,2003 AADT ESTIMATED

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	94,860	77.3%
MON	124,027	101.0%
TUE	127,852	104.1%
WED	130,005	105.9%
THU	131,258	106.9%
FRI	138,048	112.4%
SAT	113,314	92.3%
AVG WEEKDAY	128,286	104.5%
AVG WEEKEND	104,087	84.8%



PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE

8.3%


PERCENT HIGH DIRECTION IS OF DHV

54.7%


ATR 0311220

I-80 0.50 MI E. OF SR-445 INTCH. (PYRAMID HWY)

MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	73,126	91.9%
FEBRUARY	76,285	95.9%
MARCH	80,321	100.9%
APRIL	80,134	100.7%
MAY	82,031	103.1%
JUNE	84,062	105.6%
JULY	81,819	102.8%
AUGUST	84,715	106.4%
SEPTEMBER	81,712	102.7%
OCTOBER	80,615	101.3%
NOVEMBER	77,442	97.3%
DECEMBER	72,731	91.4%




HISTORICAL RECORD		
		% OF PREVIOUS YEAR
YEAR	AADT	YEAR
2007	79,583	97.2%
2006	81,902	117.0%
2005	70,000	93.3%
2004	74,997	102.0%
2003	73,555	99.0%
2002	74,315	99.8%
2001	74,495	99.8%
2000	72,350	
1999		
1998		



2005 ESTIMATED

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	54,728	68.8%
MON	83,186	104.5%
TUE	85,616	107.6%
WED	86,907	109.2%
THU	87,488	109.9%
FRI	91,111	114.5%
SAT	68,045	85.5%
AVG WEEKDAY	85,799	107.8%
AVG WEEKEND	61,387	77.1%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	8.6%
PERCENT HIGH DIRECTION IS OF DHV	50.8%


ATR 0311230

US-395 0.6 MI. S. OF THE NEIL RD. INTCH.


MONTHLY PERCENT		
MONTH	MADT	% OF AADT
JANUARY	93,144	92.7%
FEBRUARY	97,347	96.9%
MARCH	101,413	100.9%
APRIL	102,255	101.8%
MAY	102,248	101.7%
JUNE	104,702	104.2%
JULY	101,336	100.8%
AUGUST	105,990	105.5%
SEPTEMBER	103,966	103.5%
OCTOBER	101,167	100.7%
NOVEMBER	96,791	96.3%
DECEMBER	95,512	95.0%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2007	100,489	100.3%
2006	100,142	105.1%
2005	95,289	103.2%
2004	92,331	102.8%
2003	89,790	104.4%
2002	85,975	115.1%
2001	74,700	103.7%
2000	72,020	103.5%
1999	69,605	109.8%
1998	63,395	107.2%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	70,308	70.0%
MON	103,193	102.7%
TUE	107,803	107.3%
WED	109,616	109.1%
THU	109,982	109.4%
FRI	114,009	113.5%
SAT	88,514	88.1%
AVG WEEKDAY	107,649	107.1%
AVG WEEKEND	79,411	79.0%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.1%
PERCENT HIGH DIRECTION IS OF DHV	53.2%


ATR 0312110

US-395 630 FT S. OF THE NV / CA STATELINE


MONTH	MADT	% OF AADT
JANUARY	6,775	75.9%
FEBRUARY	6,950	77.9%
MARCH	8,106	90.8%
APRIL	8,652	96.9%
MAY	9,594	107.5%
JUNE	10,467	117.3%
JULY	10,843	121.5%
AUGUST	10,864	121.7%
SEPTEMBER	9,947	111.4%
OCTOBER	9,071	101.6%
NOVEMBER	8,464	94.8%
DECEMBER	7,374	82.6%



YEAR	AADT	% OF PREVIOUS YEAR
2007	8,926	98.0%
2006	9,106	100.0%
2005	9,110	97.7%
2004	9,321	101.3%
2003	9,200	107.0%
2002	8,600	101.0%
2001	8,515	98.8%
2000	8,620	99.5%
1999	8,660	100.5%
1998	8,620	101.9%



DAY	ADT	% OF AADT
SUN	9,060	101.5%
MON	8,514	95.4%
TUE	8,224	92.1%
WED	8,408	94.2%
THU	8,607	96.4%
FRI	10,127	113.5%
SAT	9,539	106.9%
AVG WEEKDAY	8,438	94.5%
AVG WEEKEND	9,300	104.2%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	11.8%
PERCENT HIGH DIRECTION IS OF DHV	53.8%


ATR 0312120

US-395 0.2 MI. S. OF GOLDEN VALLEY INTCH.

MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY	64,986	88.7%
FEBRUARY	68,108	93.0%
MARCH	71,641	97.8%
APRIL	73,244	100.0%
MAY	73,920	100.9%
JUNE	75,258	102.7%
JULY	74,909	102.3%
AUGUST	79,423	108.4%
SEPTEMBER	79,664	108.7%
OCTOBER	76,739	104.8%
NOVEMBER	73,447	100.3%
DECEMBER	67,770	92.5%




HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2007	73,259	101.1%
2006	72,441	105.8%
2005	68,490	101.6%
2004	67,417	104.4%
2003	64,560	104.5%
2002	61,785	106.0%
2001	58,285	106.6%
2000	54,660	103.9%
1999	52,610	101.6%
1998	51,770	101.8%



2001 AADT ESTIMATED

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	55,686	76.0%
MON	75,000	102.4%
TUE	76,981	105.1%
WED	78,369	107.0%
THU	78,106	106.6%
FRI	82,357	112.4%
SAT	66,320	90.5%
AVG WEEKDAY	77,114	105.3%
AVG WEEKEND	61,003	83.3%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.6%
---	------

PERCENT HIGH DIRECTION IS OF DHV	67.1%
----------------------------------	-------


ATR 0312210

SR-667 (KIETZKE LANE) 0.15 MI. S. OF GALLETTI WAY


MONTH	MADT	% OF AADT
JANUARY	15,544	95.4%
FEBRUARY	15,997	98.2%
MARCH	16,455	101.0%
APRIL	16,562	101.7%
MAY	16,137	99.1%
JUNE	16,687	102.5%
JULY	16,463	101.1%
AUGUST	17,465	107.2%
SEPTEMBER	16,757	102.9%
OCTOBER	16,414	100.8%
NOVEMBER	15,601	95.8%
DECEMBER	15,334	94.2%



YEAR	AADT	% OF PREVIOUS YEAR
2007	16,285	95.3%
2006	17,086	95.4%
2005	17,915	102.1%
2004	17,543	116.1%
2003	15,115	95.7%
2002	15,790	104.3%
2001	15,140	104.1%
2000	14,540	96.6%
1999	15,045	104.2%
1998	14,435	99.9%



DAY	ADT	% OF AADT
SUN	11,393	70.0%
MON	16,771	103.0%
TUE	17,150	105.3%
WED	17,266	106.0%
THU	17,510	107.5%
FRI	18,876	115.9%
SAT	15,028	92.3%
AVG WEEKDAY	17,174	105.5%
AVG WEEKEND	13,211	81.1%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.9%
PERCENT HIGH DIRECTION IS OF DHV	66.3%


ATR 0312220

SR-651 (N MCCARRAN BLVD) 0.1 MI. N. OF MAE ANNE AVE.


MONTHLY PERCENT		% OF AADT
MONTH	MADT	AADT
JANUARY	23,510	91.9%
FEBRUARY	24,567	96.1%
MARCH	25,830	101.0%
APRIL	26,590	104.0%
MAY	27,023	105.7%
JUNE	26,118	102.1%
JULY	25,317	99.0%
AUGUST	26,203	102.4%
SEPTEMBER	26,729	104.5%
OCTOBER	26,206	102.5%
NOVEMBER	24,765	96.8%
DECEMBER	24,070	94.1%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	YEAR
2007	25,577	95.9%
2006	26,683	99.3%
2005	26,860	106.2%
2004	25,285	106.3%
2003	23,780	101.3%
2002	23,485	102.8%
2001	22,850	103.3%
2000	22,115	107.3%
1999	20,615	100.3%
1998	20,560	102.8%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	21,373	83.6%
MON	25,482	99.6%
TUE	26,207	102.5%
WED	26,673	104.3%
THU	26,532	103.7%
FRI	27,883	109.0%
SAT	24,891	97.3%
AVG WEEKDAY	26,224	102.5%
AVG WEEKEND	23,132	90.4%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.3%
PERCENT HIGH DIRECTION IS OF DHV	57.1%


ATR 0312230

SR-663 (ODDIE BLVD) 0.1 MI. W. OF ROCK BLVD.


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	12,886	95.2%
FEBRUARY	13,450	99.4%
MARCH	14,169	104.7%
APRIL	14,260	105.4%
MAY	14,051	103.8%
JUNE	13,877	102.5%
JULY	13,332	98.5%
AUGUST	13,830	102.2%
SEPTEMBER	13,539	100.0%
OCTOBER	13,417	99.1%
NOVEMBER	12,913	95.4%
DECEMBER	12,705	93.9%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2007	13,536	93.5%
2006	14,475	94.3%
2005	15,355	101.2%
2004	15,166	101.4%
2003	14,955	111.2%
2002	13,450	103.3%
2001	13,015	102.2%
2000	12,735	97.7%
1999	13,035	104.6%
1998	12,460	104.3%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	10,799	79.8%
MON	13,563	100.2%
TUE	13,896	102.7%
WED	13,893	102.6%
THU	14,026	103.6%
FRI	15,253	112.7%
SAT	13,321	98.4%
AVG WEEKDAY	13,845	102.3%
AVG WEEKEND	12,060	89.1%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.0%
PERCENT HIGH DIRECTION IS OF DHV	57.9%


ATR 0312240

SR-28 (TAHOE BLVD.) 0.2 MI N. OF LAKE SHORE DR.

MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	11,249	86.0%
FEBRUARY	11,406	87.2%
MARCH	12,037	92.1%
APRIL	11,239	86.0%
MAY	12,468	95.4%
JUNE	15,010	114.8%
JULY	17,930	137.2%
AUGUST	17,654	135.0%
SEPTEMBER	14,539	111.2%
OCTOBER	11,900	91.0%
NOVEMBER	10,761	82.3%
DECEMBER	10,685	81.7%




HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2007	13,073	97.6%
2006	13,400	99.5%
2005	13,466	95.7%
2004	14,067	98.3%
2003	14,310	100.6%
2002	14,230	101.4%
2001	14,040	99.7%
2000	14,080	103.1%
1999	13,655	99.3%
1998	13,755	96.9%



2006 AADT ESTIMATED

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	11,705	89.5%
MON	12,816	98.0%
TUE	12,839	98.2%
WED	13,017	99.6%
THU	13,077	100.0%
FRI	14,555	111.3%
SAT	13,502	103.3%
AVG WEEKDAY	12,937	99.0%
AVG WEEKEND	12,604	96.4%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	11.9%
---	-------

PERCENT HIGH DIRECTION IS OF DHV	52.6%
----------------------------------	-------


ATR 0312250

SR-648 (GLENDALE AVE) 0.1 MI W. OF 21st. ST.


MONTH	MADT	% OF AADT
JANUARY	15,417	97.7%
FEBRUARY	15,868	100.6%
MARCH	16,505	104.6%
APRIL	16,524	104.7%
MAY	16,046	101.7%
JUNE	16,494	104.5%
JULY	15,942	101.0%
AUGUST	17,235	109.2%
SEPTEMBER	15,902	100.8%
OCTOBER	15,548	98.5%
NOVEMBER	14,400	91.3%
DECEMBER	13,482	85.4%



YEAR	AADT	% OF PREVIOUS YEAR
2007	15,780	90.3%
2006	17,466	98.6%
2005	17,719	88.2%
2004	20,079	96.0%
2003	20,905	112.0%
2002	18,660	106.6%
2001	17,505	98.1%
2000	17,835	95.8%
1999	18,610	97.9%
1998	19,010	99.1%



DAY	ADT	% OF AADT
SUN	5,705	36.2%
MON	17,918	113.5%
TUE	18,917	119.9%
WED	19,037	120.6%
THU	19,293	122.3%
FRI	20,304	128.7%
SAT	9,288	58.9%
AVG WEEKDAY	18,791	119.1%
AVG WEEKEND	7,497	47.5%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 11.8%

PERCENT HIGH DIRECTION IS OF DHV 64.0%


ATR 0312260

SR-430 (S VIRGINIA ST) 0.15 MI N. OF GENTRY WAY


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	31,012	95.0%
FEBRUARY	32,643	100.0%
MARCH	33,223	101.8%
APRIL	33,524	102.7%
MAY	32,834	100.6%
JUNE	33,104	101.5%
JULY	33,419	102.4%
AUGUST	34,349	105.3%
SEPTEMBER	32,094	98.4%
OCTOBER	32,008	98.1%
NOVEMBER	31,410	96.3%
DECEMBER	31,944	97.9%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2007	32,630	99.9%
2006	32,652	97.2%
2005	33,589	100.5%
2004	33,413	99.3%
2003	33,655	97.6%
2002	34,490	104.0%
2001	33,150	103.4%
2000	32,075	110.4%
1999	29,060	95.0%
1998	30,600	106.8%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	27,516	84.3%
MON	31,469	96.4%
TUE	31,736	97.3%
WED	32,325	99.1%
THU	33,061	101.3%
FRI	37,510	115.0%
SAT	34,796	106.6%
AVG WEEKDAY	32,148	98.5%
AVG WEEKEND	31,156	95.5%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.0%
PERCENT HIGH DIRECTION IS OF DHV	56.6%


ATR 0312270

SR-445 (PYRAMID HWY.) 0.6 MI. N. OF CALLE DE LA PLATA DR


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	4,325	87.8%
FEBRUARY	4,505	91.5%
MARCH	5,078	103.1%
APRIL	5,030	102.1%
MAY	5,475	111.2%
JUNE	5,334	108.3%
JULY	5,355	108.7%
AUGUST	5,352	108.7%
SEPTEMBER	5,118	103.9%
OCTOBER	4,879	99.1%
NOVEMBER	4,537	92.1%
DECEMBER	4,107	83.4%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2007	4,925	98.5%
2006	5,000	108.0%
2005	4,631	104.8%
2004	4,419	116.4%
2003	3,795	108.3%
2002	3,505	
2001		
2000		
1999		
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	4,539	92.2%
MON	4,917	99.8%
TUE	4,872	98.9%
WED	4,907	99.6%
THU	4,907	99.6%
FRI	5,229	106.2%
SAT	5,100	103.6%
AVG WEEKDAY	4,901	99.5%
AVG WEEKEND	4,820	97.9%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.1%
PERCENT HIGH DIRECTION IS OF DHV	62.7%

ATR 0312280


SR-430 (N VIRGINIA ST) 200 FT N. OF SR-651 (N. MCCARRAN BLVD)

MONTH	MADT	% OF AADT
JANUARY	22,311	96.2%
FEBRUARY	24,042	103.7%
MARCH	24,273	104.7%
APRIL	25,485	109.9%
MAY	24,229	104.5%
JUNE	23,485	101.3%
JULY		0.0%
AUGUST		0.0%
SEPTEMBER		0.0%
OCTOBER		0.0%
NOVEMBER	21,516	92.8%
DECEMBER	20,103	86.7%




DATA MISSING DUE TO CONSTRUCTION

YEAR	AADT	% OF PREVIOUS YEAR
2007	23,181	88.7%
2006	26,128	96.4%
2005	27,106	112.5%
2004	24,102	116.8%
2003	20,635	107.9%
2002	19,120	98.3%
2001	19,445	
2000		
1999		
1998		



DAY	ADT	% OF AADT
SUN	16,485	71.1%
MON	24,435	105.4%
TUE	25,516	110.1%
WED	25,920	111.8%
THU	25,556	110.2%
FRI	25,638	110.6%
SAT	19,101	82.4%
AVG WEEKDAY	25,357	109.4%
AVG WEEKEND	17,793	76.8%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	11.0%
PERCENT HIGH DIRECTION IS OF DHV	66.1%

ATR 0312290


I-80 0.25 MI W. OF THE USA PARKWAY INTERCHANGE

MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY	22,863	86.8%
FEBRUARY	24,278	92.2%
MARCH		0.0%
APRIL		0.0%
MAY		0.0%
JUNE		0.0%
JULY		0.0%
AUGUST		0.0%
SEPTEMBER		0.0%
OCTOBER		0.0%
NOVEMBER		0.0%
DECEMBER		0.0%




DATA MISSING DUE TO CONSTRUCTION

HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2007	26,334	100.0%
2006	26,334	103.6%
2005	25,411	104.7%
2004	24,261	107.5%
2003	22,570	103.3%
2002	21,855	96.9%
2001	22,560	
2000		
1999		
1998		



2007 AADT ESTIMATED

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN		0.0%
MON		0.0%
TUE		0.0%
WED		0.0%
THU		0.0%
FRI		0.0%
SAT		0.0%
AVG WEEKDAY	#DIV/0!	#DIV/0!
AVG WEEKEND	#DIV/0!	#DIV/0!



PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE

N/A


PERCENT HIGH DIRECTION IS OF DHV

N/A

ATR 0312300


SPARKS BLVD. 0.2 MI. S. OF PRATER WAY

MONTH	MADT	% OF AADT
JANUARY		0.0%
FEBRUARY		0.0%
MARCH		0.0%
APRIL		0.0%
MAY		0.0%
JUNE		0.0%
JULY		0.0%
AUGUST		0.0%
SEPTEMBER		0.0%
OCTOBER		0.0%
NOVEMBER		0.0%
DECEMBER		0.0%




DATA MISSING DUE TO CONSTRUCTION

HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2007	20,287	92.1%
2006	22,027	93.7%
2005	23,513	102.5%
2004	22,932	105.7%
2003	21,685	111.9%
2002	19,385	
2001		
2000		
1999		
1998		



2007 AADT ESTIMATED

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN		0.0%
MON		0.0%
TUE		0.0%
WED		0.0%
THU		0.0%
FRI		0.0%
SAT		0.0%
AVG WEEKDAY	#DIV/0!	#DIV/0!
AVG WEEKEND	#DIV/0!	#DIV/0!



PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE

N/A


PERCENT HIGH DIRECTION IS OF DHV

N/A


ATR 0312310

SR-430 (S. VIRGINIA ST) 0.35 MI NORTH OF US-395 INTCH


MONTH	MADT	% OF AADT
JANUARY	15,284	90.9%
FEBRUARY	15,812	94.1%
MARCH	16,692	99.3%
APRIL	17,066	101.5%
MAY	17,408	103.6%
JUNE	17,658	105.1%
JULY	17,507	104.2%
AUGUST	18,165	108.1%
SEPTEMBER	17,327	103.1%
OCTOBER	16,472	98.0%
NOVEMBER	15,901	94.6%
DECEMBER	16,409	97.6%



YEAR	AADT	% OF PREVIOUS YEAR
2007	16,809	100.3%
2006	16,757	113.0%
2005	14,833	92.5%
2004	16,028	104.2%
2003	15,380	99.5%
2002	15,450	
2001		
2000		
1999		
1998		



DAY	ADT	% OF AADT
SUN	14,250	84.8%
MON	16,403	97.6%
TUE	16,509	98.2%
WED	16,956	100.9%
THU	17,051	101.4%
FRI	18,956	112.8%
SAT	17,536	104.3%
AVG WEEKDAY	16,730	99.5%
AVG WEEKEND	15,893	94.6%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.5%
PERCENT HIGH DIRECTION IS OF DHV	57.7%


ATR 0312320

SR-650 (E. MCCARRAN BLVD) 0.18 MI. NORTH OF PRATER WAY

MONTH	MADT	% OF AADT
JANUARY	22,711	91.4%
FEBRUARY	23,420	94.3%
MARCH	24,255	97.7%
APRIL	24,430	98.4%
MAY	24,539	98.8%
JUNE	25,031	100.8%
JULY	25,354	102.1%
AUGUST	27,412	110.4%
SEPTEMBER	26,335	106.0%
OCTOBER	25,494	102.6%
NOVEMBER	24,335	98.0%
DECEMBER	24,733	99.6%




YEAR	AADT	% OF PREVIOUS YEAR
2007	24,837	95.0%
2006	26,140	100.1%
2005	26,113	101.0%
2004	25,843	100.9%
2003	25,615	102.9%
2002	24,883	
2001		
2000		
1999		
1998		



2006 AADT ESTIMATED

DAY	ADT	% OF AADT
SUN	18,370	74.0%
MON	25,240	101.6%
TUE	25,869	104.2%
WED	26,174	105.4%
THU	26,496	106.7%
FRI	28,592	115.1%
SAT	23,120	93.1%
AVG WEEKDAY	25,945	104.5%
AVG WEEKEND	20,745	83.5%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 9.8%

PERCENT HIGH DIRECTION IS OF DHV 62.9%


ATR 0312330

CLEAR ACRE LN 210 FT NORTH OF WEDEKIND RD


MONTH	MADT	% OF AADT
JANUARY	5,310	90.9%
FEBRUARY	5,636	96.5%
MARCH	5,770	98.8%
APRIL	6,753	115.6%
MAY	6,079	104.0%
JUNE	5,869	100.4%
JULY	5,753	98.5%
AUGUST	5,876	100.6%
SEPTEMBER	6,066	103.8%
OCTOBER	6,021	103.1%
NOVEMBER	5,595	95.8%
DECEMBER	5,386	92.2%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2007	5,843	100.2%
2006	5,829	92.3%
2005	6,312	97.5%
2004	6,476	109.2%
2003	5,930	107.9%
2002	5,495	
2001		
2000		
1999		
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	4,962	84.9%
MON	5,904	101.0%
TUE	5,923	101.4%
WED	6,001	102.7%
THU	6,049	103.5%
FRI	6,428	110.0%
SAT	5,633	96.4%
AVG WEEKDAY	5,969	102.2%
AVG WEEKEND	5,298	90.7%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.9%
PERCENT HIGH DIRECTION IS OF DHV	53.7%

ATR 0312350


SR-430 (US-395) 1.4 MI. N. OF EAST LAKE BLVD. JCT.

MONTH	MADT	% OF AADT
JANUARY	33,107	90.3%
FEBRUARY	34,539	94.2%
MARCH	36,928	100.8%
APRIL	36,611	99.9%
MAY	37,443	102.2%
JUNE	38,858	106.0%
JULY	38,789	105.8%
AUGUST	39,556	107.9%
SEPTEMBER		0.0%
OCTOBER	37,664	102.8%
NOVEMBER	35,712	97.4%
DECEMBER	33,922	92.6%




NEW SITE DATA MISSING DUE TO EQUIP. ADJT.

HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2007	36,648	96.4%
2006	38,004	
2005		
2004		
2003		
2002		
2001		
2000		
1999		
1998		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	27,258	74.4%
MON	36,977	100.9%
TUE	38,560	105.2%
WED	39,344	107.4%
THU	39,528	107.9%
FRI	41,509	113.3%
SAT	33,360	91.0%
AVG WEEKDAY	38,602	105.3%
AVG WEEKEND	30,309	82.7%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	9.9%
---	------

PERCENT HIGH DIRECTION IS OF DHV	51.5%
----------------------------------	-------


ATR 0317120

SR-431 (MT ROSE HWY) 4.8 MI W. OF SR-430 (US-395)


MONTH	MADT	% OF AADT
JANUARY	9,980	92.4%
FEBRUARY	10,123	93.7%
MARCH	10,679	98.9%
APRIL	9,796	90.7%
MAY	10,475	97.0%
JUNE	11,789	109.2%
JULY	13,072	121.0%
AUGUST	13,186	122.1%
SEPTEMBER	11,290	104.5%
OCTOBER	10,038	93.0%
NOVEMBER	9,227	85.4%
DECEMBER	9,929	92.0%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2007	10,799	100.8%
2006	10,713	103.2%
2005	10,381	93.7%
2004	11,080	105.0%
2003	10,550	103.5%
2002	10,190	104.4%
2001	9,765	105.5%
2000	9,260	106.2%
1999	8,720	104.4%
1998	8,350	105.3%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	9,527	88.2%
MON	10,644	98.6%
TUE	10,895	100.9%
WED	10,921	101.1%
THU	10,979	101.7%
FRI	11,616	107.6%
SAT	11,008	101.9%
AVG WEEKDAY	10,860	100.6%
AVG WEEKEND	10,268	95.1%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	10.8%
PERCENT HIGH DIRECTION IS OF DHV	55.9%


ATR 0332110

US-93 0.5 MI. NORTH OF McGILL


MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY	1,354	79.1%
FEBRUARY	1,435	83.8%
MARCH	1,864	108.8%
APRIL	1,749	102.1%
MAY	1,707	99.7%
JUNE	1,834	107.1%
JULY	1,868	109.1%
AUGUST	1,868	109.1%
SEPTEMBER	1,746	101.9%
OCTOBER	1,983	115.8%
NOVEMBER	1,726	100.8%
DECEMBER	1,418	82.8%



HISTORICAL RECORD		
YEAR	AADT	% OF PREVIOUS YEAR
2007	1,713	103.2%
2006	1,660	102.4%
2005	1,621	103.8%
2004	1,562	101.8%
2003	1,535	98.4%
2002	1,560	104.3%
2001	1,495	100.7%
2000	1,485	97.1%
1999	1,530	105.9%
1998	1,445	100.7%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	1,756	102.5%
MON	1,601	93.5%
TUE	1,641	95.8%
WED	1,729	101.0%
THU	1,739	101.5%
FRI	1,808	105.6%
SAT	1,713	100.0%
AVG WEEKDAY	1,678	98.0%
AVG WEEKEND	1,735	101.3%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 11.4%

PERCENT HIGH DIRECTION IS OF DHV 51.5%


ATR 0332140

US-6 6.0 MI. E. OF US-50 (AULTMAN ST.) IN ELY


MONTHLY PERCENT		% OF AADT
MONTH	MADT	% OF AADT
JANUARY	832	63.1%
FEBRUARY	827	62.7%
MARCH	1,087	82.4%
APRIL	1,258	95.4%
MAY	1,514	114.8%
JUNE	1,686	127.8%
JULY	1,806	136.9%
AUGUST	1,699	128.8%
SEPTEMBER	1,624	123.1%
OCTOBER	1,485	112.6%
NOVEMBER	1,231	93.3%
DECEMBER	778	58.9%



HISTORICAL RECORD		
	% OF PREVIOUS	
YEAR	AADT	YEAR
2007	1,319	102.9%
2006	1,282	101.7%
2005	1,261	100.8%
2004	1,251	100.1%
2003	1,250	104.6%
2002	1,195	98.8%
2001	1,210	100.8%
2000	1,200	98.8%
1999	1,215	103.0%
1998	1,180	102.6%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	1,359	103.0%
MON	1,274	96.6%
TUE	1,224	92.8%
WED	1,236	93.7%
THU	1,297	98.3%
FRI	1,389	105.3%
SAT	1,454	110.2%
AVG WEEKDAY	1,258	95.4%
AVG WEEKEND	1,407	106.6%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE	13.3%
PERCENT HIGH DIRECTION IS OF DHV	52.6%


ATR 0332150

US-50 1 MI. W. OF THE ROAD TO RUTH


MONTHLY PERCENT		% OF AADT
MONTH	MADT	
JANUARY	325	51.1%
FEBRUARY	347	54.7%
MARCH	455	71.7%
APRIL	596	93.8%
MAY	786	123.8%
JUNE	872	137.3%
JULY	890	140.1%
AUGUST	875	137.7%
SEPTEMBER	821	129.2%
OCTOBER	750	118.0%
NOVEMBER	545	85.7%
DECEMBER	362	57.0%



HISTORICAL RECORD		
		% OF PREVIOUS YEAR
YEAR	AADT	
2007	635	104.4%
2006	608	98.8%
2005	616	99.6%
2004	618	93.7%
2003	660	100.0%
2002	660	100.0%
2001	660	103.9%
2000	635	96.9%
1999	655	100.8%
1998	650	89.0%




DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	622	97.9%
MON	619	97.4%
TUE	595	93.6%
WED	619	97.4%
THU	668	105.1%
FRI	698	109.9%
SAT	627	98.7%
AVG WEEKDAY	625	98.4%
AVG WEEKEND	625	98.3%




PERCENT DESIGN HOUR VOLUME (DHV) IS OF ANNUAL AVERAGE 14.2%

PERCENT HIGH DIRECTION IS OF DHV 58.9%

*025




*025



CARSON CITY U.S.395 BYPASS

*025



State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CARSON CITY			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0250001	SR529, Carson St, .2 mi N of US-50.		39,800	38,900	43,500	43,500*	43,500*	46,500*	56,500	57,000	49,500	52,000
0250002	SR518, Synder Av, 300' E of SR-529 (Carson St).		2,600	2,300	2,120	2,400	2,300	2,500	2,850	3,000*	2,700*	2,700
0250004	Fairview Dr, 200' E of California St.		6,400	6,350	6,300	6,900	8,400	9,550	10,500	11,000	10,200	9,900
0250005	SR529, Carson St, .1 mi S of SR-520 (Stewart St).		42,400*	43,000	45,000	45,000*	45,000*	45,000	46,500	48,500	42,000	43,000
0250006	SR520, Stewart St, 245' S of Wright Wy.		9,250	9,300	9,600	9,200	9,550	9,900*	11,600	11,800	11,600	12,000
0250007	SR529, Carson St, 150' S of Eighth St.		34,800*	34,100	35,000	36,800	36,800*	35,000	36,000	36,500	32,000	32,000
0250008	SR513, Carson River Rd, 500' E of Carson St		6,600	7,300	7,400	7,900	7,900*	7,550	7,500*	7,500*	7,250*	7,000*
0250009	SR520, Stewart St, 450' S of SR-513 (E Fifth St.).		12,800	12,900	13,500	13,500*	13,500*	14,000*	13,200	15,400	15,200	15,000*
0250010	SR513, Carson River Rd, .1 mi W of Roop St.		8,100	8,600	8,700	8,700*	9,350	9,450	9,500*	9,450	9,150	8,600
0250011	SR520, Stewart St, 100' S of Third St.		12,200	13,100	13,500	13,500*	12,800	13,400	14,100	14,100	13,800	14,000
0250013	SR513, W Fifth St, 70' E of Nevada St.		5,450	5,950	5,700	5,500	5,900	5,800	5,750	5,700*	5,400*	5,400
0250014	SR529, Carson St, 75' N of Proctor St.		36,400	34,700	34,500	33,600	32,000	35,000	35,500	35,500	29,500	31,000
0250015	SR511, W Washington St, 150' W of SR-529 (N Carson St.).		4,500	4,450	4,250	3,800	3,900	3,650	3,900	3,650	3,700	3,400
0250016	SR529, Carson St, 150' N of Ann St.		38,800	37,500	39,000	39,000*	39,000*	34,500	34,500	36,000*	31,000*	32,000
0250017	SR530, William St, 40' W of Fall St		15,000	14,400	14,200	13,900*	13,900*	13,700	13,900	14,000	14,000	13,000
0250019	SR520, Stewart St, 310' S of SR-530 (E William St.).		11,700	12,000	12,200	12,200*	11,900	12,400*	13,200	13,000	13,100	13,000
0250020	SR530, William St, 300' W of Roop St.		23,000	21,900	22,100	21,000	23,200	23,200*	23,000*	22,900	22,500	22,000
0250021	SR529, Carson St, .1 mi S of SR-516 (Winnie Ln).		41,700	41,400	40,000	38,600	38,600*	38,000	40,500	40,500	32,500	34,000
0250022	SR516, Ormsby Bl, 130' W of SR-529 (Carson St.).		7,250	7,200	7,300	7,300	7,000	7,250	7,250	7,200*	6,900*	6,600
0250025	SR530, William St, 200' W of Humboldt Ln.		30,300	28,900	29,100	28,000	29,600	29,800	29,200	29,600	32,000	31,000
0250026	SR531, College Pk, 170' W of the Airport Entrance Rd.		10,300	9,500	11,400	11,000	12,800	13,200*	14,800	13,400	12,300	11,000
0250027	US50, Aultman St, 580' W of Graves Ln.		26,200	25,100	25,100*	21,000	23,000*	22,200	23,600	21,600	23,200	23,000
0250028	US50, Aultman St, 380' E of Nye Ln.		22,300	21,500	23,000	23,000*	24,000*	24,750	27,400	29,000*	30,500*	32,000
0250029	Deer Run Rd, .183 mi S of US-50.		1,700	1,930	2,400	2,400*	1,550	1,750	1,950	1,550	1,650	1,700
0250031	Pinion Hills Dr, 100' S of Artesmia.		700	700	650	580	660	680	720	740	730	780
0250032	SR513, Carson River Rd, 1.5 miles S of 5th St.		1,000	1,000	850	980	830	800	970	1,050	960	1,100
0250033	SR513, E Fifth St, 1 mi E of Edmonds Dr.		4,250	4,100	4,300	3,800	3,800*	3,800*	5,500	5,800	5,750	5,500

* Data Adjusted or Estimated

Page 1

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name **CARSON CITY**

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0250034	Fairview Dr, .245 mi N of SR-513 (E Fifth St).	11,600	11,900	12,800	12,000	12,000	15,000	16,000	16,900	16,800	16,000
0250035	Fairview Dr, .7 mi S of SR-513 (E Fifth St).	10,100	9,600	9,900	10,000	10,000*	12,800*	14,000*	15,500	14,900	14,000
0250036	SR513, Carson River Rd, .2 mi E of Saliman Rd.	6,500	6,500	7,050	6,900	7,500	8,150	8,300	8,550	8,450	8,300
0250037	SR512, Division St, 117' W of Carville Dr & 92' E of Pittman Place.	1,900	2,050	2,200	2,300	2,450	2,700	2,750	2,650	2,700	2,500
0250038	SR516, Ormsby Bl, 195' N of SR-512 (King St).	1,150	1,350	1,450	1,400	1,450	1,500	1,500	1,500	1,550	1,400
0250040	N Ormsby Bl, .3 mi N of SR-516 (Winnie Ln).	3,200	3,600	3,500	3,800	4,050	4,000	4,150	4,650	4,200	4,400
0250042	SR516, Ormsby Bl, .1 mi N of SR-511 (W Washington St).	1,700	1,900	1,950	2,000	2,000	2,100	1,500	2,050	2,100	2,000*
0250043	SR512, Division St, 150' N of W Third St.	4,000	4,900	5,200	5,200	5,700	6,250	6,300	5,850	6,100	5,500
0250044	US50, Aultman St, at the Carson-Lyon County line.	21,000	20,800	20,800*	20,800*	21,600*	22,300*	26,900	28,600	27,200	28,000
0250045	Saliman Rd, 225' S of Sonoma St.			3,500	3,400	3,500	3,200	3,500	3,200	3,400	3,700
0250046	Roop St, 130' N of Corbett St.	14,500	15,400	14,400	15,000	16,000	15,900	17,100	16,000	15,700	16,000
0250047	Winnie Ln, 140' W of Lone Mountain Dr.			6,450	8,300	8,400	8,050	7,450	7,500*	7,600*	7,800
0250048	College Pk, 250' E of Ormsby Bl.	4,650	5,600	4,750	5,400	5,850	6,250	6,050	6,500	7,000	6,000
0250049	Timberline Rd, .3 mi W of Combs Canyon Rd.			950	980	920	1,000	920	920*	940*	880
0250050	Sonoma St, 300' W of Silver Sage Dr.			2,400	2,300	2,400	2,350	2,350	2,250	2,200	2,200
0250051	Silver Sage Dr, 420' N of Koontz Ln.			7,800	8,100	8,900	7,800	8,400	8,250	7,800	7,600
0250052	E Nye Ln, 200' E of (SR-525) Airport Rd.			1,500	1,400	1,500	1,550	1,550	1,400	1,550	1,500
0250053	Mountain St, 150' N of SR 516 (Winnie Ln).			2,250	2,100	2,450	2,450	2,600	2,500	2,450	2,200
0250054	Mountain St, 80' S of Long St.			4,450	4,600	4,550	4,650	4,750	4,600	4,550	4,200
0250055	Longview Wy, 260' S of Ash Canyon Rd.			700	700*	870	970	990	890	1,050	990
0250056	SR516, Ormsby Bl, .1 mi W of Mountain St.	3,350	3,800	3,800	4,100	4,000	4,250*	4,750	4,500	4,300	4,300*
0250057	SR516, Winnie Ln, 450' E of Mountain St.	4,300	4,400	4,700	4,900	4,850	5,150	5,100	5,100	4,850	2,200*
0250058	Little Ln, 185' E of Oregon St.			2,000	2,800	2,950	3,250	3,150	2,900	3,200	2,800
0250059	Combs Cy Rd, 290' E of Timberline Rd.			1,800	1,900	1,850	1,850	1,900	1,950	1,900	1,800
0250060	Colorado St, 285' E of Silver Sage Dr.			4,050	4,400	4,400*	4,700	4,500	4,500	4,350	4,200
0250061	Northridge Dr, 400' W of Russell Wy.			2,350	2,800	3,200	2,800	2,800*	2,350	3,100	3,100
0250062	Long St, 200' E of Roop St.				7,700	8,600	8,300	8,550	7,850	7,400	7,400

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name **CARSON CITY**

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0250063	Long St, 100' E of Mountain St.				1,350	1,200	1,300	1,250	1,200*	1,200	1,100	1,000
0250065	SR511, Washington St, 75' E of Richmond Av.		2,700	2,750	2,600	2,500	2,500*	2,550	2,550	2,550	2,350	2,300*
0250068	SR512, King St, 120' E of Mountain St.		3,450	3,100	3,250	3,200	3,100	3,450	3,450	3,350	3,200	3,300
0250073	Fairview Dr, 100' W of Kansas St.		5,600	5,550	5,500*	5,900	6,500	7,000	7,800	7,550	7,750	7,700
0250076	Koontz Ln, 645' W of Silver Sage Dr./.2 mi E of Carson St.		6,500	6,700	6,600	6,500	6,800	6,450	6,850	6,800	6,950	6,500
0250079	Clearview Dr, 200' W of Silver Sage Dr.		6,200	6,850	7,100	7,200	7,200	7,200*	7,750	7,300	7,550	6,900
0250083	SR518, Snyder Av, 270' E of Silver Sage Dr.		3,150	3,100	2,700	2,800	2,650	2,600	3,200	2,900	2,850	2,800
0250105	Roop St, 365' S of Robinson St.				11,300	11,300*	13,800	14,000	13,800	13,400	13,600	14,000
0250114	Butti Wy, 175' S of Airport Rd.				3,450	3,500	3,250	3,950	4,400	4,150	4,500	4,600
0250115	Butti Wy, 210' W of Edmonds Dr.				570	760	730	780	760	750	820	770
0250116	Airport Rd, 175' N of Butti Wy.				3,300	3,300*	3,450	3,700	4,100	4,000	4,300	4,400
0250117	SR525, Airport Rd, 325' N of North Champion St.		11,200	9,500	5,600	5,300	5,450	5,450*	7,350	6,100	5,000	4,800
0250118	College Pk, .5 mi N of Nye Ln.				7,100	7,100*	8,500	8,750	9,600	9,300	8,500	7,800*
0250126	Koontz Ln, 50' W of Raglan Cr.		2,300	2,350	2,450	2,300	2,650	2,300	2,550	2,450	2,550	3,100
0250127	S Edmonds Dr, 100' S of Damon Rd.		6,500	6,950	7,250	7,500	7,550	8,100	9,350	9,300*	9,150*	8,800
0250128	Fairview Dr, 300' E of Saliman		3,850	3,800	4,100	4,100	4,800	5,100	5,600	5,200	5,850	5,900*
0250130	SR531, College Pk, 275' W of Lompa Ln.		14,600	14,400	15,800	15,800*	15,800*	16,100*	16,800	16,200	14,800	14,000
0250132	Hot Springs Rd, .1 mi N of US-395 in front of 400 Hotsprings Rd.		7,050	6,500	6,800	6,000	7,350	7,550	8,050	7,250	6,600	6,700
0250133	SR512, Division St, .2 mi W of SR-516 (Ormsby Bl).		1,200	1,300	1,450	1,450*	1,650	1,900	1,900	1,750	1,800	1,700
0250134	N Ormsby Bl, .1 mi S of Combs Canyon Rd.		2,250	2,150	2,500	2,400	2,400	2,600*	2,700	2,800	2,700	2,600
0250139	SR531, College Pk, 250' E of Imperial Wy.		13,100	14,100	14,300	14,000	16,400	16,700*	16,300	16,400	12,900	12,000
0250140	SR529, Carson St, .1 mi N of Nye Ln.		36,200	34,500	34,500	33,000	34,000	34,500	35,000	34,000	28,800	30,000
0250141	SR529, Carson St, 500' N of Broadleaf Ln.		33,100	32,100	32,500	31,000	32,500	34,000	35,500	37,000	24,900	26,000
0250142	SR705, Clear Creek Rd, .25 mi W of US-395.		540	540	540*	5,900	6,800	6,400	7,450	7,350	7,650	6,900
0250143	SR705, Clear Creek Rd, .25 mi W of Vista Grande Bl.		260	250	220	280	280*	240	290	250	270	280
0250148	SR529, Carson St, .1 mi N of Koontz Ln.		42,600	41,700	43,500	43,500*	43,500*	47,000	50,500	50,000	44,000	48,000

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name **CARSON CITY**


Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0250149	Saliman Rd, 165' S of Robinson St.	10,400	10,200	10,000	10,000*	11,700	11,400	11,100	11,000*	11,300*	11,000
0250151	Lompa Ln, 800' N of Dori St.	7,450	6,700	8,100*	8,300	8,700	8,200		4,000	2,700	2,300
0250153	Lompa Ln, 680' S of SR-531 (College Pk).	5,300	5,300	5,500	5,100	5,150	4,800	2,300	4,150	4,100	3,800*
0250157	Mountain St, 75' S of Caroline St.	2,600	2,350	2,500	2,700	2,500	2,700	2,650	2,700	2,950	2,500
0250158	Silver Sage Dr, 50' N of Roland Av.	1,950	1,900	1,700	2,000	2,300	2,000	2,300	2,250	2,100	2,000
0250160	Airport Rd, 200' S of US-50.	7,700	7,500	6,750	7,100	7,250	7,150	7,650	7,600*	7,250*	7,300
0250161	Airport Rd, 400' S of Woodside Dr.	4,500*	4,600	4,250	4,250*	4,600	4,550	4,800	4,400	4,200	4,500
0250162	Clearview Dr, 100' W of Edmonds Dr.	3,400	3,550	3,700	3,700	3,450	3,350	4,050	3,750	4,000	3,700
0250166	Nye Ln, btwn Imperial Way & Northgate Ln.	1,450	1,500	1,600	1,600	1,750	1,650	1,650	1,600	2,100	1,500
0250169	College Pk, 110' S of Sherman Ln.			7,800	7,700	8,350	8,600*	9,500	9,050	8,300	7,700
0250170	Sherman Ln, 200' E of Dori Wy.	1,500	1,500	1,350	1,100	1,500	1,300	1,050	1,050	1,200	1,100
0250171	Ash Canyon Rd, 270' E of Longview Wy.		1,000	1,150	1,300	1,400	1,450	1,500	1,400	1,550	1,500
0250172	US50, Aultman St, .7 mi W of Airport Rd.	26,700	26,400	25,600	25,000	26,200	25,600	29,700	27,000	29,600	31,000
0250173	Fairview Dr, 150' S of Gordon St.	10,600	11,000	13,300	13,000	14,100	14,600	16,200	15,800	16,500	16,000
0250174	SR531, College Pk, 310' E of Retail Dr.	9,800	9,900	11,200	11,200*	11,400	11,700	11,700	11,700	19,600	17,000*
0250175	Saliman Rd, 300' N of Little Ln.	8,950	8,500	9,000	10,000	10,500	10,600	10,400	9,050	10,100	10,000*
0250176	Roop St, .3 mi S of Hot Springs Rd.	8,800	9,050	9,500	9,300	11,600	12,000	13,500	12,400	12,500	13,000
0250177	Goni Rd, .1 mi N of Hot Springs Rd.	7,750	7,750	6,800	6,900	6,850	6,850	6,550	6,200	6,000	5,900
0250178	Arrowhead Dr, .2 miles W of Northgate Ln.	2,800	2,800	2,700	2,700*	1,800*	2,800	3,550	3,500	2,850	2,900*
0250179	Arrowhead Dr, .1 mi E of Convair Dr.	4,200	4,200	4,400	4,400	4,550	4,600	4,850	4,700	4,300	4,600
0250184	Roop St, .1 mi S of College Pk.		2,800	6,500	6,200	8,450	8,700	9,100	9,350	16,600	12,000
0250185	US395, S/B off-ramp of US-50 N Intch.									7,150	7,400
0250186	US395, N/B on-ramp of the US-50 N Intch.									5,150	4,900
0250188	US395, N/B off-ramp of the College Pk Intch.									1,200	1,500
0250189	US395, S/B on-ramp of the College Pk Intch.									2,150	2,200
0250190	US395, N/B on-ramp of the College Pk Intch.									1,650	1,800
0250191	US395, S/B off-ramp of the College Pk Intch.									1,950	2,000
0250192	US395, N of College Pkwy.									12,800	14,000

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**


County Name CARSON CITY

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT						
0250193	US395, N/B off-ramp of the Arrowhead Exit.									550	610
0250194	US395, S/B on-ramp of the N Carson St. Intch.									610	690
0250195	US395, N/B on-ramp from Carson St at the N Casron St. Intch.									11,400	12,000
0250196	US395, S/B off-ramp of the N Carson St. Intch.									9,400	10,000
0250201	Arrowhead Dr, 350' E of SR-529 (Carson St.)						2,800	4,200	4,050	4,150	4,200
0252110	US395, 0.2 mi S. of the East Lake Intch.	31,195	32,250	32,355	32,650	33,705	34,765	36,015*	35,650*	35,500*	35,000
0252120	US50, 3.4 mi W of US-395	10,710	11,095	11,595	12,355	12,950	12,985	13,298	12,700	12,200	12,000
0252210	SR530, William St, 0.1 mi E of Roop St	25,865	25,805	25,460	25,065	25,060	25,070	25,279	25,300*	26,400*	24,000
0252220	SR513, Fifth St, 0.1 mi West of Saliman St.			8,740	8,665	8,810	8,985	9,096	8,900	8,750	8,400
0252230	SR525, Airport Rd, 150' N of E. Nye Ln.				3,760	4,105	4,415	5,116	4,450	3,600	3,300
0252240	US395, 0.2 mi. N. of SR-530 (US-50 /William St.)										14,000


*001




NIGHTINGALE 65





JESSUP 78



U.S. 95 83



*001



State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CHURCHILL			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0010002	Allen Rd, .1 mi N of Sheckler Rd.			4,050	4,000	3,900	3,900	4,250	4,300	4,100	4,650	5,000
0010003	US50, Aultman St, .3 mi E of the jct of US-50 & US-50A.		8,500	8,900	8,700	8,900	9,950	10,100*	10,000	10,000*	10,200*	10,000
0010005	US50, Aultman St, 455' W of SR-117 (Sheckler Cutoff Rd).		10,200	10,500	10,200	9,800	10,800	11,000*	11,000	10,600	11,500	11,000
0010006	SR117, Sheckler Cutoff Rd, .1 mi S of US-50.		2,050	2,000	1,800	1,800	2,100	2,150	2,400	1,900	2,100	2,200
0010007	US50, Aultman St, .1 mi E of SR-117 (Sheckler Cutoff Rd).		11,200	11,100	10,800	11,000	11,500	11,700*	12,000	11,300	11,100	11,000*
0010008	US50, 300' W of SR-715 (McLean Ln).		14,300	13,800	13,900	13,000	14,000	14,400	14,400*	14,100	15,000	15,000
0010009	SR723, Soda Lake Rd, .1 mi N of US-50.		2,050	2,300	2,150	2,100	2,200	2,350	2,300	2,300	2,500	2,500
0010010	US50, Aultman St, 100' E of SR-715 (McLean Ln).		13,300	13,000	14,000	14,000*	14,600*	15,000*	15,000*	14,000	14,900	15,000*
0010011	SR715, McLean Ln, 301' S of US-50.		2,500	2,550	2,350	2,200	2,250	2,100	2,000	2,100	2,350	2,300*
0010012	US50, Aultman St, .1 mi E of Gummow Rd.		17,300	16,900	17,000	16,000	17,400	16,600	16,600*	17,600	18,800	19,000
0010015	US50, Aultman St, 250' E of US-95 (Taylor St).		15,100	14,800	16,600	14,000	15,000	15,200	15,000	16,300	16,900	16,000
0010016	US95, Maine St, .10 mi S of US-50 (Williams Av).		10,700	10,750	11,500	12,000	12,000*	10,800	8,300	8,600	9,500	9,300
0010019	US50, Aultman St, 300' E of Maine St.		9,650	10,300	10,300	11,000	11,000	11,500	12,000	12,200	13,400	12,000
0010020	US95, Maine St, 260' N of US-50 (Williams Av)		7,600*	7,800	7,700	7,200	7,350	7,750	7,900	7,600*	8,000*	7,500*
0010021	US50, Aultman St, 150' W of Sherman St.		7,900	8,400	8,400*	8,100	8,250	8,450	8,800	9,550	10,400	10,000*
0010024	US50, Aultman St, .2 mi E of Harrigan.		5,900	6,300	6,300*	5,700	5,950	6,050	6,100	5,750	6,100	5,500
0010025	US50, .3 mi W of SR-116 (Stillwater Rd).		3,100	3,300	3,600	3,400	2,950	2,750	2,800	2,900	2,900	2,900*
0010026	SR116, Stillwater Rd, 150' W of Harmon Rd.		1,500	1,450	1,550	1,400	1,350	1,400	1,300	1,350	1,450	1,300
0010027	US50, 2.6 mi E of Harmon Rd.		1,200	1,300	1,050	970	1,350	1,250	1,200	970	960	900
0010028	SR116, Stillwater Rd, .2 mi E of Harmon Rd.		1,700	1,700	1,700	1,600	1,550	1,600	1,500	1,500	1,600	1,500
0010029	US50, Aultman St, 1.5 mi E of Macari Ln.		1,150	1,400	1,200	1,000	1,300	1,200	1,100	920	840	880
0010030	US50, .2 mi W of SR-839 to Nevada Scheelite Mine.		1,350	1,100	1,300	1,200	1,050	920	830	1,150	1,050	1,200
0010031	SR839, Scheelite Mine Rd, .6 mi S of US-50.		150	170	160	180	200	200*	90	90	70	110
0010032	US50, Aultman St, .1 mi W of SR-121 (Dixie Vy Rd).		1,000	850	850	810	870	790	700	820*	790*	910
0010033	SR121, Dixie Valley Rd, .2 mi N of US-50 mp at SR-121/CH-2		50	70	50	40	50	40	40*	40*	30*	50

* Data Adjusted or Estimated

Page 1

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CHURCHILL			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0010034	US50, Aultman St, 4.1 mi of SR-361 to Gabbs.		950	800	800	800*	840	760	680	800	780	900
0010035	SR361, Gabbs Valley Rd, .1 mi S of US-50.		240	265	220	180	320	250	280	240	250	250*
0010036	US50, Aultman St, .1 mi E of SR-361 to Gabbs.		730	740	680	630	770	690	600	630	640	630*
0010038	Dixie Valley Rd, .2 mi N of Settlement Rd.		10	15	20	10	10	10	10*	10*	10*	10
0010039	SR116, Stillwater Rd, .2 mi W of Portugese Ln.		290	350	350*	200	250	270	230	240	250	260
0010040	SR116, Stillwater Rd, 300' E of Freeman Ln to Millen.		125	210	110	100	110	120	120	140	120	170
0010043	Wildes Rd, .1 mi E of Pasture Rd.		430	580	450	380	380*	340	400	400*	410*	340
0010044	SR118, Wildes Rd, .5 mi W of SR-120 (Pasture Rd).		4,150	5,050	4,650	3,900	4,200	4,050	3,700	4,200	4,250	4,200
0010045	SR118, Wildes Rd, .1 mi E of Harrigan Rd.		3,200	3,900	3,950	3,200	3,650	3,150	3,200	3,600	3,650	3,800
0010046	SR115, Harrigan Rd, 90' S of SR-118 (Wildes Rd).		1,750	1,700	1,700	1,700	1,600	1,650	1,800	1,600	1,650	1,700
0010047	Harrigan Rd, .1 mi N of SR-118 (Wildes Rd).		2,050	2,200	2,300	2,100	2,100*	2,200	2,300	2,450	2,550	2,800
0010049	Stillwater Av, 75' E of Sherman St.			2,550	2,550	2,200	2,350	2,100	2,500	2,500*	1,900*	1,700
0010050	Center St, 379' E of Maine St.					1,100	1,200	1,450	1,500	1,500*	1,300*	1,200
0010051	Maine St, 350' S of Stillwater Av.					3,900	3,950	4,000	4,000	4,000	4,350	3,800
0010053	US95, Maine St, .09 mi N of SR-117 (Scheckler Ln).		8,250	8,300	8,050	8,050*	7,950	7,950	6,100	6,500	7,050	6,600
0010055	Pasture Rd, 500' E of US-95.		130	190	120	150	150*	110	90	90	110	110
0010056	Pasture Rd, .2 mi E of the rd to the Greenhead Hunting Club.		90	100	90	100	80	70	70	70	80	70
0010058	US95, 400' S of SR-718 (Lone Tree Rd).		2,400	2,500	2,300	2,400	2,650	2,500	2,500*	2,150	2,450	2,700
0010059	US95, 550' N of SR-718 (Lone Tree Rd).		3,850	4,000	4,300	4,300*	4,300*	4,400*	4,400*	3,100	3,450	3,100
0010060	SR718, Lone Tree Rd, 560' W of US-95.		475	490	500	500*	500*	480	450	400	480	450
0010061	SR718, Curry Rd, 300' W of Allen Rd.		555	640	650	650*	610	640	570	590*	670*	620
0010062	SR718, Curry Rd, 300' N of the R.O.Wise Ranch Rd.		170	250	240	210	250	260	220	230	250	210
0010063	US95, Maine St, .3 mi N of SR-119 (Berney Rd).		4,250	4,500	4,600	4,600*	4,300	4,450*	4,450*	3,700	4,050	2,800
0010064	SR119, Berney Rd, .2 mi W of SR-115 (Harrigan Rd).		630	660	650	600	690	760	680	630	760	720
0010065	SR115, Harrigan Rd, .1 mi N of SR-119 (Berney Rd).		200	230	210	210*	210*	270	230	250	290	290*
0010066	SR119, Berney Rd, .1 mi E of SR-115 (Harrigan Rd).		720	750	750	670	780	880	770	770	860	840
0010067	Pasture Rd, .25 mi S of SR-119 (Berney Rd).		290	280	270	270*	260	250	240	210	250	280

* Data Adjusted or Estimated

Page 2

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name	CHURCHILL
-------------	-----------

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0010068	Berney Rd., .1 mi E of Pasture Rd.	520	590	550	550	690	780	780*	590	610	610
0010069	SR120, Pasture Rd, .2 mi S of SR-118 (Wildes Rd).	4,000	4,000	4,000*	4,000*	4,200	4,300*	4,100	4,250	4,250	4,200
0010071	SR120, Pasture Rd, .1 mi N of SR-720 (Union Ln).	1,100	900	930	800	1,050	1,100	1,100*	860	860	800
0010072	SR720, Union Ln, .1 mi E of SR-115 (Harrigan Rd).	1,350	1,270	1,250	1,100	1,100*	730	830	590	560	600
0010073	SR115, Harrigan Rd, 200' N of SR-720 (Union Ln).	600	600	600	560	470	540	530	460	490	500
0010074	US95, Maine St, .3 mi S of SR-117 (Scheckler Ln).	5,600	6,000	5,700	5,600	5,700	5,600	5,500	5,150	4,950	4,800
0010075	SR117, Scheckler Cutoff Rd, 480' E of Allen Rd.	4,500	4,800	4,800	4,000	3,850	3,950	4,500	4,050	4,700	5,100
0010076	SR117, Scheckler Rd, 210' W of Allen Rd.	3,250	3,250	3,300	2,800	2,800	2,700	3,600	3,400	3,700	3,400
0010084	SR117, Scheckler Rd, .2 mi E of St Clair Rd.	1,300	1,350	1,200	1,200	1,300	1,400	1,900	1,400	1,600	2,000
0010085	SR117, Scheckler Cutoff Rd, .15 mi W of SR-715 (McLean Ln).	1,750	2,100	1,600	1,700	1,800	1,850	2,300	1,950	2,100	2,400
0010086	SR715, McLean Ln, 739' N of SR-117 (Scheckler Rd).	1,850	2,100	2,000	1,700	1,800	1,650	2,000	1,650	1,950	1,900
0010087	US95, .7 mi N of US-50 (Williams Av).	5,600	5,750	5,300	5,300*	5,500	5,400	5,800	5,500*	5,650*	5,300*
0010088	US95, Maine St, 100' S of SR-726 (Old River Rd).	2,300	2,250	2,450	2,400	2,400*	2,600	2,700	2,400	2,900	2,700
0010089	SR726, Bafford Ln, .1 mi E of US-95.	650	725	650	610	630	680	740	610	620	610
0010090	US95, Maine St, .6 mi N of SR-726 (Old River Rd).	1,450	1,400	1,650	1,400	1,500	1,500	1,500	1,400	1,800	1,600
0010091	US95, Maine St, Lovelock Cutoff (Ocala) .8 mi S of the E/B ramps of IR-80.	790	830	920	870	780	780	830	770*	800*	860
0010092	IR80, E/B on-ramp of the US-95 Intch.	620	800	650	570	640	630*	680	650	540	640
0010093	IR80, 1.0 mi W of the Toulon Intch. 'Exit 93'	7,430	7,735	7,600	7,650	8,050	8,150*	8,400	8,000*	8,150*	7,800
0010094	IR80, W/B off-ramp of the US-95 Intch 'Exit 83'	570	800	620	600	690	670	650	510	610	710*
0010095	IR80, W/B on-ramp of the US-95 Intch 'Exit 83'	520	350	250	260	330	320	280	250	270	280*
0010096	IR80, E/B off-ramp of the US-95 Intch 'Exit 83'	400	250	220	210	310	320	330	290	290	280
0010097	IR80, .5 mi W of US-95 Intch 'Exit 83'.	7,160	6,735	6,740	6,950*	7,250*	7,500	7,800	7,400*	7,550*	7,300
0010098	IR80, W/B off-ramp of the Jessup Intch 'Exit 78'	25	40	30	20	20	20	20	20	20	20*
0010099	Airport Rd, .15 mi E of US-95. (Fallon)		550	450	390	440	410	460	380	500	500
0010100	IR80, W/B on-ramp of the Jessup Intch 'Exit 78'	50	40	30	30	40	40	20	20	20	20*
0010101	IR80, E/B off-ramp of the Jessup Intch 'Exit 78'	40	80	50	60	90	70	40	40	50	40
0010102	IR80, E/B on-ramp of the Jessup Intch 'Exit 78'	50	70	50	50	70	60	40	40	50	40

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CHURCHILL


Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0010104	IR80, W/B off-ramp of the Nightingale Intch 'Exit 65'	55	75	60	40	40*	70	80	80	80	80*
0010106	IR80, W/B on-ramp of the Nightingale Intch 'Exit 65'	195	200	150	100	100*	180	200	250	180	200*
0010108	IR80, E/B on-ramp of the Nightingale Intch 'Exit 65'	75	60	60	40	40*	70	70	70	70	70
0010109	IR80, E/B off-ramp of the Nightingale Intch 'Exit 65'	140	140	120	100	100*	190	200	180	170	190
0010112	SR118, Wildes Rd, .1 mi W of SR-115 (Harrigan Rd).	3,550	4,150	4,150	3,500	3,750	3,450	3,500	3,700	3,750	3,700
0010113	SR120, Pasture Rd, .1 mi N of SR-119 (Berney Rd).	450	440	400	380	430	440	390	340	320	350
0010114	Settlement Road, in Dixie Valley .1 mi E of SR-121.				10	20	10	10*	10*	20*	20
0010115	Allen Rd, 341' S of Scheckler Rd.				2,100	2,200	2,400	2,400	2,050	2,450	2,400
0010116	SR720, Union Ln, .2 mi W of SR-115 (Harrigan Rd).	1,150	1,130	1,200	1,020	560	730	810	630	610	650*
0010117	SR722, Carroll Summit Rd, 250' S of US-50.	30	35	35*	30	30*	70	70*	30*	50*	40
0010120	Portuguese Ln, .5 mi N of SR-116 (Stillwater Rd).	50	50	30	40	40	50	50*	50*	40*	40
0010122	Harmon Rd, .1 mi N of SR-116 (Stillwater Rd).	300	410	420	420*	420*	330	330	330*	300*	250
0010124	SR726, Bafford Ln, .5 mi E of SR-726 (Old River Rd)	390	480	370	350	350	360	400	350*	380*	410
0010125	SR723, Soda Lake Rd, 1.95 mi N of US-50.	890	1,050	900	890	890*	940	970	920	880	900
0010126	US50, Aultman St, .1 mi E of Allen Rd.	21,000	20,500	21,600	22,400*	20,100*	20,800	20,800*	21,600	23,100	22,000
0010127	IR80, 0.3 mi E of the Nightingale Intch 'Exit 65'.	7,175	6,745	6,800	6,970*	7,290*	7,500	7,800	7,400	7,550	7,300*
0010128	Bench Rd, 200' N of US-50.	170	175	175*	180	180	230	220	180	210	230
0010129	Rice Rd, .2 mi E of Gummow Dr.	1,350	1,250	1,200	1,200	1,350	1,450	1,600	1,300	1,450	1,400*
0010130	Soda Lake Rd, 2.8 mi N of US-50.	540	630	630*	630*	630*	510	520	490	480	490
0010133	Agency Rd, 100' N of SR-116 (Stillwater Rd).	340	340	360	330	350	340	350	370	350	330
0010134	Taylor St, 340' N of US-50 in Fallon.		4,700	4,500	4,500	3,900	3,850	4,200	4,300	4,400	4,100
0010135	Bailey St, 155' S of Center St in Fallon.		460	500	530	440	440	420	410	430	410
0010136	Whitaker Ln, .2 mi S of US-50		3,450	3,250	3,200	2,900	2,850	3,300	2,850	3,600	3,300
0010137	Trento Ln, 224' N of US-50 in Fallon at the RxR tracks.				1,000	900	910	1,000	980	1,250	1,100
0010138	Lucas Rd, .4 mi N of US-50 in Fallon at the RxR tracks.				390	360	340	400	350	410	390
0010139	Roberson Ln, .55 mi N of US-50 in Fallon at the RxR tracks.				890	900	790	860	840	910	830

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name	CHURCHILL
-------------	-----------

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0010140	York Ln, 400' N of US-50					1,950	2,350	2,500	1,950	2,300	770
0010141	Gummow Dr, 385' N of US-50 W of Fallon at the RxR tracks.				2,900	2,800	2,750	3,000	2,500	2,600	2,600
0010142	Coleman Rd, 323' N of US-50 W of Fallon at the RxR tracks.				1,300	1,350	1,400	1,400	1,250	1,650	2,200
0010143	Regan Pl, 117' N of Auction Rd in Fallon at the RxR tracks.				360	300	310	350	230	270	260
0010144	Venturacci Ln, .25 mi N of US-50 in Fallon at the RxR tracks.					2,200	2,150	2,700	2,250	2,700	2,200
0012110	US50, 13.9 mi E of SR-361	630	680	640	650	650	635	640	600	600	610
0012120	US50, .4 mi W of US-50A.	2,245	2,325	2,305	2,275	2,305	2,360	2,320	2,400	2,550	2,600
0012130	US50, 90' E of Russell St.	21,200	21,200*	20,960	21,565	21,680	21,235	21,278	21,900	20,400	21,000
0012140	US95, Maine St, 1.9 miles S of Pasture Rd	2,150	2,400				2,255	2,327	2,250	2,250	2,300
0012150	US50A, US-50A 0.3 Mile W of the US-50 Jct									8,100	8,500



*003



*003




SOUTHERN NEVADA AREA






*003



CENTRAL LAS VEGAS




*003




HENDERSON


*003




BUNKERVILLE - MESQUITE



BOULDER CITY




LOGANDALE - OVERTON



LAUGHLIN


*003

INDIAN SPRINGS




INTERSTATE 15 INTERCHANGES AND REST AREAS

003




003



INTERSTATE ⁽¹⁵⁾ INTERCHANGES AND REST AREAS

003

**SPEEDWAY 54
HOLLYWOOD BLVD**






APEX 58

U.S. 93 64

VALLEY OF FIRE 75

UTE 80








BYRON 84

HIDDEN VALLEY 88

MOAPA 90

GLENDALE 91

**LOGANDALE
OVERTON 93**






**WEST MESA
REST AREA**

CARP-ELGIN 100


EAST MESA 109

**RIVERSIDE
BUNKERVILLE 112**

WEST MESQUITE 120




EAST MESQUITE 122




See I-15 Map

INTERSTATE 215 (BELTWAY)


DECATUR




I-215 (Beltway) 34




LAS VEGAS BLVD




SUNSET RD./McCARRAN AIRPORT




WINDMILL




EASTERN



PECOS




GREEN VALLEY PKWY




I-215/Henderson Interchange


VALLEY VERDE DR




STEPHANIE ST



GIBSON RD




I-215/HENDERSON INTERCHANGE



95 INTERCHANGES

003









95 INTERCHANGES


003

US-95 EXPRESSWAY/RAINBOW

See Next Page




SNOW MOUNTAIN 95



US-95 Expressway/Rainbow Intch

003



**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name CLARK			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030001	IR15, S/B off-ramp of the Primm Intch 'Exit 1'.		5,315	6,140	6,700	6,200	7,350	7,150	8,600*	8,400	8,950	9,300
0030002	IR15, S/B on-ramp of the Primm Intch 'Exit 1'.		4,665	5,560	5,525	4,900	5,150	5,400	5,150	4,350	5,250	4,300
0030003	IR15, S/B off-ramp of the IR-215 Intch to Las Vegas Bl.		2,590	2,725	2,900	2,600	2,850	3,450	3,400	4,200	4,850	5,000
0030004	Lost City Museum Rd, 75' W of SR-169 (Moapa Vy Rd).		120	110	90	90	110	110*	310	370	110	110
0030005	IR15, N/B off-ramp of the Primm Intch 'Exit 1' 150' S of the cross traffic rd.		4,580	5,460	4,225	4,510	4,750	5,000	5,050	4,000	4,850	4,500
0030006	IR15, N/B on-ramp of the Primm Intch 'Exit 1' 150' N of the cross traffic rd.		6,040	6,035	6,400	6,100	6,450	6,750	6,750	6,600	7,100	6,600
0030007	SR562, Sunset Rd, .2 mi W of Pecos Rd.		34,500	35,300	35,000	30,000	29,700	28,500	32,000	34,500	35,500	35,000
0030009	IR15, N/B off-ramp of the Jean Intch 'Exit 12' 400' S of the cross traffic rd.		2,470	2,480	2,600	2,300	2,550	1,750	1,900	1,650	1,650	1,500*
0030010	FRCL07, Apex Frontage Rd, .2 mi S of US-93.		1,200	1,250	1,300	1,300*	1,800	2,000	1,900	2,150	2,250	1,700
0030011	SR604, Las Vegas Bl, .2 mi N of SR-161.		1,500	1,500	1,650	1,300	1,850	1,400	1,900*	1,100	1,250	1,700
0030013	IR15, N/B on-ramp of the Jean Intch 'Exit 12' 300' N of SR-161.		3,185	3,530	3,400	3,350	3,050	2,450	2,500	2,550	2,550	2,200
0030014	IR15, S/B off-ramp of the Jean Intch 'Exit 12' .1 mi N of SR-161.		4,000	3,615	3,600	3,710	3,150	3,050	3,400	3,300	3,350	3,100
0030015	SR161, Goodsprings Rd, 1 mi W of the S/B off-ramps of the Jean Intch 'Exit 12'.		1,700	1,900	2,050	1,700	2,000	2,150	1,950	2,050	2,150	2,100
0030016	IR15, S/B on-ramp of the Jean Intch 'Exit 12' .1 mi S of SR-161 (Goodsprings Rd)		3,300	2,695	2,800	2,300	2,700	2,300	2,650	2,400	2,400	2,300
0030017	SR161, Spring Rd, .1 mi W of Jean St in Good Springs.		440	380	410*	360	310	290	320	310	310	290
0030018	US95, S/B Fly-over of the Ann Rd Intch from Ann Rd to Rancho Rd.		5,210	5,295	5,650	6,600	6,800	6,250	7,050	7,400	7,450	7,800*
0030019	Durango Dr, .25 mi N of Cheyenne Av.		14,000	15,300	17,200	20,000	20,800	20,800*	25,500	25,000	25,500	25,000
0030020	IR15, N/B off-ramp of the Sloan Intch 'Exit 25' N of '25 mph' sign E.		295	335	150	150	340	410	270	270	260	1,600
0030023	SR739, Sloan Rd, 50' W of SR-604 (Las Vegas Bl).		1,250	1,210	1,100	1,300	1,750	1,700	2,150	2,250	2,700	3,200*

* Data Adjusted or Estimated

Page 1

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030025	IR15, S/B off-ramp of the Sloan Intch 'Exit 25'.	695	385	550	660	800	940	1,400	1,350	1,550	1,500
0030026	IR15, S/B on-ramp of the Sloan Intch 'Exit 25' .2 mi S of SR-739.	190	215	150	150	360	230	210	210	220	2,000
0030027	IR15, N/B on-ramp of the Sloan Intch 'Exit 25' S of IR-15.	725	535	450	690	1,000	1,350	1,850	1,350	1,950	1,700
0030028	IR15, N/B off-ramp of the Saint Rose Pk Intch	1,835	1,940	1,700	1,600	2,160*	1,900	2,300	2,200	2,550	2,500*
0030029	SR146, Lake Mead Dr, .1 mi W of Las Vegas Bl	9,000	7,700	7,400	7,400*	13,200	16,200	19,200	26,100	31,000	26,000*
0030030	SR146, Saint Rose Pk, .4 mi E of SR-604 (Las Vegas Bl).	8,400	7,300	6,800	6,800*	12,400	15,100	17,800*	25,000	28,700	25,000*
0030032	IR15, N/B on-ramp of the Saint Rose Pk Intch	1,440	1,265	1,500	1,800	2,950	3,500	4,650	6,950	7,700	25,000*
0030033	IR15, S/B off-ramp of the IR-215 Intch to IR-215 E/B.	34,530	33,730	43,000	43,000*	44,900	38,900	40,000	41,000	39,500	41,000
0030034	IR215, E/B on-ramp from Windmill Ln.	1,385	1,550	2,350	3,100	3,500	4,150	4,350	4,250	4,800	5,600
0030035	IR15, S/B off-ramp of the SR-146 (Henderson Dr-Saint Rose Pk) Intch 'Exit 27'.	1,620	1,650	1,900	2,050	3,300	3,650	4,550	6,850	7,550	25,000*
0030036	IR15, S/B on-ramp of the SR-146 (Henderson Dr-Saint Rose Pk) Intch 'Exit 27'.	1,800	1,890	1,500	1,400	1,900	2,100	2,450	2,350	2,950	2,900*
0030037	IR15, N/B off-ramp of the Blue Diamond Intch 'Exit 33' .2 mi E of the N/B lanes.	2,185	1,840	1,500	1,500	1,700	1,850	2,050	2,200	2,300	3,000
0030038	SR160, Pahrump Valley Rd, at the Blue Diamond Intch 'Exit 33' .2 miles W of L.V. Bl.	20,000	20,850	22,100	24,000	27,500	30,000	32,000	32,500	33,000	47,000
0030039	SR604, Las Vegas Bl, .3 mi S of SR-160 (Pahrump Vy Rd).	25,000	30,100	33,500	37,000	41,400*	48,500	53,000	56,000	61,500	56,000*
0030040	IR15, N/B on-ramp of the Blue Diamond Intch 'Exit 33'.	3,900	5,225	6,500	7,040	7,950	7,950*	9,500	10,700	12,100	25,000
0030041	IR15, minor N/B on-ramp of the Blue Diamond Intch 'Exit 33'.	4,710	4,825	5,100	5,800	7,600	9,150	10,900	11,900	12,100	13,000*
0030042	IR215, W/B off-ramp to Windmill Ln.	1,220	1,420	2,450	3,160	3,700	4,150	4,500	4,450	4,400	5,600
0030043	IR15, S/B off-ramp of the Blue Diamond Intch 'Exit 33'.	9,320	10,915	12,500	13,440	16,800	19,000	21,400	24,400	25,100	26,000*
0030044	SR160, Pahrump Valley Rd, .3 mi W of Industrial Rd.	13,500	14,900	14,900*	15,800*	17,400	19,600	26,300	27,100	27,100*	27,000*

* Data Adjusted or Estimated

Page 2

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030045	IR15, S/B on-ramp of the Blue Diamond Intch 'Exit 33'.		3,740	2,725	2,400	2,600	2,500	2,700*	3,250	3,100	3,350	3,600
0030046	IR15, N/B off-ramp of the IR-215 Intch to SR-604 (Las Vegas Bl).		630	525	500	410	370	470	550	490	540	780
0030047	IR215, E/B off-ramp to Eastern Av.		7,685	8,560	13,700	14,840*	16,900	18,700	18,500	19,800	20,100	21,000
0030048	IR215, E/B off ramp to Windmill Ln.		9,675	7,895	10,300	11,000	12,400	13,100	12,900	13,900	14,000	13,000
0030049	SR604, Las Vegas Bl, .2 mi N of SR-160 (Pahrump Vy Rd).		21,000	20,800	24,600	24,900*	28,000	30,200*	34,500	38,000	43,000	39,000
0030050	SR604, Las Vegas Bl, .3 mi N of Warm Springs Rd.		18,500	18,300	34,000*	33,000	36,000	39,000*	43,500	47,000*	53,500*	49,000
0030052	IR15, S of the Tropicana Av Intch 'Exit 37'.		118,820	130,860	155,500	156,700*	168,430*	162,300*	179,000*	193,000*	208,000*	212,000*
0030053	IR15, N/B off-ramp of the Tropicana Av Intch 'Exit 37'.		10,485	9,900	8,600	9,100	9,650	9,650*	9,650	9,850	9,300	11,000
0030054	SR593, Tropicana Av, .1 mi E of the N/B ramps of the Tropicana Av Intch 'Exit 37'.		94,000	115,400	107,000	107,000*	107,000*	107,000*	110,000*	109,000*	106,000*	126,000*
0030055	IR15, N/B on-ramp of the Tropicana Av Intch 'Exit 37'		25,470	26,880	31,000	30,000	27,000	27,000*	23,800	22,600	22,000	30,000
0030056	IR15, N/B off-ramp of IR-215 Intch to IR-215 E/B.		2,990	2,305	2,600	3,000	3,600	3,600*	5,500	5,100	5,550	6,500
0030057	IR15, S/B (right turn) off-ramp of the Tropicana Av Intch 'Exit 37'.		7,375	8,040	9,000*	8,800	8,700	9,550	9,900	10,100	9,000	10,000
0030058	SR593, Tropicana Av, 150' E of Industrial Rd.		78,500	82,170	76,600	70,500*	70,500*	70,500*	82,000	83,500	76,500	75,000
0030060	IR15, S/B on-ramp of the Tropicana Av Intch 'Exit 37'.		11,005	9,765	9,000*	9,400	10,100	10,200	10,700	11,300	11,100	11,000
0030061	IR15, .4 mi S of the Flamingo Rd Intch 'Exit 38'.		148,940	167,715	199,900*	198,000	205,080*	200,000*	214,000	226,000*	229,000*	249,000*
0030062	IR15, N/B off-ramp of the Flamingo Rd Intch 'Exit 38'.		14,040	15,585	12,500	13,500*	13,900	13,700	15,100	14,700	15,500	17,000
0030063	SR592, Flamingo Rd, 200' E of the N/B ramps of IR-15 Flamingo Rd Intch 'Exit 38'.		77,000	84,880	65,400	65,400*	80,500	89,000*	94,000*	98,500	91,500	88,000*
0030064	IR15, N/B on-ramp of the Flamingo Rd Intch 'Exit 38'.		19,755	19,105	20,500	20,500*	20,200	22,600	24,200	26,200	23,600	21,000
0030065	IR15, S/B off-ramp of the Flamingo Rd Intch 'Exit 38' to W/B SR-592 (Flamingo Rd).		10,585	10,235	10,000	10,000*	9,650	12,000	12,100	12,500	11,000	11,000

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030066	IR15, S/B on-ramp of the Flamingo Rd Intch 'Exit 38'	13,670	13,180	13,400*	13,400*	13,800*	13,600	15,200	16,100	16,300	16,000
0030067	IR15, .3 mi S of the Spring Mtn Rd Intch 'Exit 39' (add 03-0174 S/B).	162,480	182,385	204,000*	200,100*	204,430*	204,700*	219,000	228,000*	222,000*	258,000*
0030068	Spring Mountain Rd, 350' E of Mel Torme Way	35,500	37,100	37,100*	37,000*	37,000*	37,000*	37,000*	37,000*	50,500*	55,000
0030069	Spring Mountain Rd, .1 mile W of Mel Torme Way	45,000	46,800	74,000	74,000*	74,000*	68,100	68,000*	68,000*	74,500*	75,000*
0030070	IR15, N/B on-ramp of the Spring Mtn Rd Intch 'Exit 39' 75' S of IR-15.	9,475	9,475	10,500	10,000	10,000*	12,500	13,400	13,500	14,500	15,000
0030071	IR215, W/B on-ramp from Windmill Ln.	10,385	7,820	11,500	11,185*	13,400	14,600	14,900	15,200	15,200	14,000
0030072	IR15, S/B off-ramp of the Spring Mtn Rd Intch 'Exit 39' 75' S of IR-15.	17,100	19,135	8,000*	7,800	6,550	8,350	8,850	9,700	9,500	8,900
0030073	SR591, Spring Mtn Rd, 150' W of the S/B off-ramp of the IR-15 Spring Mtn Rd 'Exit 39'.	43,000	48,900	52,500	45,000	53,000	53,000*	51,000	59,000	57,500	58,000*
0030074	IR15, .5 mi N of the Spring Mtn Rd Intch 'Exit 39'.	195,455	217,575	227,000*	219,600*	224,250*	235,700*	245,000	251,000*	257,000*	264,000
0030075	IR15, N/B off-ramp of the Sahara Av Intch 'Exit 40'	16,070	16,325	19,300	19,300	19,800*	20,600	20,800	22,000	21,000	21,000
0030077	IR15, N/B on-ramp of the Sahara Av Intch 'Exit 40'.	17,260	18,975	19,200	19,200*	19,200*	23,300	23,800	26,400	25,100	23,000
0030078	IR215, btwn Windmill Ln & Eastern Av.	34,620	45,835	77,700	95,075*	108,500	117,000	117,000	128,000	132,000	140,000*
0030079	IR15, S/B off-ramp of the Sahara Av Intch 'Exit 40'.	9,405	9,835	9,500	9,500*	7,750	7,850	8,350	8,600	8,100	8,200*
0030080	SR589, E Sahara Av, .2 mi W of SR-599 (Rancho Rd).	59,500	59,900	50,500	49,000	49,000	49,000*	52,000*	66,000	68,500	65,000
0030081	IR15, S/B on-ramp of the Sahara Av Intch 'Exit 40'.	15,475	16,015	18,900*	18,900*	19,880	19,100	19,100	20,300	21,300	20,000
0030082	IR215, E/B on-ramp from Eastern Av.	1,605	5,260	9,500	12,000	11,130	11,600	11,600	11,700	13,600	15,000
0030083	IR15, N/B off-ramp of the Charleston Bl Intch 'Exit 41A'.	4,735	5,015	5,200	5,700*	5,000	6,100	6,100	6,450	6,800	6,300
0030084	SR159, Blue Diamond Rd, 250' E of the Charleston Bl Intch 'Exit 41' E of Grand Central Pk.	40,000	45,200	46,000	46,000*	44,600	44,600*	48,500*	45,000	50,000	50,000
0030085	IR15, N/B off-ramp of the Charleston Bl Intch 'Exit 41B', 5' S of the structure.	5,940	6,860	6,800*	6,800*	6,050*	7,000	7,400	7,600	7,700	7,400
0030086	IR215, W/B off-ramp to Eastern Av.	1,910	5,195	9,800	11,000	11,400	11,800	12,400	11,700	13,100	14,000*
0030088	IR15, S/B off-ramp of the Charleston Intch 'Exit 41'.	7,420	6,215	8,400	8,400*	9,000	8,600	9,250	8,850	8,250	7,900*
0030090	IR215, W/B on-ramp from Eastern Av.	7,290	8,325	12,360	14,000	16,100	19,900*	17,200	18,300	18,700	20,000

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030091	IR15, S/B on-ramp of the Charleston Bl Intch 'Exit 41'.		12,370	16,135	13,400	13,400*	10,700	15,000	14,900	16,000	17,400	15,000
0030092	IR15, btwn Charleston Bl Intch 'Exit 41' & Las Vegas Ex Intch 'Exit 42'.		194,415	211,245	221,000	212,600*	222,650*	230,000*	246,000*	248,000*	248,000*	256,000*
0030093	IR15, From SB MLK to I-15 SB				4,300	5,300	4,550	6,000	5,950	6,000	7,050	7,100*
0030094	US95, Maine St, From I-15 NB off-ramp to US-95 NB.		29,150	33,225	42,000	39,050	39,400*	39,500	39,500	45,500	39,000	38,000*
0030095	US95, From NB I-15 to SB US-95		23,455	23,000	23,000	20,500	18,400*	24,700	24,400	26,100	24,400	24,000
0030096	US95, btwn Downtown Ex Intch & Casino Center Intch.		164,465	159,780	169,200	171,580	175,300	183,000	182,000	184,000*	180,000*	177,000*
0030097	IR15, From NB US-95 to NB I-15.		11,500	10,765	11,500	11,500*	14,000	14,200	14,200	15,800	16,200	16,000
0030098	IR15, .1 mi S of the D St/Washington Intch 'Exit 42' (add 03-0099,105,408 SB & 97 NB).		121,330	130,470	127,500*	131,550*	143,150*	153,000*	162,000	164,000*	164,000*	179,000*
0030099	US95, from I-15 SB off-ramp to US-95 NB		11,795	15,235	13,000*	13,000*	13,300*	13,200	13,300	13,000*	12,900*	13,000*
0030100	IR15, From I-15 NB to MLK.				2,900	3,600	3,000	4,400	4,800	4,950	5,600	6,200
0030102	IR15, From US-95 S/B off-ramp to I-15 S/B		35,620	43,950	45,500	41,000	39,500	43,500	43,500*	44,500	49,500	46,000*
0030103	IR15, From US-95 NB off-ramp to I-15 SB.		26,665	27,000	28,000	23,500	22,000	27,600	27,300	26,900	25,600	24,000
0030104	US95, Maine St, From US-95 N/B off-ramp to MLK				4,000	4,100	4,650	4,500	5,050	5,150	5,350	6,100
0030105	US95, From SB I-15 to SB US-95		9,770	9,700	12,000	11,000	13,800	13,000	15,000	15,200	16,300	16,000
0030106	IR15, From US-95 SB to I-15 NB		8,740	10,700	10,500	11,000	13,300	11,400	12,600	12,200	10,800	10,000
0030107	US95, S/B off-ramp of the Casino Center Dr Intch 'Exit 75-A'		9,900	10,360	12,100	13,580*	12,100*	12,600*	11,300	11,200	9,750	9,900
0030108	IR215, E/B on-ramp from Stephanie St.					2,100	2,500	2,700	1,350	2,150	4,250	5,700
0030109	IR215, W/B on-ramp from Pecos Rd.		11,370	19,585	4,600	5,400	6,350	7,350	6,300	8,100	8,250	8,400*
0030110	4th St, 300' N of Stewart St.		11,000	11,000	10,800	10,000	10,300	11,200	11,200*	10,500	9,650	10,000
0030111	SR602, Casino Center Dr, 250' S of SR-579 (Bonanza Rd).		3,750	4,000	4,000*	4,000*	4,150	3,800	4,250	4,050	3,900	4,200
0030112	US95, Maine St, N/B on-ramp of the Casino Center Dr Intch 'Exit 75-A'.		11,085	11,255	10,800	13,000	12,900	12,700	12,400	11,800	9,400	10,000

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030113	US95, Maine St, btwn Las Vegas Bl 'Exit 74-A' & Casino Center Dr 'Exit 75-B'.		144,080	138,165	146,300*	145,000*	150,300*	157,600*	156,000*	161,000*	161,000*	153,000*
0030114	SR610, Lamb Bl, .3 mile S of IR-15.		1,550	1,550	1,150	1,300	1,700	3,400	3,600*	3,900*	9,050*	9,600
0030115	IR15, N/B off-ramp of the Apex Intch 'Exit 58'.		495	870	390	410	540	570	640	610	570	480
0030116	SR604, Las Vegas Bl, .8 mi S of N/B ramps of the Apex Intch 'Exit 58'.		1,550	1,650	1,550	1,400	1,400*	1,700	1,600	2,400	1,850	1,800
0030117	IR15, N/B on-ramp of the Apex Intch 'Exit 58'.		590	655	610	430*	630	610	620	890	690	640
0030118	IR215, W/B on-ramp of IR-215 Intch to N/B IR-15.		33,065	36,030	41,000	37,000*	39,000	40,500	41,000	41,000	39,000	41,000
0030119	IR15, S/B off-ramp of the Apex Intch 'Exit 58'.		550	520	500	430	500	500	460	720	540	520
0030120	FRCL07, Apex Frontage Rd, .1 mi N of the S/B ramps of Apex Intch 'Exit 58'.		1,700	2,450	2,100	2,000	2,850	2,700	2,500	2,850	2,600	2,500*
0030121	IR215, E/B off-ramp to Pecos Rd.		11,790	19,820	4,300	4,900	5,830	6,500	5,550	6,850	7,700	7,900
0030122	IR15, S/B on-ramp of the Apex Intch 'Exit 58'.		555	770	470	460	580	670	700	660	630	530
0030123	IR15, N/B off-ramp of the US-93 Intch 'Exit 63'.		2,085	1,740	1,500	1,300	2,250	2,250*	1,950	2,750	2,350	2,100
0030125	IR15, N/B on-ramp of the US-93 Intch 'Exit 58'.		215	170	180	190	240	350	220	260	220	260
0030126	IR215, E/B off-ramp of the Sunset Rd Intch to Airport Co.		13,970	11,920	16,100	17,000	19,800	20,800	22,200	26,100	26,200	27,000
0030127	IR15, S/B off-ramp of the US-93 Intch 'Exit 58'.		250	180	190	190	250	390	240	260	240	260
0030128	Frehner Rd, 100' E of Losee Rd., S of Craig Rd.		95	100	140	360	360*	1,200	1,100	1,600	1,550	1,200
0030129	IR215, btwn Las Vegas Bl Intch & Warm Springs Rd-Airport Co Intch.		80,335	82,215	117,500	134,000	153,250	166,000	170,000	184,000	189,000	196,000
0030130	IR15, S/B on-ramp of the US-93 Intch 'Exit 58'.		1,895	1,655	1,400	1,380	2,200	2,250	1,950	2,800	2,300	2,100
0030131	IR215, btwn Airport Co & Warm Springs Rd.		58,515	61,530	91,700	107,200*	122,600	131,000	133,000	139,000	145,000	150,000
0030132	IR215, E/B off-ramp to Decatur Bl.					1,900	3,080	2,850	2,750	3,400	3,750	4,700
0030133	IR15, N/B off-ramp of the Valley of Fire Intch 'Exit 64'.		890	790	700	560	700	700	810	1,050	1,250	1,300
0030134	Valley of Fire Rd, 4.8 mi S of IR-15 Valley of Fire Intch 'Exit 75'.		700	590	460	490	490*	500	550	490	530	540
0030135	IR15, N/B on-ramp the Valley of Fire Intch 'Exit 75'.		765	490	450	420	490	480	570	780	800	1,100

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030136	IR15, S/B off-ramp of the Valley of Fire Intch 'Exit 75'.		535	335	350	280	350	380	430	510	710	770
0030137	IR15, S/B on-ramp of the Valley of Fire Intch 'Exit 75'.		675	570	440	400	520	530	620	730	850	940
0030138	IR15, N/B off-ramp of the Ute Intch 'Exit 80'.		50	55	60	70	60*	100	70	60	70	70
0030139	IR15, N/B on-ramp of the Ute Intch 'Exit 80'.		55	55	60	70	70	130	60	40	60	50
0030140	IR215, W/B on-ramp from Decatur Bl.					2,100	3,450	3,450	3,200	3,900	4,350	6,400
0030141	IR15, S/B off-ramp of the Ute Intch 'Exit 80'.		30	35	50	50	50	100	50	40	60	40
0030142	IR15, S/B on-ramp of the Ute Intch 'Exit 80'.		30	45	50	50	60	70	60	50	60	50
0030145	IR15, N/B off-ramp of the Byron Intch 'Exit 84'.		30	30	20	30	30	30	30	30	40	30
0030146	IR15, N/B on-ramp of the Byron Intch 'Exit 84'.		20	30	20	30	30	30	30	40	40	40*
0030147	SR159, Charleston Blvd, 0.2 mi W of I-215.								18,200	19,000	20,800	20,000
0030148	IR15, S/B off-ramp of the Byron Intch 'Exit 84'.		15	15	20	20	30	20	30	40	20	20
0030149	IR15, S/B on-ramp of the Byron Intch 'Exit 84'.		25	15	20	20	30	20	30	30	20	30
0030150	IR15, N/B off-ramp of the Hidden Vy Intch 'Exit 88'.		140	145	90	130	120	110	110	150	160	130
0030151	IR15, N/B on-ramp of the Hidden Vy Intch 'Exit 88'.		110	125	90	120	120	140	100	110	90	90
0030152	IR215, btwn Decatur Bl & IR-15.				30,000	64,000	81,500	92,550*	98,500	124,000	138,000	151,000
0030153	IR15, S/B off-ramp of the Hidden Vy Intch 'Exit 88'.		110	110	90	110	110	120	90	90	90	90
0030154	IR15, S/B on-ramp of the Hidden Vy Intch 'Exit 88'.		130	150	90	130	140	110	110	160	160	140
0030155	IR215, W/B off-ramp to S/B IR-15.			2,245	2,600	3,200	3,800	4,600	5,700	5,250	4,850	6,200
0030156	IR15, N/B off-ramp of the Moapa Intch 'Exit 90'.		760	590	300*	610	700	750	750	680	650	660
0030157	FRCL19N, .2 mi N of SR-168 (Glendale-Moapa Rd).		2,405	2,400	2,650*	2,500	2,550	2,750	2,550	2,500	2,450	2,500
0030158	SR168, Glendale-Moapa Rd, .2 mi W of the frontage rd at Glendale 'Exit 90'.		2,250	2,660	2,850	3,000	2,800	3,500	2,850	3,650	3,400	3,500
0030159	N 5th St, .2 mi N of SR-601(Main St).		4,350	4,450	4,200	4,300				5,100*	4,950*	5,200
0030160	IR15, S/B on-ramp of the Moapa Intch 'Exit 90'.		905	890	700	690	750	860	710	730	730	740
0030161	IR15, N/B off-ramp of the Glendale Intch 'Exit 91'.		270	230	100	100	70*	160	80	40	40	40
0030162	IR215, E of SR-604 (Las Vegas Bl).		70,585	72,040*	104,300*	122,300	139,550*	150,400*	152,000*	167,000*	172,000*	181,000*
0030163	IR15, N/B on-ramp of the Glendale Intch 'Exit 91'.		900	1,005	1,100	1,000	1,100	1,200	1,150	1,100	1,050	1,000

* Data Adjusted or Estimated

Page 7

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030165	FRCL19N, 200' S of the Glendale Intch 'Exit 91' cross traffic rd.		1,350	1,350	1,500	1,400	1,350	1,700	1,350	1,200	1,200	1,200
0030166	IR15, S/B off-ramp of the Glendale Intch 'Exit 91'.		985	950	1,100	1,000	1,000	1,150	1,050	1,100	1,100	1,100
0030167	Revere St., .1 mi N of Ann Rd.		2,850	2,850	2,850*	5,800	5,800*	7,400	8,350	8,300	7,400	8,200
0030168	IR15, N/B off-ramp of the Logandale Intch 'Exit 93'.		1,350	1,395	1,500	1,500	1,600	1,650	1,750	1,800	1,850	1,800
0030169	SR169, Logandale Rd, .3 mi S of the N/B ramps of the Logandale Intch 'Exit 93'.		3,650	3,700	3,800	3,850	4,450	4,350	4,450	5,100	4,750	4,700
0030170	IR15, N/B on-ramp of the Logandale Intch 'Exit 93'.		460	505	500	520	590	540	550	710	610	700
0030171	IR15, S/B off-ramp of the Logandale Intch 'Exit 93'.		460	535	500	520	590	580	620	770	650	690
0030172	IR15, S/B on-ramp of the Logandale Intch 'Exit 93'.		1,605	1,415	1,500	1,500	1,650	1,700	1,750	1,950	1,850	1,800
0030174	IR15, S/B on-ramp of the Spring Mountain Rd Intch.				12,000*	12,000	11,800	11,800*	12,500	12,000	13,500	14,000
0030175	IR15, N/B off-ramp of the Carp-Elgin Intch 'Exit 100'.		40	40	40	40	40	70	40	50	50	50
0030176	IR15, N/B on-ramp of the Carp-Elgin Intch 'Exit 100'.		40	40	40	40	30	90	30	50	40	40
0030177	US95, N/B off-ramp to SB Rancho Dr 'Exit 90A'.		3,315	3,280	3,000	2,900	3,200	2,900	2,900	3,150	2,900	3,000
0030178	IR15, S/B off-ramp of the Carp-Elgin Intch 'Exit 100'.		60	55	70	70	60	110	60	70	70	60
0030179	US95, N/B off-ramp of the Ann Rd Intch to Ann Rd 'Exit 90B'.		11,120	12,060	14,100	14,100*	15,100	15,100*	16,400	18,100	17,800	19,000
0030180	IR15, S/B on-ramp of the Carp-Elgin Intch 'Exit 100'.		50	65	70	80	60	90*	70	70	50	70
0030181	IR15, N/B off-ramp of the E Mesa Intch 'Exit 110'.		205	280	280	300	140	170	150	170	170	170
0030182	IR15, N/B on-ramp of the East Mesa Intch 'Exit 109'.		255	270	280	300	80	210	160	180	170	180
0030183	US95, S/B on-ramp of the Ann Rd Intch from Ann Rd to US-95 'Exit 90B'.		12,340	14,735	16,900	18,000	18,200	18,100*	18,700	18,800	19,100	20,000*
0030184	US95, N/B on-ramp of the Ann Rd Intch from Ann Rd 'Exit 90B'.		3,015	3,425	4,500	5,100	3,100*	5,200	5,800	6,600	6,650	7,000
0030185	IR15, S/B on-ramp of the East Mesa Intch 'Exit 109'.		275	370	400	430	220	220	200	220	210	210
0030186	IR15, S/B off-ramp of the East Mesa Intch 'Exit 109'.		300	470	400	490	210	250	170	210	210	200
0030187	IR15, N/B off-ramp of the Bunkerville Rd Intch 'Exit 112'.		90	125	100	100	100	110	110	130	110	120
0030188	SR170, Bunkerville Rd, .9 mi S of IR-15 at the Bunkerville Rd Intch 'Exit 112'.		170	225	200	190	210	270	260	300	250	260

* Data Adjusted or Estimated

Page 8

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030189	IR15, N/B on-ramp of the Bunkerville Rd Intch 'Exit 112'.		45	50	50	65	50	50*	60	60	50	60
0030190	IR215, E/B on-ramp to IR-215 from SR-604 (Las Vegas Bl).		3,760	3,875	5,400	5,800	6,200	7,300	8,350	7,950	8,650	7,400
0030191	IR15, S/B off-ramp of the Bunkerville Rd Intch 'Exit 112'.		45	50	50	60	50	50	50	70	60	70
0030192	IR15, S/B on-ramp of the Bunkerville Rd Intch 'Exit 112'.		90	115	100	110	110	130	110	130	110	120
0030193	SR144, Mesquite Bl, .4 mi W of SR-170 (Bunkerville Rd).		7,500*	7,400	7,200	7,400*	8,100	8,500	9,600	11,200	12,100*	13,000
0030195	SR144, Mesquite Bl, .1 mi E of Arrowhead Rd.		15,500	18,300	18,600	18,500	19,200	19,200*	20,000*	23,000*	13,100*	13,000
0030196	US95, S/B off-ramp of the Ann Rd Intch to Ann Rd 'Exit 90B'.		2,365	2,605	3,300	3,300	3,300*	3,750	4,200	6,000	6,450	6,700
0030197	SR170, Bunkerville Rd, .8 mi S of SR-144 (Mesquite Bl).		3,800	3,650	3,750	3,500	3,600*	4,500	3,950	4,500*	4,500*	4,500
0030198	Main St, .1 mi North of SR-170 (Bunkerville Rd).		195*	195*	195*	260	280	270	330	310	340	400
0030199	IR15, btwn the Hidden Valley Intch & Moapa Intch 'Exit 90'.		14,925	15,730	16,700	17,850	18,570*	18,100	19,300	19,600	20,600	21,000
0030200	SR604, Las Vegas Bl, .1 mi N of the main gate to Nellis Air Force Base.		15,700	16,600	16,900*	16,900*	14,800	13,800	14,400	17,000	14,100	14,000
0030201	SR604, Las Vegas Bl, 100' N of Checker Flag Ln.		3,500	3,700	3,500*	3,500*	3,500*	3,600	4,700	4,350	4,150	3,800
0030202	US93, .6 mi N of US-93 Intch 'Exit 64'.		1,450	1,400	1,650	1,700	1,670*	2,600	1,650	2,900	2,550	2,100
0030203	Horizon Ridge Pk, .1 mi W of Green Valley Pk.		6,650	6,650	10,100	14,000	14,000*	21,100*	23,300	23,300*	17,000	17,000
0030204	SR168, Glendale-Moapa Rd, 6.7 mi E of US-93.		230	220	220*	190	150	170	160	150	170	230
0030205	SR168, Glendale-Moapa Rd, .1 mi E of the county rd. to Mopa.		1,050	1,050	1,090	1,200	1,150	1,150*	1,200	1,450	1,350	1,300
0030206	Lake Mead Bl, .4 mi W of Rampart Rd.		24,000	24,000	22,300	20,000	19,600	19,600*	20,000	19,100	18,900	19,000*
0030207	SR169, Logandale Rd, 200' S of the Mormon Church.		4,800	4,850	4,950	5,000	5,450	5,500	5,400	5,850	5,700	5,600
0030208	Stewart Av, .2 mi W of Lamb Bl.		15,200	15,100	15,600	15,000	15,000*	15,100	17,100	15,100	16,400	16,000

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030209	IR15, Hillside Dr, .3 mi E of Sandhill Bl (Mesquite area)								2,000	2,800	3,100	3,200
0030210	SR169, Logandale Rd, 220' S of Virginia St in Overton.		5,050	5,550	5,700	5,400	6,050	6,050*	6,400	6,400	6,250	6,000
0030211	SR169, Moapa Valley Bl, 50' N of the rd to the Lost City Museum.		1,350	1,400	1,470	1,400	1,250	1,400	1,550	1,450	1,400	1,400
0030213	SR169, Logandale Rd, 25' S of the rd to the Lost City Museum.		1,330	1,350	1,360	1,300	1,200	1,300	1,500	1,400	1,350	1,300
0030214	SR169, Moapa Valley Bl, 1.0 mi S of the county rd to Overton Beach.		910	890	840	800	1,050	890	1,050	780	870	860
0030215	Valey of Fire Rd, .2 mi W of the county rd to Overton Beach.		460	460	320	300	380	390	400	410	360	360
0030216	IR215, W/B off-ramp of the Pecos Intch.				6,860	9,300	10,400	10,600	8,550	11,900	14,100	16,000
0030217	Callville Bay Rd, .2 mi NE of SR-147 (Lake Mead Bl).		1,800	1,700	1,750*	1,400	1,400	1,350	1,500	1,550	1,250	1,200
0030218	Lake Mead Bl, .2mi N of the Rd to Callville Bay.		1,900	2,000	2,050	1,650	1,650	1,450	1,450	1,500	1,600	1,500
0030219	Lake Mead Bl, .2 mi N of SR-564 (Lake Mead Dr) and Boulder Beach Rd.		2,200	2,350	2,600	1,920	1,920	1,900	2,150	2,100	2,150	2,100
0030220	Decatur Bl,.1 mi S of Pebble St.		400	400	1,900	1,900*	2,660*	9,600*	9,650	10,000	13,300	12,000
0030223	Boulder Beach Rd, .7 mi N of US-93.		3,500	3,950	3,000	2,800	2,350	2,450	2,800	3,200	3,050	2,300
0030224	Boulder Beach Rd, .1 mi N of the Lake Mead Fish Hatchery Rd.		2,150	2,700	2,100	2,100*	1,700	1,650	2,050	2,450	2,450	1,700
0030225	US93, .25 mi N of Boulder Beach Rd.		14,000	15,100	16,500	15,000	13,300	13,400	14,300	13,000	14,400	14,000
0030226	US93, .2 mi N of the S Jct of Nevada Hw in Boulder City.		15,000	15,900	15,400	15,000	12,000	13,200	14,200	16,000*	14,400*	14,000
0030227	Nevada Hw, .1 mi N of Fifth St.		13,000	12,600	14,300	13,000	14,300	13,500	13,600	13,900	14,300	14,000
0030228	US93, .2 mi N of Industrial Rd in Boulder City.		16,200*	16,900	16,800*	18,000	15,500	16,400	17,400	18,700	17,000	17,000
0030229	IR15, N/B off-ramp of the Spring Mountain Rd Intch 'Exit 39'.				14,500	15,500*	17,200	16,900	17,200	17,400	18,200	21,000
0030230	US95, Maine St, 1.7 mi N of the Railroad Pass Intch.		37,900	38,295	38,500	38,000	42,660	43,000	44,000	45,000	45,000	46,000

* Data Adjusted or Estimated

Page 10

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030231	SR165, Nelson Rd, .1 mi E of US-95.		190	150	175	180	200	230	250	280	390	380
0030232	IR15, N/B off-ramp of the Speedway-Hollywood Intch 'Exit 54'.		900	1,000	1,660	2,240*	3,350	3,040	4,000	3,900	4,550	4,800
0030233	IR15, N/B on-ramp of the Speedway-Hollywood Intch 'Exit 54'.		45	75	110	520	830	820	860	960	910	980
0030234	IR15, S/B off-ramp of the Speedway-Hollywood Intch 'Exit 54'.		60	100	130	360	600	600*	610	780	720	670
0030236	Cottonwood Cove Rd, 1 mi E of US-95 & .2 mi E of the rd to Searchlight Cemetery.		490	510	570	580	360	410	350	510	740	820
0030237	SR164, Nipton Rd, 1.1 mi W of US-95.		790	820	820	820*	880	880*	990	660	690	740
0030239	IR15, S/B on-ramp of the Speedway-Hollywood Intch 'Exit 54'.		555	1,060	1,850	2,500	2,650	2,680*	3,700	3,550	4,250	4,700
0030242	US95, Maine St, NV-CA Stateline 1 mi S of SR-163 (Laughlin Hw).		2,400	2,450	3,050*	3,100	3,400	3,400*	3,500	3,400	3,550	3,500
0030243	SR582, Boulder Hw, .2 mi S of SR-564 (Lake Mead Dr).		26,500	27,500	29,200*	27,000	27,500	27,600*	27,300	28,000*	28,100*	27,000
0030244	SR146, Lake Mead Dr, 600' E of SR-582 (Boulder Hw).		30,500	31,800	33,000	33,000	33,000	33,500	35,500	36,000	35,500	38,000
0030245	SR564, Lake Mead Dr, .2 mi W of SR-582 (Boulder Hw).		28,000	30,000	32,500	31,000	32,500	38,200*	28,700	29,500	34,000	38,000
0030246	IR215, .2 mi W of the S/B off-ramp of the US-95 Ex.		29,000	32,900	46,500	55,000	66,000	64,000*	64,000*	70,000*	98,500*	114,000*
0030249	SR562, Sunset Rd, .1 mi W of SR-582 (Boulder Hw) in Henderson.		19,000	19,400	19,400*	19,400*	15,700	15,700	18,400	19,600	18,800	18,000
0030250	Sunset Rd, .2 mi E of Green Vy Pk.		39,500	38,700	37,500	34,000	32,500	33,000	33,500	37,000	35,000	34,000
0030251	Green Valley Pk, .1 mi S of SR-562 (Sunset Rd).		29,000	32,000*	32,000	30,000	30,000*	29,900	30,500	31,000	28,200	32,000
0030255	SR562, Sunset Rd, 500' E of Las Vegas Bl.		22,000	23,700	22,300	21,000	19,600	20,800*	24,200	25,600	27,000	28,000
0030258	SR582, Boulder Hw, .25 mi N of SR-593 (Tropicana Av).		28,100	29,400	31,500	29,000	29,500*	34,500*	38,500	39,500	39,500	38,000
0030259	SR593, Tropicana Av, .1 mi W of SR-582 (Boulder Hw).		13,500	15,100	17,000	18,000	17,700*	18,800	19,400	20,300	20,700	19,000

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030260	SR593, Tropicana Av, .1 mi E of SR-605 (Paradise Rd).		63,500	81,000	70,000	75,000	77,500	79,000	80,000	86,000	82,500	83,000
0030261	Paradise Rd, 400' S of SR-592 (Flamingo Rd).		47,500	41,300	40,500	43,000	43,000*	41,000	42,500	42,000	44,500	41,000*
0030262	SR593, Tropicana Av, .25 mi W of SR-605 (Paradise Rd).		82,500	89,900	92,000	79,000	81,400*	93,500	99,000	108,000	98,500	100,000
0030263	Paradise Rd, .2 mi S of SR-593 (Tropicana Av).		33,000	34,100	35,000*	35,000*	35,000*	35,100*	35,800*	36,000*	36,500*	36,000*
0030264	SR604, Las Vegas Bl, 1000' N of Four Seasons Rd North of Russell Rd.		35,500	35,500	35,000	38,000	40,900	35,100*	43,000	51,500	53,500*	50,000
0030266	SR593, Tropicana Av, .1 mi W of Koval Ln.		71,000	95,000	97,000	88,000	89,000*	81,300*	94,700	87,500	84,500	86,000*
0030267	SR604, Las Vegas Bl, 400' N of SR-593 (Tropicana Av).		67,000	65,700	67,000	63,000	67,000	70,500	66,500	63,000*	66,500*	62,000*
0030268	SR604, Las Vegas Bl, .1 mi S of SR-593 (Tropicana Av).		54,000	54,000	55,000*	50,000	57,200	60,000*	62,500	58,000	59,000	55,000
0030269	SR593, Tropicana Av, 450' E of Valley View Bl.		63,500	63,000	58,500	53,000	60,000	59,500	63,500	63,000	62,500	59,000
0030270	SR604, Las Vegas Bl, .1 mi N of SR-592 (Flamingo Rd).		73,000	71,000*	72,400*	72,400*	74,200	77,000	78,000	69,000	73,000	70,000
0030271	SR582, Boulder Hw, 1000' N of SR-612 (Nellis Bl).		26,600	27,900	25,900	26,000	26,000*	30,100	33,000	32,000	33,500*	36,000
0030272	SR610, Lamb Bl, .1 mi N of SR-582 (Boulder Hw).		33,100	37,100	32,000	30,000	31,500	32,500	36,000	38,000	36,500	37,000*
0030273	SR582, Boulder Hw, .2 mi N of the US-95 ramps at 'Exit 69'.		40,200	40,300	36,500	36,000	36,000*	38,500	39,000	40,000	40,000	42,000
0030274	SR589, E Sahara Av, .2 mi E of Mojave Rd.		42,000	41,700	41,500*	45,000	39,000	40,000	40,000	42,000	43,500	43,000
0030275	SR589, E Sahara Av, .1 mi W of SR-606 (Maryland Pk).		52,500	54,600	55,000	52,700*	51,500	50,300*	52,000	54,500	54,000	53,000
0030277	Paradise Rd, 100' of Karen (at bus stop '108' sign)		34,000	37,100	37,000	37,000*	37,000*	37,100*	36,000	37,500	36,500	34,000
0030278	SR605, Paradise Rd, 450' N of SR-589 (Sahara Av).		19,000	17,700	18,100	19,000	17,100	17,100*	16,500	17,900	18,200	16,000
0030279	SR589, E Sahara Av, 100' E of SR-604 (Las Vegas Bl).		65,000	64,900	66,500	63,800*	63,800*	64,500	67,000	68,500	63,000	62,000*
0030280	Adams Bl, E of Utah St.		1,150	1,150	1,100	1,200	1,100	1,050	1,050	1,050	970	990
0030282	Jones Bl, .1 mi N of Ann Rd.		5,850	5,850	10,000	11,000	11,200*	14,100	16,500	18,100	18,600	19,000
0030285	Utah St, S of Adams Bl.		1,900	1,950	2,000	2,100	2,000	1,900	1,950	1,800	1,700	1,800

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030286	SR589, E Sahara Av, .2 mi W of SR-604 (Las Vegas Bl)		76,000	76,300	75,000	72,000*	72,000*	70,500	73,000	79,500	75,500	73,000
0030287	SR604, Las Vegas Bl, .25 mi S of Main St & 200' N of Cincinnati Av.		47,500	45,600	45,500	47,000	48,400*	48,400*	46,500	41,500	45,500*	36,000
0030288	SR604, Las Vegas Bl, 500' mi S of Charleston Bl.		36,000	35,300	32,000	32,000	32,500	31,000	31,500	32,500	31,000	28,000
0030289	US95, Maine St, .4 mi E Rancho Dr.(between Rancho & MLK).		167,840	181,550	195,700*	199,430*	198,700*	198,000*	201,000*	201,000*	203,000*	201,000*
0030290	SR604, Las Vegas Bl, .2 mi N of Main St & 150' S of Oakey Bl.		46,000	45,100	41,000	39,000	45,000	45,000*	37,000	37,500	36,500	32,000
0030291	SR599, Rancho Rd, 275' S of Pinto Ln.		33,500	31,000	30,500	30,000	30,000*	30,000*	27,900	29,500	34,000	34,000*
0030292	Jones Bl, .3 mi N of CL-215		4,450	4,450	6,700	6,700*	6,700*	8,400*	8,400*	16,200	16,000	16,000*
0030293	Arizona St, E of Nevada Hw.		3,150	2,800	2,800	2,900	2,550	2,550	2,400	2,750	3,100	2,900
0030294	Paradise Rd, .6 mi S of SR-562 (Sunset Rd) N of IR-215 ramps.		10,500	11,800	13,800	12,000	12,800	12,700	12,700	14,000	14,300	14,000
0030295	SR159, Charleston Bl, 300' E of Rancho Rd.		39,000	43,600	43,500	43,500*	43,500*	42,200*	39,500	37,000*	37,500*	40,000
0030296	SR601, Main St, 200' N of Utah Av.		21,200*	20,800	20,800*	21,000	22,600	18,100	18,000*	20,500	21,700	20,000
0030297	SR601, Main St, 250' N of Clark Av.		22,000	23,100	21,500	21,500*						23,000*
0030298	SR159, Charleston Bl, 100' W of 4th St for W/B & 150' W for E/B.		36,600	34,100	37,000	37,000*	34,500	35,500	36,000	39,000	37,500	37,000
0030299	SR604, Las Vegas Bl, 150' N of Bonneville Av.		31,000	30,400	27,500	28,000	26,700	26,700*	26,100	26,500	26,100	25,000
0030300	SR159, Charleston Blvd, 100' W of S 6th St.		31,000	32,200	34,000	34,000*	33,500	35,500	32,500	40,000	39,000	39,000
0030302	SR582, Boulder Hw, .1 mile E of Bruce St.		16,500	16,600	14,500	14,000	14,000*	14,200	14,400	14,000	13,800	13,000
0030303	Tenaya Wy, .1 mi N of Desert Inn Rd.		1,700	1,700	1,500	1,200	1,300	1,200	1,400	1,400	1,650	1,600
0030305	George Crockett Rd, E of Bermuda St.		2,695	2,350	2,600	2,600*	2,800	2,800*	2,800*	2,050	2,600	2,300
0030306	Airport Connector Rd, N/B off-ramp of the McCarran Connector Intch to Sunset Rd.		6,500	7,650	8,700	8,300	8,950	9,300	8,900	9,750	10,100	10,000
0030308	IR215, W/B on-ramp of the Warm Springs-Airport Co Intch.		13,200	15,115	21,300	22,600	24,800	26,500	28,200	31,000	32,000	32,000
0030309	IR215, W/B off-ramp of IR-215 to Las Vegas Bl.		5,990	6,300	7,800	6,900	7,500	8,350	9,750	8,800	9,400	8,000
0030312	EI Camino Wy, 300' E of Buchanan Bl.		2,450	2,350	2,400	2,400	2,400	2,350	2,300	2,200	2,200	2,100

* Data Adjusted or Estimated

Page 13

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030313	SR604, Las Vegas Bl, .1 mi N of SR-579 (Bonanza Rd).		21,200	18,700	21,900	24,000	24,000*	18,600	21,600	21,000	20,100	19,000
0030315	Marita Dr, 50' N of El Camino Wy.		550	510	550	550	600	550	570	560	450	520
0030316	SR601, Main St, .1 mi N of SR-579 (Bonanza Rd).		15,600	16,900	16,700	14,800	16,700*	14,000	15,200	15,500	16,300	15,000
0030317	SR579, Bonanza Rd, 100' W of the W end of the RxR Overpass.		21,900	24,200	22,900	22,900*	22,900*	16,500	16,700	17,400	18,100*	19,000
0030318	SR579, Bonanza Rd, 400' E of Martin L King Bl.		22,400	21,900	20,700*	20,700*	20,700*	16,600	18,100	17,200	20,100	16,000
0030319	SR579, Bonanza Rd, 350' W of Martin L King Bl.		17,600	17,600	16,700*	16,700*	14,600	14,700	15,100	15,300	18,100	17,000
0030321	SR599, Rancho Dr, .1 mi N of SR-579 (Bonanza Rd).		46,400	46,700	47,000	50,000	50,000*	52,600*	56,500	55,500	44,000	47,000*
0030322	US95, Maine St, 1.1 mi N of Rancho Dr.		162,090	178,315	188,400	190,840*	190,600*	186,800*	190,000*	190,000*	192,000*	189,000
0030323	US95, Maine St, .3 mi S of Decatur		169,145	183,315	192,600	195,240	194,800	191,000	193,500*	191,000*	193,000*	192,000
0030325	SR604, Las Vegas Bl, 200' S of the N City limits of Las Vegas South of Owens Bl.		13,700	14,000	14,900	15,000	14,800*	12,900*	14,500	14,300	14,600	14,000
0030327	Industrial Rd, 300' E of Yucca St.		1,050	1,150	1,300	1,300*	1,450	1,450	1,700	1,750	1,800	1,700
0030328	SR604, Las Vegas Bl, 100' S of SR-147 (Lake Mead Bl).		20,700	20,200	22,800	24,000	24,000*	21,500*	23,100	22,000*	21,300*	21,000
0030329	SR147, Lake Mead Bl, 150' E of SR-604 (Las Vegas Bl).		34,400	36,800	37,000	35,000	34,000*	38,000	41,000	41,000	42,000	40,000
0030330	SR604, Las Vegas Bl, .1 mi N of SR-147 (Lake Mead Bl).		24,300	20,600	26,300	27,000	26,000*	25,700	27,900	25,900	25,700	25,000
0030331	SR147, Lake Mead Bl, 300' W of SR-604 (Las Vegas Bl).		37,800	37,700	36,500	39,000	39,000*	37,800*	38,000*	48,500	46,500	49,000
0030334	SR604, Las Vegas Bl, .1 mi N of Pecos Bl.		17,500	17,500	19,000	19,200	20,700*	20,200	22,300	22,800	23,900	23,000
0030335	SR604, Las Vegas Bl, .1 miles S of SR-610 (Lamb Bl).		12,300	13,400	12,500	15,000	15,900	15,600	17,500	17,700	19,000	18,000
0030337	SR610, Lamb Bl, .1 mi S of SR-604 (Las Vegas Bl).		11,800	13,200	12,700	12,500	13,300	13,700*	15,400	15,000	18,300	18,000
0030338	SR610, Lamb Bl, 300' N of SR-147 (Lake Mead Bl).		20,900	23,500	20,300	19,900	22,000	23,100	24,000	23,900	26,700	25,000
0030339	SR147, Lake Mead Bl, .1 mi W of SR-610 (Lamb Bl).		22,200	26,000	26,000	26,500	26,500*	29,500	29,900	33,500	33,500	35,000
0030341	SR147, Lake Mead Bl, .1 mi E of Mt Hood St.		11,650	16,200	14,300	15,300	16,200	17,100	17,600	19,700	19,200	19,000
0030342	SR610, Lamb Bl, 1000' N of Owens Av.		25,700	26,300	25,200	24,000	24,000*	27,400	27,900	28,000*	33,500*	31,000

* Data Adjusted or Estimated

Page 14

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030345	SR610, Lamb Bl, 100' mi N of Sherrill Av.	40,500	40,900	42,500	39,000	39,000*	42,000	42,500	44,500	44,500	45,000
0030346	SR610, Lamb Bl, .1 mi N of Sahara Av & 50' N of Cleveland St.	30,000	31,100	30,500	27,000	27,000*	28,000	31,500	33,500	31,500	34,000
0030348	SR589, Sahara Av, .2 mi E of Rainbow Bl & 200' W of Torrey Pines Dr.	47,500	50,600	45,500	45,000	45,000	47,500	51,500	52,000	52,000	50,000
0030349	SR595, Rainbow Bl, .2 mi N of SR-589 (Sahara Av).	60,000	63,200	58,500*	56,000	58,000	62,500	52,000	55,500	57,500	56,000*
0030350	SR595, Rainbow Bl, 150' S of Laredo St South of SR-589 (Sahara Av).	53,700	51,900	52,500	51,000	51,500	51,500*	48,000	53,500	55,500	54,000
0030351	SR595, Rainbow Bl, 200' N of SR-593 (Tropicana Av).	32,600	34,200	39,000	34,000	40,500	39,800*	42,500	49,500	48,500*	49,000*
0030352	SR593, Tropicana Av, 200' E of SR-595 (Rainbow Bl).	46,000	47,400	36,500	40,000	42,000	44,500	48,500	46,500	44,000	40,000
0030353	SR595, Rainbow Bl, .1 mi S of SR-593 (Tropicana Av).	24,100	25,300	33,500	33,500*	38,500			47,500	47,000	47,000
0030354	SR595, Rainbow Bl, .7 mi N of SR-160 (Pahrump Vy Rd).	9,250	8,300	7,050	7,900	9,150	9,150*	12,700	13,000*	16,100*	16,000*
0030356	SR159, W Charleston Bl, .2 mi W of Durango Dr.	21,000	23,000	27,700	31,000	31,500	33,500	37,500	38,000	40,500	38,000*
0030357	Alexander Rd, .2 mi E of Pecos Rd.	2,250	2,250	4,000	4,000	4,000*	4,600	5,150	5,400	5,450	6,400*
0030358	SR159, Charleston Blvd, .1 mi N of county rd to Red Rock Canyon.	2,600	2,650	2,850	3,100	4,150	3,650	5,100	4,550	5,300	4,800
0030359	SR159, Blue Diamond Rd, 0.2 mi N of SR-160 (Pahrump Vy Rd).	1,950	2,850	2,150	2,250	2,250*	1,950	1,950	2,250	2,600	2,000
0030360	SR160, Pahrump Valley Rd, .3 mi W of SR-159 to Blue Diamond.	6,350	8,300	7,700	6,900*	7,550	7,450	8,050	8,600	8,850	8,900
0030361	SR160, Pahrump Vy Rd, E of SR-159 to Blue Diamond.		9,000	8,750	9,800*	8,600	8,600*	11,000*	9,550	9,750	9,900*
0030365	Fairway Dr, 50' E of Mancha Dr	650	650	550	530	520	490	490	460	490	500
0030366	SR599, Rancho Dr, 50' S of SR-573 (Craig Rd).	22,100	22,600	21,200	22,000	21,700	21,700*	24,200	23,100	24,900	25,000
0030367	US95, Maine St, .5 mi S of the Snow Mountain Intch.	6,300	6,340	7,200	7,070*	6,900	7,200	7,950	7,700	7,700	8,500
0030368	SR157, Charleston Park Rd, .2 mi W of US-95.	2,450	3,150	2,750	3,200	2,600	3,000	2,850	2,700	2,750	3,200

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030369	SR157, Charleston Park Rd, 1.6 mi W of SR-158 in the Deer Creek Camp Area.		1,350	1,750	1,450	1,800	1,350	1,500	1,450	1,600	1,650	1,800
0030370	SR158, Deer Creek Rd, .6 mi N of SR-157 (Charleston Park Rd).		530	970	700	850	600	840	740	650	730	980
0030371	SR158, Deer Creek Rd, 450' S of SR-156 (Lee Canyon Rd).		320	550	350	450	330	480	440	410	450	500*
0030372	SR156, Lee Canyon Rd, 2 mi W of SR-158 to the Deer Creek Camp Area.		430	900	500	600	520	500	510	340	550	750
0030373	SR156, Lee Canyon Rd, .6 mi W of US-95.		360	560	400	480	370	520	490	350	470	640
0030374	US95, Maine St, 5.9 mi N of SR-156 to Lee Canyon.		4,400	4,300	5,200	4,900	4,850	5,100*	5,500	5,450	5,550	6,000
0030375	US95, Maine St, .1 mi N of mp 129, 9.25 miles N of Indian Springs.		3,480	3,490	3,700	3,800	3,550	3,550	3,900	3,900	3,650	4,000
0030377	SR607, Civic Center Dr, 250' S of Ferguson Av .3 mi North of Carey Av.		13,500	12,500	14,700	14,000	14,500*	16,400	17,400	17,300	18,400	18,000
0030378	IR15, 1 mi N of the Craig Rd Intch 'Exit 48'.		18,045	20,180	21,500	23,000	25,800	25,800	27,700	30,000*	35,000*	36,000
0030379	IR15, S/B off-ramp of the Craig Rd Intch 'Exit 48' .		1,400	1,535	1,650	1,650*	2,100	1,600	2,400	3,950	2,750	2,900
0030380	SR573, Craig Rd, 300' W of the IR-15 Craig Rd Intch 'Exit 48'.		33,300	35,400	41,500	41,500*	49,500	49,000	49,000*	54,000	57,500	56,000
0030381	IR15, S/B on-ramp of the Craig Rd Intch from E/B Craig Rd 'Exit 48'.		9,000	9,870	10,000	10,000	10,700	12,600	11,200*	13,400	14,100	14,000
0030382	IR15, N/B off-ramp of the Craig Rd Intch 'Exit 48'.		19,970	20,960	21,000	21,000*	22,430*	22,100	24,400	25,700	24,600	24,000
0030383	IR15, N/B on ramp of the Craig Rd Intch 'Exit 48'.		2,090	2,860	2,850	2,700	3,250	2,650	2,700	4,400	3,500	3,300
0030384	Airport Connector Rd, W/B on-ramp of the McCarran Co Intch from Sunset Rd.		3,800	5,700	6,400	6,000	6,700	6,650	6,250	6,900	6,850	7,100
0030385	SR573, Craig Rd, 300' E of IR-15 Craig Rd Intch 'Exit 48'.		43,900	44,800	46,000	43,000	48,400	47,400*	59,500	57,500	60,500	52,000
0030387	IR15, .6 mi N of the Cheyenne Av Intch 'Exit 46'.		53,670	56,765	57,000	58,580	62,880*	66,600	67,000	73,500	75,500	75,000
0030388	IR15, S/B off-ramp of the Cheyenne Av Intch 'Exit 46'.		2,500	2,590	2,850*	2,400	2,450	2,750	3,400	3,400	3,500	3,400
0030389	SR574, Cheyenne Av, 350' E of Losee Rd.		35,800	35,800	56,000	57,500	57,500*	62,000	65,000	64,000	68,000	64,000

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030390	IR15, S/B on-ramp of the Cheyenne Av Intch 'Exit 46'.		13,500	13,985	15,350*	20,430*	20,875*	23,400	24,800	24,200	22,200	22,000
0030391	IR15, N/B off-ramp of the Cheyenne Av Intch 'Exit 46'.		13,420	13,905	15,350	18,180	22,300	24,800	26,200	28,500	27,500	27,000
0030392	SR574, Cheyenne Av, 75' W of SR-607 (Civic Center Dr).		33,700	33,300	41,500	44,000	44,000*	48,800	51,000	49,000	51,500	49,000
0030393	Hidden Well Rd, E of Bermuda Rd.		2,285	3,010	3,500	2,900	3,450	3,350	3,350*	4,100	4,600	6,900
0030394	IR15, N/B on-ramp of the Cheyenne Av Intch 'Exit 46'.		2,475	2,565	2,850*	2,400*	2,450*	2,800	3,600	3,350	3,250	3,200
0030395	SR604, Las Vegas Bl, 0.1 mi S of Sahara Av.								41,000*	46,500*	40,000	
0030396	US93, S/B on-ramp from US-95 N.		10,900	11,800	13,600	13,400	13,200	14,600	13,600	14,000*	14,000*	12,000*
0030397	US95, Maine St, N/B off-ramp of the US-95-Rancho Dr Intch 'Exit 77'.		10,670	11,465	13,400	14,000	13,300	14,800	14,300	14,000*	14,000*	12,000
0030398	US95, N/B on-ramp of the US-95-Rancho Dr Intch 'Exit 77'.		8,160	10,200	9,900	9,010	9,300	9,300	8,750	8,800*	8,800*	8,700*
0030399	US95, S/B off-ramp of the US-95-Rancho Dr Intch 'Exit 77' 400' W of Rancho Rd.		7,660	9,650	9,800	9,800	9,100	8,900	8,000	8,000*	8,000*	7,900
0030400	IR215, E/B off-ramp of the Warm Springs-Airport Co Intch to Warm Springs Rd.		14,560	12,060	12,500	13,300	13,700	13,700	13,400	13,700	13,400	13,000
0030402	SR599, Rancho Rd, 100' N of W Mesquite Av.		41,500	41,100	40,000	40,000*	40,000*	40,000*	38,000*	39,000*	44,500*	47,000*
0030403	SR592, Flamingo Rd, 500' W of Spencer St.		58,000	58,500	57,000	55,000	57,500	55,600	56,500	58,000	56,500	56,000
0030404	SR592, Flamingo Rd, 400' E of Pecos Bl.		55,000	53,900	53,500	53,500*	53,500*	49,000	53,000	53,000	53,500	51,000*
0030405	SR592, Flamingo Rd, 300' E of Mountain Vista St.		30,900	30,500	30,000	28,000	29,000	29,600	30,500	30,000*	33,500*	33,000
0030406	SR573, Craig Rd, .2 mi E of SR-599 (Rancho Rd).		22,200	22,500	22,700	22,700*	23,500	25,800	27,400	27,400	28,100	29,000
0030407	SR573, Craig Rd, btwn Nellis Bl & Salmon Dr.		26,000	26,900	27,400	27,000	27,000*	28,500	30,000	22,600	21,400	20,000
0030408	US95, from I-15 SB off-ramp to M.L.K.		4,115	4,450	5,500*	5,500*	9,000	9,700	6,400*	7,000*	12,200*	12,000*
0030409	US95, from MLK to SB US-95.		6,425	6,425	4,500	4,200	4,900	4,650	5,500	5,900	8,600	8,400
0030410	SR582, Boulder Hw, btwn SR-589 (Sahara Av) & St Louis Av.		29,000	29,100	27,000	26,000	26,000*	27,100	27,600	28,600	28,600	29,000
0030412	IR15, N/B off-ramp of the 'D' St & Washington St Intch 'Exit 44'.		7,780	8,550	8,600	5,700	5,950	6,800	7,550	7,500	8,150	8,800

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030414	Hualapai Wy, 25' N of Ann Rd.					170	130	180	140	130	90	170
0030416	SR578, Washington St, 150' E of the N/B ramps of IR-15.		15,800	15,500	17,500	18,000	18,000*	21,300	21,800	23,000	23,600	24,000
0030417	IR15, N/B on-ramp of 'D' St & Washington St Intch 'Exit 44'.		2,235	2,490	2,600	2,500	2,100	2,400	2,550	2,500	2,700	2,600
0030418	Town Center Dr, .1 mi N of Alta Dr.		7,900	7,900	14,700	16,000	18,900	18,900*	20,500	22,000	21,300	22,000
0030419	IR15, S/B off-ramp of the 'D' St & Washington St Intch 'Exit 44'.		2,160	2,405	2,800	2,200	2,400	2,300	2,200	2,100	2,000	1,800
0030420	EI Capitan Wy, 100' N of Alexander Rd.				900	870	920	1,500	1,650	1,400	1,600	1,600
0030421	Buffalo Dr, 25' N of Oleta Av (N of SR-160).		130	130	130	150	180	440	250	130	140*	8,700*
0030422	Rainbow Bl, .3 mi N of Ann Rd.		2,250	2,250	2,700	4,300	4,300*	4,300*	3,550	3,750	3,750	4,200
0030423	IR15, S/B on-ramp of the 'D' St & Washington Av Intch 'Exit 44'.		7,235	8,830	8,300	6,700	6,250	7,300	8,000	7,950	9,000	9,700
0030424	IR15, N of the 'D' & 'Washington' St Intch 'Exit 44'.		110,710	117,985	116,000*	123,850*	135,450*	139,000	151,000	152,000	152,000	152,000
0030425	IR15, N/B off-ramp of the Lake Mead Bl Intch 'Exit 45' Wye to E/B Lake Mead Bl.		11,015	11,920	11,000	11,000	12,200	13,200*	14,100	14,700	13,900	13,000
0030426	SR147, Lake Mead Bl, One-Way E/B section E of the IR-15 Lake Mead Bl Intch 'Exit 45'.		22,500	22,500	23,200	20,100	24,400*	24,700	26,600	27,400	26,400	27,000
0030427	IR15, N/B off-ramp of the Lake Mead Bl Intch 'Exit 45' to W/B Lake Mead Bl.		7,575	8,570	7,900	6,190*	6,000	5,650	7,700	6,850	6,900	6,700
0030428	FRCL42, btwn the N/B off-ramp of 'Exit 45' Lola Av & W/B Lake Mead Bl.							9,900	9,900*	11,000	10,500	11,000
0030430	IR15, N/B on-ramp of the Lake Mead Bl Intch 'Exit 45'.		1,615	1,675	1,800	1,900	2,350	2,350	2,650	2,650	2,800	3,000
0030431	IR15, S/B on-ramp from Lola Av at Lake Mead Bl Intch 'Exit 45'.		12,940	13,560	14,000	12,000	14,100	15,300	16,000	16,600	16,100	16,000
0030432	IR15, S/B off-ramp of the Lake Mead Bl Intch 'Exit 45'.		1,600	1,660	1,700	1,900	2,105	1,900	2,100	2,050	2,000	1,900
0030433	IR15, S/B on-ramp Lake Mead Bl Intch 'Exit 45'.		6,780	7,770	6,600	5,700	6,450	7,000	8,700	8,050	8,800	9,100
0030435	IR15, S of the W Mesquite Intch 'Exit 120' .2 mi N of mp-119.		12,650	14,145	15,700	16,545	16,890*	15,900	16,300	17,500	17,900	19,000

* Data Adjusted or Estimated

Page 18

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030436	IR15, N/B off-ramp of the W Mesquite Intch 'Exit 120'.		1,690	1,985	2,000	1,700	1,850	2,000	1,950	2,250	2,000	2,300
0030437	IR15, N/B on-ramp of the W Mesquite Intch 'Exit 120'.		1,540	1,740	1,700	1,600	2,040	1,700	1,850	2,050	2,450	2,400
0030438	IR215, E/B on-ramp of the Warm Springs-Airport Co Intch from Warm Springs Rd.		1,110	1,405	2,700	2,800	2,000	3,050	3,000	3,250	3,500	3,900
0030439	IR15, S/B off-ramp of the W Mesquite Intch 'Exit 120'.		1,855	1,930	1,830	1,900	2,150	1,780*	2,150	2,350	2,750	2,800
0030440	IR15, S/B on-ramp of the W Mesquite Intch 'Exit 120' 400' W of the cross traffic rd.		1,290	1,365	1,330	1,330	1,350	1,600	1,500	1,550	1,450	1,800
0030441	IR15, North of W Mesquite Intch 'Exit 120' at mp 121.		13,065	14,465	15,900	17,055	17,880*	16,100	16,900	18,200	19,900	21,000
0030442	IR15, N/B off-ramp of the E Mesquite Intch 'Exit 122'.		1,385	1,830	2,050	2,000	2,100	1,750	1,700	1,850	2,400	2,300
0030443	Sandhill Rd, 100' W of the N/B ramps of E Mesquite Intch 'Exit 122'.		14,000	16,500	18,800	20,000	20,900	20,800	21,000*	20,200	25,000*	26,000*
0030444	IR15, N/B on-ramp of the E Mesquite Intch 'Exit 122'.		4,350	4,440	3,910	3,700	4,200	3,950	4,150	4,700	4,450	4,600
0030445	IR215, W/B off-ramp of the Warm Springs-Airport Co Intch to Warm Springs Rd.		1,260	1,400	2,500	2,600	3,000	3,000*	2,800	3,100	3,200	3,400
0030446	IR15, S/B off-ramp of the E Mesquite Intch 'Exit 122'.		3,940	3,905	3,230	3,500	3,940	4,200	4,500	5,150	4,250	4,400
0030447	IR15, S/B on-ramp of the E Mesquite Intch 'Exit 122'.		2,165	2,265	2,250	2,300	2,410	2,200	2,350	2,500	3,050	2,900
0030449	US95, S/B off-ramp of the Decatur Bl Intch 'Exit 79' to S/B Decatur Blvd.		8,265	8,000	7,700	7,800	8,450	10,900*	8,800*	7,700	7,700	6,300
0030450	US95, S/B on-ramp of the Decatur Bl Intch 'Exit 79' .2 mi from Decatur Bl.		9,105	9,800	10,800	11,000	10,600	10,000*	10,800	10,800*	10,800*	11,000
0030451	US95, Maine St, N/B off-ramp of the Decatur Bl Intch 'Exit 79' 300' from Decatur Bl.		8,645	9,300	9,640	10,000	9,900	9,900*	9,400	9,150	9,200	9,300
0030452	US95, N/B on-ramp of the Decatur Bl Intch 'Exit 79' 200' W of Decatur Bl.		8,085	9,250	9,400	9,400	10,000	10,000*	8,800	8,850	8,900	10,000

* Data Adjusted or Estimated

Page 19

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030453	IR15, 1.3 miles S of the IR-215 Intch.	48,040	53,020	60,900	65,080	74,040*	78,500*	91,500	96,000	105,000	135,000*
0030454	Nevada Hw, 200' N of Park St.	3,500	3,400	3,900	3,700	3,800	4,000	3,850	4,250	3,900	3,900
0030455	Nevada Hw, .4 mi S of US-93 (Truck Route).	4,200	4,100	4,600	4,500	4,500	4,650	4,800	4,800	4,500	4,500
0030456	Buchanan Bl, 300' S of US-93 (Nevada Hw).	11,300	10,500	8,100	8,300	8,250	8,450	8,250	8,150	8,200	7,600
0030458	Adams Bl, 150' E of Buchanan Bl.	8,500	9,100	9,400	9,800	9,750	9,750*	9,850	9,600	9,850	9,900
0030459	Adams Bl, 300' E of Av 'G'.	4,700	4,800	5,000	5,300	5,450	5,550	5,750	6,300	5,650	5,700
0030460	Adams Bl, 300' W of Utah St.	3,400	3,750	3,550	3,800	3,850	3,900	3,800	3,800	3,550	3,900
0030461	Utah St, 150' S of Av 'I'.	3,900	3,400	3,700	3,800	3,650	3,600	3,650	3,600	3,700	3,600
0030462	Utah St, 150' N of Av 'I'.	2,700	1,400*	1,450	1,600	2,000	2,000	2,000	2,050	2,150	2,200
0030463	Park St, 300' E of Nevada Hw.	850	850	850*	850*	480	360	360	550	390	400*
0030464	SR582, Boulder Hw, .1 mi S of Major Av.	27,100	26,300	26,800	26,800*	25,700	26,300	28,400	29,700	28,700	28,000
0030466	Lake Mountain Dr, N of Valencia Dr.	1,600	1,600	1,600	1,600	1,550	1,600	1,650	1,550	1,650	1,600
0030467	SR582, Boulder Hw, 200' S of SR-562 (Sunset Rd).	34,000	32,600	27,000*	27,000	27,600	36,000	31,000	33,000	30,500	28,000
0030468	SR564, Lake Mead Dr, .1 mi E of Van Wagener Dr.	34,000	36,400	37,500	38,000	37,000	28,200*	35,500	33,000	37,000	43,000
0030469	SR564, Lake Mead Dr, btwn Ivy St & Burkholder St.	25,500	25,900	27,100	25,000	25,600	27,200	28,800	28,800	29,900	33,000
0030470	SR564, Lake Mead Dr, 200' E of Ash St.	21,500	22,600	23,700	22,000	22,400	23,700*	23,300	22,900	24,600	28,000
0030471	SR564, Lake Mead Dr, .2 mi W of Mohawk Dr.	11,500	12,600	14,500	14,000	14,100	16,200	17,100	17,300	18,800	21,000
0030472	Water St, 25' S of Brown St.	7,100	7,100	6,900	6,900	6,700	6,750	7,550	7,500	6,600	6,700
0030473	Water St, .2 mi S of Victory St.	12,000	11,900	11,100	11,000	10,900	10,900	10,500	10,400	9,800	9,500
0030474	Water St, 200' N of Army St.	8,300	8,250	8,250*	8,100	7,650	8,250*	6,950	7,300*	6,850*	6,600
0030475	Water St, 200' N of Ocean Av.	4,550	4,200	4,200*	4,400	4,600*	4,600*	3,850	3,350	3,250*	3,100
0030476	Water St, 400' E of Ocean Av.	3,450	3,300	3,300*	2,800	2,800*	2,650	2,500	2,550	2,300	2,300
0030477	Major Av, 100' N of Federal St.	5,700	5,500	5,500*	5,000	4,700	4,700*	4,750	4,600	4,150	4,200
0030479	Pacific Av, 100' S of Colorado St.	1,700	2,300	2,300*	2,400	2,400*	2,350	2,400	2,200	2,250	2,100
0030480	Pacific Av, 200' N of Atlantic Av.	6,550	5,850	5,850*	5,400	5,300	5,350	5,650	5,550	4,950	4,600
0030482	Pacific Av, 200' N of Country Club Dr.	7,600	7,500	7,500*	7,600	7,600	7,550	8,400	8,550	7,250	6,800
0030483	Horizon Dr, 400' W of Greenway Rd.	17,000	18,100	18,500	20,000	21,000	21,600	24,300	23,800	23,800	24,000
0030484	Cimarron Rd, .1 mi N of SR-589 (Sahara Av.).	2,650	2,650	6,200	6,800	7,600	7,950	8,450	8,250	8,450	8,200*

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030487	Pueblo Pl, 100' S of Warm Springs Rd.	160	160	160*	160*	160*	160*	1,550	2,000	1,900	1,400
0030488	Pueblo Pl, 300' S of Aztec Ln.	470	470	470*	520	560	560*	270	500	480	470
0030491	SR574, Cheyenne Av, 200' E of SR-599 (Rancho Rd).	22,300	23,300	23,300	26,000	28,300	30,500	28,400	27,100	30,500	28,000
0030492	SR574, Cheyenne Av, .5 mi W of M.L.K. Bl.	24,800	26,800	26,900	28,000	34,500	34,500*	35,500	35,000	36,500	34,000
0030493	SR574, Cheyenne Av, .3 mi W of Losee Rd.	28,900	27,800	36,500	37,000	37,000*	44,000*	34,500*	35,000*	36,500*	45,000
0030496	SR574, Cheyenne Av, .1 mi W of Las Vegas Blvd. (at Maverick Cafe` entrance).	16,100	16,500	19,000	19,000*	21,600	21,300	21,900	20,600	22,000	22,000
0030497	Commerce St, .2 mi N of Carey Av.	6,500	6,500	6,500*	6,500*	6,500*	7,000	7,550	8,700	9,700	10,000*
0030498	Gowan Rd, 150' W of Buffalo Dr.	4,800	4,800	4,300	5,000	5,000	5,000*	6,100	5,900	5,850	6,000
0030503	Carey Av, .2 mi W of SR-607 (Civic Center Dr).	15,000	15,400	15,400	15,400*	15,400*	14,800	15,200	16,600	17,000	16,000
0030505	SR147, Lake Mead Bl, .2 mi E of Civic Center Dr & 50' E of Daley St.	33,300	35,600	39,000	37,000	37,000*	39,500	44,000	43,000	44,000	42,000
0030506	SR147, Lake Mead Bl, .1 mi E of Nellis Bl.	28,700	28,100	26,400	28,000	28,900	28,900*	30,500	32,000	32,000	32,000*
0030509	Carey Av, .4 mi E of Nellis Bl.	1,550	1,550	2,150	2,800	2,800*	3,350	3,400*	4,050	4,200	3,900
0030511	Vegas Dr, .1 mi W of Martin L King Bl.	14,100	13,700	14,000	14,000*	13,400	12,700*	11,700	12,400	15,300	15,000
0030512	Owens Av, .1 mi E of Martin L King Bl.	14,300*	14,300	16,100	17,000	17,000*	16,200*	13,900	15,000*	15,600*	16,000
0030514	Owens Av, 100' E of SR-601 (Main St.).	11,300	9,900	11,600	11,000	10,900*	10,400*	10,900	11,000*	10,900*	11,000
0030516	Los Feliz St, .1 mi S of SR-147 (Lake Mead Bl).	85	85	1,600	1,100	1,100*	1,950	2,000	1,850	1,950	1,900
0030517	SR578, Washington Av, .1 mi W of SR-604 (Las Vegas Bl).	11,200	11,100	13,400	15,000	15,000*	15,500	17,100	17,800	18,000	18,000
0030519	Washington Av, .2 mi E of Bruce St.	10,500	11,700	13,800	14,000	13,100	14,900	15,800	16,600	17,000	17,000
0030521	E Bonanza Rd, 150' E of 19th St.	20,800	20,000	20,600	20,600*	19,500	18,400*	18,400*	20,000	19,700	19,000
0030522	E Bonanza Rd, 150' W of Mojave Rd.(WB). 300' light pole (EB).	27,400	27,600	26,900	28,000	28,000*	25,900	29,000*	28,600	29,100	28,000
0030523	E Bonanza Rd, .2 mi E of Lamb Bl.	23,700	23,700	23,600	24,000	24,000*	23,800	25,800	25,200	24,900	26,000
0030524	Stewart Av, 200' E of SR-601 (Main St.).	10,500	10,700	11,500	10,800	10,800	8,750	9,950	10,000	10,300	9,400
0030525	Mojave Rd, .2 mi N of SR-159 (Charleston Bl).	8,000	8,000	8,800	8,100	8,100*	8,050	8,650	8,700	10,100	9,800*
0030526	Marina Dr, 150' W of Ville Dr.	210	220	210	440	440*	210	230	230	260	220
0030528	Stewart Av, 150' W of 10th St.	10,000	8,900	9,200	9,550	8,400	7,700	8,600	8,300	8,050*	7,900

* Data Adjusted or Estimated

Page 21

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030529	Evans Av, .2 mi E of Civic Center Dr.	4,100	4,100	4,350	4,400	4,400*	4,500	5,100	5,200	5,250	5,300*
0030532	Ogden Av, 100' E of 4th St.	13,400	13,400	13,400*	13,400*	13,400*	9,000	8,900	10,300	10,000*	7,200
0030535	IR215, W/B on-ramp of the Warm Springs/Airport Co Intch from E/B Warm Springs Rd.	2,895	2,630	3,300	3,300	3,600	3,450	3,300	3,500	3,950	3,900
0030536	US95, Maine St, S/B on-ramp from CL-215.								12,100	14,800	16,000
0030537	Carson Av, btwn 4th St & SR-604 (Las Vegas Bl).	8,400	7,700	7,600	8,100	8,000	8,100	7,800	8,050	8,000*	7,000
0030538	Carson Av, btwn 8th St & 9th St.	3,900	3,500	3,750	3,600	3,600*	3,700*	3,200	3,600	3,450	4,800
0030539	Bridger Av, btwn SR-601(Main St) & First St.	7,750	7,550	7,600	8,800	8,800*	7,850	7,900	8,050	8,050*	7,200
0030540	Ingram St, in Overton at the RxR tracks.						50		50*	70*	50
0030541	Bridger Av, btwn 3rd St & 4th St.	9,350	9,700	9,500	11,500	11,500	10,000	9,850	9,700	9,350	7,500
0030543	Bridger Av, btwn 6th St & 7th St.	4,600	4,350	4,300	4,100	3,950	3,650*	3,900	3,900*	4,350*	4,200
0030544	Bonneville Av, btwn SR-601 (Main St) & First St.	7,800	7,900	7,850	8,100	6,950	7,100	8,200	9,200	9,500*	10,000
0030545	Robindale Rd, 300' E of Pecos Rd.	5,650	5,850	6,000	5,400	5,600	5,750	5,750	5,550	5,700	5,800
0030546	Colorado St, 50' W of Nevada Hw.	1,200	1,200	1,150	1,200	1,250	1,250	1,250	1,200	1,400	1,400
0030547	Bonneville Av, btwn SR-604 (Las Vegas Bl) & 6th St.	5,650	5,400	5,550	5,700	4,850	4,850	5,950	6,350	6,600*	6,600
0030548	Whitmore St, in Overton at the RxR tracks.						470		480	440	450*
0030552	SR159, Blue Diamond Rd, 300' E of Torrey Pines Dr.	34,000	37,900	34,500	32,000	40,500	42,500	38,500	37,000	38,000	40,000
0030553	SR159, W Charleston Bl, .1 mi W of Mohawk St.	39,500	38,800	37,000	34,500*	41,000	42,600*	42,000	40,000	38,500	40,000
0030556	SR159, Blue Diamond Rd, .1 mi W of Sandhill Rd.	32,000	33,400	32,500	28,000	28,000*	29,700*	32,000	34,000	37,500	34,000
0030557	SR159, Blue Diamond Rd, 200' E of SR-610 (Lamb Bl).	44,800	50,100	48,000	45,000	45,000*	48,000	54,500	57,000	56,500*	56,000
0030558	W Oakey Bl, 300' W of SR-599 (Rancho Rd).	13,800	14,600	15,100	15,000*	15,100	11,100	13,400	14,800	16,000	14,000
0030559	W Oakey Bl, E of SR-599 (Rancho Rd).	15,900	16,200	19,200	19,200*	11,800	12,600*	13,400	15,000	15,800	14,000
0030560	Wyoming Av, 250' W of Industrial Rd.	18,700	18,000	17,400	21,000	21,000*	21,000*	16,000	19,200	17,800	17,000
0030561	Donovan Wy, N of SR-573 (Craig Rd).							4,000	5,200	4,650	3,100
0030562	SR589, E Sahara Av, btwn Westwind Rd & Lindell Rd.	53,000	55,200	50,500	48,000	48,000*	53,900*	58,000	61,000	57,500	54,000
0030563	SR589, E Sahara Av, .1 mile E of Boulder Hwy.	23,000	24,900	26,500	25,000	25,000*	23,300	25,200	27,200	27,300	28,000

* Data Adjusted or Estimated

Page 22

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030564	SR589, E Sahara Av, 300' E of SR-610 (Lamb Bl).	23,900	30,600	25,200*	26,000	24,800	25,500	29,000	29,500	30,500	29,000
0030565	Desert Inn Rd, .1 mi W of Paradise Rd.	40,000	41,300	42,000	41,000	43,500	43,100*	43,000*	46,000	47,000	44,000
0030566	Desert Inn Rd, .4 mi E of Paradise Rd.	35,000	36,100	35,500	34,500*	38,500	38,100*	38,000*	42,000	41,000	37,000
0030567	Desert Inn Rd, .1 mile E. of Maryland Pk.	38,500	38,900	38,000	42,000	43,000	42,500	45,000	49,000	46,500	45,000*
0030569	Desert Inn Rd, .2 mi W of Sandhill Rd & 25' E of Brentwood St.	35,000	36,900	35,500	35,000	35,000*	38,200	39,500	40,000	37,500*	40,000
0030570	Spring Mountain Rd, 150' E of Arville St.	33,000	36,800	39,500	37,000	39,000	39,200	40,000	43,500	44,000	44,000
0030575	SR592, Flamingo Rd, 1000' E of Hotel Rio Drive.	78,000	75,900	65,000	65,000*	89,500	89,000	99,000	89,000	89,500	87,000
0030576	SR592, Flamingo Rd, 800' E of Koval Ln.	66,000	66,700	68,500	70,000	71,000	71,000*	73,000	66,500	64,500	63,000
0030577	SR592, Flamingo Rd, 350' E of Palos Verdes St.	58,500	59,100	58,500	59,000	62,000	64,500	68,500	62,500	61,000	61,000
0030578	SR592, Flamingo Rd, 300' W of Pecos Bl.	55,500	55,500	60,500	60,500*	60,500*	51,500	54,500	55,000*	53,500*	54,000
0030579	SR593, Tropicana Av, 300' W of Maryland Pk.	57,000	60,400	57,500	61,000	58,300*	59,000	64,000	62,000	64,500	62,000
0030581	SR593, Tropicana Av, 200' W of McLeod Dr.	55,500	58,000	56,000	54,000*	51,570*	52,500	55,500	55,500	55,000	50,000
0030582	SR593, Tropicana Av, 300' W of the S/B off-ramp of US-95.	58,500	60,300	59,500	59,500*	62,500	63,100*	59,000	59,500	58,500	53,000*
0030583	SR593, Tropicana Av, .1 mi E of N/B off-ramp of US-95.	42,600	43,200	43,000	43,000*	38,000	42,000*	44,000	45,000	45,500*	42,000
0030584	SR593, Tropicana Av, .1 mi E of Mountain Vista St.	31,900	32,600	32,000	34,000	32,500	32,500*	35,500	35,500	36,500	33,000
0030585	Russell Rd, .1 mi W of Maryland Pk.	23,000	23,800	25,700	28,000	29,600	29,500	33,000	32,500	33,500	32,000
0030586	Russell Rd, 300' E of Loading Strip.	23,000	23,500	22,000	24,000*	24,000	25,400	26,100	26,000*	26,100*	26,000*
0030587	Russell Rd, 150' E of Topaz St.(20' E of Horeshoe Dr.)	19,000	17,200	17,200*	18,200*	19,600	19,400*	20,600	21,400	21,500	21,000
0030588	Russell Rd, 50' W of Palm Av.	21,500	19,500	19,500*	19,500*	20,300	21,400	21,300	22,700	23,300	22,000
0030590	SR596, Jones Bl, 200' N of Evergreen Av.	30,500	33,400	30,500	32,500	33,000	35,000	30,500	29,500	28,300	21,000
0030592	SR596, Jones Bl, .1 mi N of US-95 (Las Vegas Ex).	34,400	33,300	35,000	35,000*	35,400*	37,500	35,000	34,000*	28,500*	21,000*
0030593	SR596, Jones Bl, .1 mi S of Vegas Dr.	24,600	26,900	26,500	27,000	25,800	27,900	28,000*	27,300	23,700	22,000
0030595	SR596, Jones Bl, .1 mi S of Gowan Rd.	9,500	9,550	9,800	8,900	9,500	10,500	11,200	11,500	11,000	11,000
0030596	Decatur Bl, .2 mi N of SR-593 (Tropicana Av.).	23,500	30,500	31,000	31,000*	34,500	32,500	35,500	37,000	39,000*	36,000
0030597	Decatur Bl, 250' N of SR-592 (Flamingo Rd.).	34,000	36,200	38,000	35,000	38,000	38,000	41,000	41,000*	42,000*	41,000

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030598	Decatur Bl, 300' N of Spring Mtn Rd.		39,000	41,200	43,500	41,000	43,000	41,500	44,500	44,500	45,500	43,000
0030599	Magnasite Av, in Overton at the RxR tracks.							70		40	70	60
0030600	Decatur Bl,.1 mi N of SR-589 (Sahara Av).		50,000	51,300	45,000*	46,000	46,500	45,000*	49,000	47,000	48,500	46,000
0030603	Berg St, at the RxR tracks. S of La Madre(Losee Rd Area)							3,250		720	850	990
0030604	Decatur Bl, 300' S of US-95 (Las Vegas Ex).		50,500	56,200	51,000	53,000	53,000*	52,000*	53,000	51,000	51,500	57,000
0030605	Decatur Bl,.1 mi N of W Washington Av.		37,500	35,300	37,000	35,900*	38,800	38,800*	37,000	39,000	43,500	43,000
0030606	Decatur Bl,.2 mi N of Vegas Dr.		33,400	35,000	33,000*	32,000	34,000	29,700	33,500	35,000	38,500	38,000
0030607	Decatur Bl, 300' S of Smoke Ranch Rd.		22,700	23,500	22,000	25,000	23,400	20,400	22,500	24,800	26,700	26,000
0030608	Decatur Bl,.2 mi W of Rancho Dr 75' N of Bevvie Dr.		16,500	17,400	17,600	20,000	20,000	17,300	21,400	21,200	23,800	23,000
0030609	Statz St, at the RxR tracks. (Losee Rd Area)							620		620	660	6,300
0030610	Valley View Bl,.1 mi S of SR-589 (Sahara A.).		31,000	29,900	30,500	30,000	31,000	29,200*	30,500	30,500	31,500	28,000
0030611	Valley View Bl, 150' N of La Pasada Av & .25 mi N of SR-589 (Sahara Av).		27,500	29,600	33,000	29,000	31,000	31,000*	26,000	27,100	27,800	25,000
0030612	Valley View Bl,.1 mi N of W Oakey Bl.		24,500	26,900	24,600	27,800	23,400	20,500*	22,000*	24,600	25,800	25,000*
0030614	SR599, Rancho Rd,.4 mi S of SR-159 (Charleston Bl) btwn Laurie & Llewellynn Dr.		24,500	22,500	24,300	22,000	22,000*	22,400*	19,800	21,400	24,100	22,000
0030615	SR599, Rancho Dr, 250' S of Vegas Dr.		41,600	42,900	42,000	43,000	42,100*	44,200*	47,500	50,500	46,500	50,000
0030616	SR599, Rancho Rd,.1 mi S of Carey Av.		38,400	40,900	38,900	38,000	37,300*	40,000	44,000	46,000	44,500	46,000
0030617	SR599, Rancho Rd,.1 mi N of Carey Av.		35,800	35,200	34,900	34,000*	33,300*	37,000	40,000	42,000	41,000	43,000
0030618	SR599, Rancho Dr,.1 mi S of SR-574 (Cheyenne Av).		30,000	30,900	28,600	29,000	28,400	29,000	31,500	33,000	33,500	33,000
0030619	Martin L King Bl,.2 mi S of Alta Dr		13,000	18,800	14,000	14,000*	13,800	14,400	16,400	16,300	16,400	15,000
0030620	Donovan Wy,.1 mile S of SR-573 (Craig Rd) at the RxR tracks.							2,800		2,850	2,350	2,300*
0030622	Martin L King Bl,.1 mi N of Owens Av.		26,000*	25,000	28,700	30,000	31,000	31,000	37,500	36,000	41,500	40,000
0030624	Martin L King Bl,.7 mi S of SR-574 (Cheyenne Av) 150' N of Cartier Av.		22,000	23,800	25,800	26,000	27,900	27,900*	36,000	35,000*	40,500*	39,000

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030625	SR602, Casino Center Bl, btwn Clark Av & Lewis Av.		7,000	7,400	7,200*	7,000*	7,000*	7,100*	7,100*	7,100*	7,100*	7,100*
0030626	4th St, btwn Clark Av & Lewis Av.		8,000	7,300	6,500	6,500*	6,500*	7,300	6,600	6,600*	8,250*	6,600
0030627	4th St, 100' S of Ogden Av.		8,300	8,300	7,400*	7,400*	7,400*	7,500*	7,850	7,800*	8,100*	8,500
0030628	Paradise Rd, 200' N of Sands Av.		48,500	45,400	45,500	45,000	45,000	45,000*	43,000	42,000	41,500	41,000
0030629	Maryland Pk, 200' N of Hacienda Av.		19,500	18,400	20,400	18,000	21,000	19,600	20,800	22,000	22,200	22,000
0030630	Maryland Pk, 500' S of SR-592 (Flamingo Rd).		38,000*	37,000	37,000	36,000	39,000	35,200*	38,500	38,500	36,500	35,000*
0030631	Maryland Pk, 900' N of SR-592 (Flamingo Rd).		43,500	42,600	42,000	43,000	44,000	40,500	44,000	44,000*	43,000*	41,000
0030633	Maryland Pk, .1 mi N of Desert Inn Rd.		43,000	42,000	40,000	43,000	41,000	41,000*	43,500	44,000	43,000	39,000
0030635	Maryland Pk, .1 mi N of Sahara Av btwn Exley Av & San Pedro Dr.		29,000	28,700	32,000	30,000	30,000*	28,700	31,000	30,500	31,500	30,000
0030636	Maryland Pk, .1 mi N of SR-159 (Charleston Bl) 50' North of Bonneville Av.		19,500	18,700	18,400*	18,400*	18,400*	17,100	17,000*	17,100	17,000*	17,000
0030637	Maryland Pk, .1 mi S of E Bonanza Rd.		12,000	12,100	11,900	12,000	12,500	11,200	11,300	12,000	12,500*	12,000
0030638	Maryland Pk, 300' N of E Bonanza Rd.		6,850	7,150	7,900	8,000	8,300	7,550	7,600	8,250	7,750	7,500
0030639	Fiesta Henderson, .1 mile N of Waterwheel Falls Dr at the RxR tracks (Henderson area).								4,100	4,050	4,100	4,200
0030640	Bruce St, 125' N of Todd Av.		9,500	10,600	10,700	10,000	10,000*	9,200	10,500	10,700	10,200	10,000
0030642	Post Rd, 100' E of Ensworth St at the RxR tracks. (IR-15-Sunset area)						210	170		220	260	240
0030643	Bruce St, .1 mi N of SR-147 (Lake Mead Bl).		5,800	5,700	6,700	6,400	6,400*	6,200	6,200*	6,900	7,400	6,700
0030644	SR607, Eastern Av, .2 mi N of Patrick Ln.		39,000	37,900	39,500	38,000	38,500	38,400*	44,000	45,000	48,500	46,000
0030645	SR607, Eastern Av, 300' S of Reno Av.		33,500	34,400	33,500	28,000	35,000	37,000	39,500	45,000	42,000	41,000
0030646	SR607, Civic Center Dr, 200' N of Harmon Av.		35,500	35,300	35,500	31,000	31,000	38,000	40,000	41,500	42,500*	42,000
0030647	SR607, Civic Center Dr, 600' N of SR-592 (Flamingo Rd).		35,000	35,100	35,000	31,000	35,500	36,000	38,000	39,500	40,500	39,000
0030648	SR607, Civic Center Dr, .1 mi N of Desert Inn Rd.		35,000	34,100	32,000	36,000	35,000	33,800*	35,500	38,000	38,500	37,000
0030651	SR607, Civic Center Dr, 300' S of Stewart Av.		29,500	29,500	36,000	34,000	33,000*	31,700*	34,500	36,000	36,500	35,000
0030652	SR607, Civic Center Dr, .2 mi N of Washington Av & 100' N of Theresa Av.		30,900	31,200	29,300	29,300*	29,300*	36,000	36,000	37,000	36,000	34,000*

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030654	SR607, Civic Center Dr, 200' N of SR-147 (Lake Mead Bl).		18,500	18,400	21,800	22,000	22,000*	22,400	24,300	25,000*	23,800*	22,000
0030655	Pecos Rd, .2 mi S of SR-593 (Tropicana Av) & 100' S of Villa Wy.		33,000	32,700	31,500	29,000	30,500	31,500	33,500	34,000	33,500	32,000
0030656	Pecos Rd, .2 mi N of SR-593 (Tropicana Av).		29,500	27,900	27,500	26,000	27,400	27,300	30,000	30,000	30,500	28,000
0030657	Pecos-McLeod Rd, 300' S of Twain Av.		22,500	21,800	19,300	19,000	20,800	20,500	22,100	22,200	22,100*	21,000
0030658	McLeod Dr, 100' S of Karen Av.		12,000	12,500	10,700	11,000	11,200	10,900	11,200	10,800	12,000	12,000
0030659	St Louis Av, 500' E of Boulder Hwy. (Freemont St.)		13,500	14,400	12,800	12,000	12,000*	12,100	12,600	12,700	14,400	14,000
0030660	Pecos Rd, 150' S of Stewart Av.		20,000	21,200	19,800	19,000	19,000*	17,200	20,500	19,400	21,800	22,000
0030661	Turtleback Rd, .1 mi N of Pioneer Bl (Mesquite area)										3,900	3,100
0030662	Pecos Rd, btwn Lillis Av & Glendale Av.		14,500	14,600	15,600	15,700	15,700*	19,200	19,600	24,000*	24,100*	22,000
0030663	Pecos Rd, .1 mi N of SR-604 (Las Vegas Bl).		12,800	13,900	13,000	14,000	16,300	17,400	17,100	18,000*	19,200*	20,000
0030665	Hardy Wy, .2 mi E of Horizon Bl (Mesquite area)											880
0030667	Hafen Ln, .2 mi E of SR-170 (Riverside Rd)										5,700	3,700
0030668	Mountain Vista St, .1 mi S of SR-593 (Tropicana Av).		23,500	23,200	20,800	22,000	21,700	22,700	20,700	20,500	22,100	19,000
0030669	IR15, from MLK to I-15 N/B				1,200	1,300	1,600	1,450	970	1,600	1,800	1,700
0030670	SR612, Nellis Bl, 100' S of Harmon Av.		17,900	18,200	18,200*	18,200*	18,200*	18,200*	19,600*	22,000*	22,100*	10,000
0030671	SR612, Nellis Bl, .2 mi N of SR-592 (Flamingo Rd).		38,600	38,600	34,500	38,000	38,000*	38,100*	37,500	42,500	41,500	38,000
0030672	SR612, Nellis Bl, 150' N of Linda Av.		37,400	38,000	36,000	39,000	38,000*	36,900*	36,000	41,000	41,500	39,000*
0030675	SR612, Nellis Bl, .1 mi S of SR-579 (E Bonanza Rd). (in N left turn lane at Walnut St.).		49,400	49,400	47,500	49,400*	49,400*	51,700	58,000	59,000*	53,500*	52,000*
0030676	SR612, Nellis Bl, 100' N of E Monroe Av.		40,400	40,400	37,300	39,000	39,000*	41,100	43,000	45,000	43,500	42,000
0030677	SR612, Nellis Bl, .1 mi N of SR-147 (Lake Mead Bl).		32,100	30,400	27,700	29,000*	33,500	32,500	35,000	35,500	34,500	42,000
0030678	SR612, Nellis Bl, 300' S of Alto Dr.		29,800	28,700	26,500	28,700	29,900	30,500	33,000	32,500	32,000	33,000
0030679	SR612, Nellis Bl, 300' N of SR-574 (Cheyenne Av).		25,900	23,300	23,800	25,900	28,700	26,500	29,300	30,500	29,000	29,000
0030680	SR612, Nellis Bl, .1 mi S of SR-604 (N Las Vegas Bl).		17,000	16,400	17,200	19,900	23,800	21,300	24,500	24,500	24,000	24,000

* Data Adjusted or Estimated

Page 26

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030681	SR592, Flamingo Rd, .1 mi E of SR-595 (Rainbow Bl).		43,000	41,800	42,500	36,000	36,000*	38,000*	53,500	53,000	53,500*	50,000*
0030682	SR592, W Flamingo Rd, .3 mi W of Decatur Bl & 500' W of Edmund St.		53,000	51,500	51,500	46,000	57,600	58,000*	63,500	62,500	62,500	60,000
0030685	Mountain Vista St, .6 mi N of SR-562 (Sunset Rd).		23,500	24,800	23,700*	22,000	22,500	22,400*	24,000*	22,100	22,200	21,000*
0030686	Callville Bay Rd, .1 mi E of N Shore Rd to Overton.		590	580	630	680	680	560	580	690	520	480
0030687	Needles Hw, .5 mi S of SR-163 (Laughlin Hw).		2,000	1,900	1,700	1,600	1,650	1,900	1,900*	1,650	1,750	1,700
0030688	Needles Hw, .1 mi S of Bruce Woodbury Dr.		11,000	10,300	9,800	9,900	10,000	11,200	10,800	11,000	11,200	11,000
0030689	SR163, Laughlin Hw, .4 mi E of Needles Highway.		5,750	5,400	5,700	5,800	6,600	6,550	6,600	6,450	6,850	6,700
0030691	Casino Dr, .1 mi S of Davis Dam Rd.		350	350	395	390*	270	270	270*	250*	90*	100
0030692	Bruce Woodbury Dr, .6 mi W of Edison Dr.		10,500	9,500	8,900	8,900*	8,900	10,200	9,550	9,500	9,750	9,100
0030693	Bruce Woodbury Dr, .2 mi E of Needles Highway.		9,000	8,500	8,200	8,200*	8,200*	9,450	9,150	9,350	9,550	9,100
0030694	Pecos Rd, 150' N of E Bonanza Rd.		23,500	24,000	24,000	23,000	23,000*	23,100	26,000	26,000*	25,600*	25,000
0030695	US95, S/B off-ramp of the RxR Pass Intch.		3,495	3,615	3,360	3,800	4,000	4,400	4,950	5,250	5,750	5,500
0030696	US95, S/B on-ramp of the RxR Pass Intch.		560	510	470	520	430*	530	560	590	600	630
0030697	SR171, Airport Co, Warm Springs W/B on-ramp to N/B Connector.		4,340	3,630	3,500	3,100	3,250	3,100	2,650	2,700	2,700	2,400
0030698	US95, Maine St, off-ramp from US-93 N.		560	520	470	540	430	460	520	540	620	640*
0030699	US95, Maine St, N/B on-ramp of the RxR Pass Intch (from US-95 to US-95/93 NB).		3,780	3,745	3,480*	4,100	4,350	4,700	5,400	5,700	6,000	5,600
0030700	US95, Maine St, N/B off-ramp of the Valley View Bl Intch 'Exit 77'.		5,380	6,700	6,300	6,500	6,500*	6,500*	4,600*	6,500	6,500	5,900
0030701	US95, N/B on-ramp of the Valley View Bl Intch 'Exit 77'.		7,585	7,500	7,420	7,800	7,800*	7,800*	6,300*	6,500	6,500	5,500
0030702	US95, S/B off-ramp of the Valley View Bl Intch 'Exit 77'.		8,810	8,980	7,700	8,200	7,950	7,950*	6,300	6,950	6,900	5,500
0030703	US95, S/B on-ramp of the Valley View Bl Intch 'Exit 77'.		3,960	4,600	4,320	5,100	5,050	5,050*	4,600	5,600	5,600	4,900
0030704	IR215, W/B on-ramp of the Warm Springs-Airport Co Intch from W/B Warm Springs Rd.		6,950	5,805	5,800	6,200	6,550	6,900	6,750	7,100	6,750	7,100

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030707	US95, Maine St, N/B off-ramp of the Jones Bl Intch 'Exit 79'		11,045	10,805	10,800*	11,000	11,600	10,600	10,600	9,600*	9,600*	9,400
0030708	US95, N/B on-ramp of the Jones Bl Intch 'Exit 79'		6,605	6,665	6,990*	6,800	7,450	8,150	6,650	6,150	6,100	5,800
0030709	US95, S/B off-ramp of the Jones Bl Intch 'Exit 79'		7,530	7,685	8,000	7,700	8,650	9,350	6,300	6,700	6,700	5,700
0030710	US95, S/B on-ramp of the Jones Bl Intch 'Exit 79'		9,690	10,005	11,000	11,000	11,500	10,700	11,300	9,600	9,600	7,200
0030711	SR595, Rainbow Bl, .2 mi N of Alta Dr.		53,900	55,100	55,200	54,000	53,000*	52,500	44,000	51,000	54,500	56,000
0030712	Decatur Bl, 200' S of Sunset Rd.						28,300	28,000	31,000	33,000*	34,500*	38,000*
0030713	US95, Maine St, .5 mi N of Lone Mtn Rd. (add 03-0177 N/B)		44,380	48,820	57,200*	67,780	74,150*	76,500*	90,000	94,000	99,000	101,000*
0030715	US95, Maine St, .1 mi S of the Craig Rd Intch.		66,080	70,220	76,600	85,680	90,550*	94,900*	104,000	117,000	118,000	117,000*
0030716	US95, Maine St, 100' S of Cheyenne Av Intch 'Exit 83'.		92,220	97,035	102,600*	107,940	114,650	119,000	121,000	130,000	135,000	137,000
0030717	IR-15, btwn Speedway Exit '54' and Apex Rd Exit '58'. At MP CL 57		18,620	19,845	19,330*	20,460*	22,930*	23,000*	24,000*	24,000	22,100	23,000
0030718	US95, .3 mi S of Lake Mead Bl. Intch		109,910	116,250	122,000	123,940	129,800	137,000	137,000*	142,000*	147,000*	152,000*
0030719	US95, Maine St, 300' S of Summerlin/Rainbow Intch 'Exit 81'.		161,145	175,005	182,450	183,940*	185,750	187,000	184,000	182,000*	184,000*	186,000
0030720	US95, .4 mi N of the Ann Rd Intch.		29,600*	27,600*	31,000	41,180*	46,050*	49,300*	58,500	70,500	76,500	78,000
0030721	SR599, Rancho Dr, North of Lone Mountain Rd. (add 03-0018 & 177 for SB)		16,600	16,400	16,800	16,800*	19,050	19,050*	19,600	21,000*	20,100*	19,000
0030722	US95, N/B on-ramp of the Rainbow/Summerlin Intch from Rainbow Bl		12,135	12,230	13,900	13,000	14,700	17,200	17,200*	10,700	11,600	12,000
0030723	Statz St, .1 mi N of Owens Av.		2,150	2,200	2,300	2,200	2,200*	2,150	2,250	2,450	2,350	2,400
0030724	Owens Av, .4 mi W of Hollywood Bl.		3,850	3,900	4,400	4,500	4,400*	4,500*	4,900	5,800	4,950	5,700
0030727	IR215, E/B on-ramp of the Warm Springs-Airport Co Intch.		12,300	12,155	17,400	18,000	20,500	20,400	20,200	20,300	21,000	21,000
0030729	IR15, 0.1 mi N of the Glendale Intch 'Exit 91' 500' N of MP-92.0		14,875	15,975	17,800	18,450	19,150*	18,200	19,500*	20,400	20,700	22,000
0030730	IR15, 2 miles S of Valley of Fire Intch 'Exit 75'.		15,245	16,335	17,050	18,150	18,980	18,600	20,000*	21,700	22,100	21,000*
0030731	IR15, N/B on-ramp of the Charleston Bl Intch 'Exit 41'.		6,845	7,085	8,500	8,000*	9,900	8,800	9,350	9,450	9,200	8,800

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030733	SR582, Boulder Hw, .2 mi N of Gibson Rd.	29,800	30,200	31,000	31,000*	31,000*	31,000*	32,000	34,500	33,500	31,000
0030734	SR147, Lake Mead Bl, .4 mi E of Los Feliz St.	3,100	3,450	3,000	3,000	2,750	2,750	2,750	2,600	2,750	2,300
0030735	SR573, Craig Rd, 200' E of US-95 Ex.	28,700*	29,500	29,000	28,000	30,500	34,500	31,500	31,500	34,500	33,000
0030736	SR574, Cheyenne Av, .1 mi W of SR-610 (Lamb Bl).	13,800	14,000	14,300	18,000	19,800	19,800	20,300	19,500	20,900	20,000
0030738	SR596, Jones Bl, 1000' S of Edna Av.	29,500	30,000	29,800	29,800*	29,100*	31,000*	33,500	32,500	34,000	33,000*
0030739	SR596, Jones Bl, .1 miles S of O'Bannon Dr.	28,500	29,600	26,700	28,900	28,200	28,300	29,300	31,500	29,300	25,000
0030740	Warm Springs Rd, .2 mi E of SR-607 (Eastern Av).	29,000	32,000	30,500	25,000	27,600	28,000*	29,600	29,400	28,900	27,000
0030741	Buchanan Bl, 300' S of Adams Bl.	6,000	5,550	6,000	6,100	6,050	5,500	5,400	5,450	5,200	5,100
0030742	Buchanan Bl, 300' S of Club House Dr in Boulder City.	2,400	2,400	2,600	2,500	2,900	2,750	2,800*	2,300	2,150	2,100
0030743	Georgia Av, .1 mi S of Adams Bl in Boulder City.	2,850	2,300	3,200	3,200*	3,350	3,350	3,350	3,050	3,150	3,200
0030745	College Dr, .1 mi N of Horizon Dr in Henderson.	5,600	5,950	6,300	7,300	7,550	9,600*	7,500	8,450	7,800	7,400
0030746	West Cliff Dr, .1 mi E of Durango Dr.	8,150	8,150	9,000	9,200	9,400	11,800*	9,250	7,200	7,350	6,700
0030748	Warm Springs Rd, 100' E of Placid & btwn Placid & Bermuda.	18,000	18,600	18,900	18,000	18,600	19,100	20,900	21,000*	24,100*	24,000*
0030750	IR215, W/B off-ramp to Stephanie St.			1,000	2,000	2,400*	2,500	1,650	2,500	4,800	5,400
0030751	SR574, Cheyenne Av, 100' E of off-ramp to US-95.	43,300	47,100	45,000	45,500*	46,500	46,500	45,000	46,000	44,500	43,000
0030752	SR574, Cheyenne Av, 100' W of Michael Wy.	26,300	28,300	27,700	28,000	30,500	31,000	31,000	32,500	33,000	32,000
0030753	Lake Mead Bl, 100' E of Rainbow Bl.	29,900	30,800	32,000	29,000	32,200*	32,200*	28,500	29,000	29,900	30,000
0030754	Lake Mead Bl, 100' W of Michael Wy.	28,900	28,500	27,500	25,000	27,800	25,500*	26,200	26,800	27,900	28,000
0030755	Lake Mead Bl, 100' W of Valley Dr.	24,400	24,900	25,200	24,000	23,500	23,100	22,700	22,100	23,500	23,000
0030756	Washington Av, 100' E of Mojave Rd.	12,400*	13,700	15,600	15,600*	15,600*	17,100	18,700	20,400	19,200	20,000
0030757	Washington Av, 100' E of Sandhill Rd.	9,700	10,300	14,000	13,000	13,000*	14,500	15,700	17,400	17,100	18,000
0030758	Washington Av, .1 mi W of SR-612 (Nellis Bl).	5,450	5,600	7,400	7,800	7,800*	7,950	8,700	9,300*	9,700*	11,000
0030759	Spring Mountain Rd, 200' W of Torrey Pines Dr.	25,000	23,200	24,200	26,000	28,300	25,700	27,900	27,700	29,200	30,000
0030761	SR607, Eastern Av, btwn Maule Av & Helm Dr.	32,000	33,600	34,000	34,000	35,500	36,000	36,000	40,500	41,500	42,000
0030762	SR607, Civic Center Dr, btwn Robindale Rd & Buckboard Ln.	24,000	27,400	28,900	28,000	27,700	31,400*	34,500	35,500	38,000	38,000
0030763	Pecos Rd, 150' N of Patrick Ln.	33,000	32,200	31,000	26,000	28,700	29,300*	30,500	32,500	33,000	32,000

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030764	Pecos Rd, .1 mi N of Smoke Tree Ln.		25,000	25,400	25,400	22,000	25,000	25,400	26,100	27,900	26,700	25,000
0030766	Koval Ln, .25 S of SR-592 (Flamingo Rd).		27,000	29,500	29,500*	31,000	30,000	29,700*	34,000	34,000	36,500	36,000
0030767	Antelope Wy, 300' N of Alta Dr.				4,100	3,600	4,100	3,750*	4,400	3,900	3,550	3,700
0030770	Swenson St, 400' N of Demet Dr.		29,000	29,000	29,000*	29,000*	29,000*	29,100*	31,000*	33,000*	31,500*	26,000*
0030772	Swenson St, 300' N of SR-583 (Tropicana Av).		22,000	25,200	23,600	26,000	25,000	26,300	28,200	29,600	28,500	25,000
0030773	Swenson St, 600' S of SR-592 (Flamingo Rd).		21,000	20,500	19,000	20,000	18,700	20,200	22,500	24,400	24,300	22,000
0030774	Swenson St, 200' N of SR-592 (Flamingo Rd).		16,000	15,900*	17,100	17,000	17,800	17,100	17,000*	20,900	19,800	18,000*
0030775	Swenson St, 100' S of Sierra Vista Dr.		20,000	21,500	18,000	18,000	22,600	19,600	19,600*	22,000	20,900	18,000
0030776	Joe W Brown Dr, 100' N of Desert Inn Rd.		17,000	15,200*	15,700	15,700*	19,300	15,100	15,700	18,600	15,500	15,000
0030777	SR146, Saint Rose Pk, .7 miles E of Eastern Av.			13,600	11,700	10,500	13,500*	31,100	31,000*	42,500	38,000	39,000*
0030779	US95, N/B on-ramp of the Charleston Bl Intch 'Exit 72'.		15,865	16,590	16,700*	17,000	17,600*	17,100	18,000	18,100	16,900	17,000
0030780	US95, N/B on-ramp of the Las Vegas Bl Intch 'Exit 75-B'.		7,365	8,085	8,100*	8,200	8,100*	8,600	8,650	7,800*	8,600*	8,200
0030781	US95, S/B off-ramp of the Las Vegas Bl Intch 'Exit 75-B'.		6,980	7,695	7,700*	7,400	7,400*	8,050	8,600*	7,750	7,550	7,400
0030782	US95, S/B on-ramp of the Las Vegas Bl Intch 'Exit 75-B'.		9,980	10,680	9,000	8,000	7,900	8,050	8,550	7,900	8,350	8,300
0030783	US95, N/B off-ramp of the Las Vegas Bl Intch 'Exit 75-B' 150' S of Las Vegas Bl.		9,780	10,060	8,700	8,800	9,000	9,000	8,600*	7,900*	8,950*	8,900
0030784	US95, Maine St, btwn the Las Vegas Bl Intch 'Exit 75-B' & the Eastern Intch Av 'Exit 73'.		148,895	143,125	148,200*	146,300*	151,700*	158,000	156,000	161,000	162,000	155,000
0030785	US95, N/B on-ramp of the Eastern Av Intch 'Exit 73' 50' S of US-95.		15,065	15,435	16,800	16,000	16,500*	17,200	16,800	15,500	18,100	16,000
0030786	US95, S/B off-ramp of the Eastern Av Intch 'Exit 73' 300' S of US-95.		14,900	14,160	16,100	17,000	17,600	16,600	16,600	17,100	16,700	16,000
0030787	US95, S/B on-ramp of the Eastern Av Intch 'Exit 73' 200' N of US-95.		4,380	4,680	4,900	4,900	5,100	5,350	5,550	5,500	5,750	5,400
0030788	US95, N/B off-ramp of the Eastern Av Intch 'Exit 73' 300' N of US-95.		5,075	5,010	5,900	5,900	6,000	6,500	6,500*	6,200	6,550	6,800

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030789	US95, 500' S of Mojave Rd btwn Eastern Av Intch 'Exit 73' & Charleston Bl Intch 'Exit 72'.		128,385	123,220	126,100*	124,100*	128,700*	136,000*	137,000*	139,000*	140,000*	137,000
0030790	SR607, Civic Center Dr, 200' N of the Eastern Av Intch 'Exit 73' of US-95.		47,100	49,600	53,000	53,000*	53,000*	50,900*	53,000	51,000*	54,500*	50,000*
0030791	US95, S/B off-ramp of the Charleston Bl Intch 'Exit 72'.		16,505	14,575	14,800	15,000	16,500	16,500	16,800	16,800	16,600	17,000*
0030792	IR15, S/B off-ramp of the Flamingo Rd Intch 'Exit 38' to E/B Flamingo Rd		10,910	14,095	14,000*	14,000*	14,400*	14,600	15,000	16,200	13,500	13,000
0030795	Charleston Bl, 400' E of N/B ramps of US-95.		65,500	67,000	68,000	68,000	67,000*	71,000*	74,500	77,000	75,000	73,000
0030796	Laughlin Bridge, Nevada side of the Bridge.		39,000	39,000	38,000	38,500*	37,000	41,200*	41,000	37,500	39,000	36,000
0030797	SR582, Boulder Hw, .2 mi S of the IR-515 ramp.		45,100	42,600	42,000	41,000	41,000	41,100*	45,000*	48,000	49,000	51,000*
0030798	US95, Maine St, btwn Boulder Highway & the Flamingo Rd Intch 'Exit 69'.		122,765	120,290	123,100*	120,500*	124,300*	132,300*	131,000*	130,000*	137,000*	134,000
0030799	US95, btwn Boulder Highway & the Charleston Bl Intch 'Exit 72'.		123,485	120,295	123,700*	122,100*	124,400*	133,400*	134,000*	135,000*	139,000*	136,000
0030800	US95, N/B off-ramp of the Charleston Bl Intch 'Exit 72'.		13,055	13,485	13,900	14,000	14,200	14,700	15,100	14,300	15,100	15,000
0030801	US95, S/B on-ramp of the Charleston Bl Intch 'Exit 72'.		14,415	14,755	15,200	16,000	15,600	16,200	16,700	16,000	17,600	18,000
0030802	IR15, S/B on-ramp of the Craig Rd Intch from W/B Craig Rd 'Exit 48'.		10,150	10,150	9,000	9,300	9,300	9,050	9,400	9,150	8,150	7,200
0030803	US95, N/B on-ramp of the Boulder Highway Intch 'Exit 70'.		10,075	10,500	11,300	11,000	10,500	10,800	11,200	12,800	11,700	11,000
0030804	US95, N/B off-ramp of the Boulder Highway Intch 'Exit 70'.		9,415	9,500	10,000	10,000*	10,800	9,750	9,700	9,250	10,500	10,000
0030805	US95, S/B on-ramp of the Boulder Highway Intch 'Exit 70'.		9,825	10,435	10,900	9,400	9,900	10,700	10,200	10,100	10,700	11,000
0030806	US95, S/B off-ramp of the Boulder Highway Intch 'Exit 70'.		9,885	9,440	10,200*	10,000	10,300	10,700	11,200	11,600	11,100	11,000
0030807	US95, N/B on-ramp of the Tropicana Av Intch 'Exit 37'.		16,450	16,330	16,500	16,000	15,600	16,800	16,400	16,400	16,400	16,000

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030808	US95, N/B on-ramp of the Flamingo Rd Intch 'Exit 38' from W/B Flamingo Rd.		3,160	3,110	3,200*	3,200*	2,900	2,850	2,500	1,900*	2,050*	3,000
0030809	US95, S/B off-ramp of the Flamingo Rd Intch 'Exit 38'.		10,080	10,105	10,300*	9,900	10,000	9,850	9,600	9,050	9,400	9,300
0030810	US95, S/B on-ramp of the Flamingo Rd Intch 'Exit 38' from W/B Flamingo Rd.		1,675	1,775	1,750*	2,400	2,250	2,300	2,400	2,150	2,550	2,800
0030811	US95, Maine St, N/B on-ramp of the Flamingo Rd Intch 'Exit 38' from E/B Flamingo Rd.		6,920	6,800	6,900	6,900	6,650	6,650	5,950	6,200	5,750	5,600
0030812	US95, S/B on-ramp from E/B Flamingo Rd Intch 'Exit 38'.		6,855	7,300	7,000	6,500	6,600	6,800	7,350	6,800	7,100	7,300
0030813	US95, N/B off-ramp of the Flamingo Rd Intch 'Exit 38'.		8,915	9,450	9,000	8,600	8,750	8,800	9,300	9,200	9,750	9,900
0030814	US95, btwn the Flamingo Rd Intch 'Exit 38' & the Tropicana Av Intch 'Exit 37'.		120,050	118,800	120,450*	118,000*	122,350*	130,900*	132,000*	134,000*	141,000*	138,000*
0030815	US95, S/B off-ramp of the Tropicana Av Intch 'Exit 37'.		16,620	16,165	16,500	16,000*	16,200	16,700	17,000	16,900	17,100	16,000
0030817	US95, N/B off-ramp of the Tropicana Av Intch 'Exit 68'.		7,050	7,710	7,300	6,600*	6,600*	6,650	7,450	7,000	7,150	6,700
0030818	US95, S/B on-ramp of the Tropicana Av Intch 'Exit 68'.		6,425	7,575	7,000	6,400	6,400	6,600	7,150	6,900	7,250	6,900
0030819	US95, Maine St, btwn the Tropicana Rd Intch 'Exit 68' & Russell Rd Intch 'Exit 65'.		100,455	101,590	101,750*	100,000	103,550*	110,000	114,000	115,000	122,000	120,000
0030820	US95, N/B on-ramp of the Russell Rd Intch 'Exit 65'.		9,920	9,935	10,000	11,000	10,900	11,700	12,200	12,300	11,200	11,000
0030821	US95, N/B off-ramp of the Russell Rd Intch 'Exit 65'.		4,010	4,045	3,700	3,700	4,000*	4,480*	4,800	4,400	6,000	7,100
0030822	US95, S/B on-ramp of the Russell Rd Intch 'Exit 65'.		3,895	4,080	3,650	3,800	4,150	4,650	4,800	4,500	5,850	7,200
0030823	US95, S/B off-ramp of the Russell Rd Intch 'Exit 65'.		8,400	9,315	9,500*	11,000	8,900	11,700*	12,200	12,300	11,500	11,000
0030825	US95, Maine St, btwn the Russell Rd Intch 'Exit 65' & the Sunset Rd Intch 'Exit 64'.					84,500*	91,900*	95,700*	99,500*	99,000*	111,000*	113,000*
0030826	US95, N/B on-ramp of the Sunset Rd Intch 'Exit 64'.		14,500	14,165	14,800*	15,000	14,900	13,900	16,900	17,400	13,700	13,000
0030827	US95, Maine St, N/B off-ramp of the Sunset Rd Intch 'Exit 64'.		8,625	8,595	8,300*	7,700	7,900	7,900*	10,500	11,000*	11,200*	13,000

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030828	US95, S/B off-ramp of the Sunset Rd Intch 'Exit 64'.		14,160	14,300	14,900	15,000	15,100	15,000	17,100	16,100	13,100	14,000
0030829	US95, S/B on-ramp of the Sunset Rd Intch 'Exit 64'.		9,380	9,520	9,000	10,900	11,300	7,850*	10,900	10,100	11,900	14,000
0030830	Sunset Rd, W of the Sunset Rd/W of Galleria Mall Rd.		44,800	47,000	44,000*	44,000*	42,000	41,500	48,000	50,000*	48,500*	32,000
0030831	IR515, btwn the Sunset Rd Intch 'Exit 64' & the Auto Show Intch 'Exit 61'.		79,385	80,115	77,200*	73,100*	81,100*	82,600*	87,500*	88,000*	101,000*	113,000
0030832	US95, Maine St, N/B on-ramp of I-215 Henderson Intch from W/B Lake Mead.		16,430	15,645	15,700	15,000	16,400*	16,600	19,000*	19,000*	11,000*	11,000
0030833	US95, S/B off-ramp to WB I-215		16,435	16,875	17,500	18,000	17,500*	17,500*	19,000*	19,000*	19,000*	19,000
0030834	SR564, Lake Mead Dr, .2 mi E of the N/B ramps of the I-215 Henderson Intch 'Exit 61'.		46,000	49,200	46,500*	46,000	46,000*	49,000*	49,000*	45,000*	55,500*	58,000
0030835	Paradise Rd, .2 mi N of SR-592 (Flamingo Rd).		36,000	35,000*	37,200	36,800	37,500	34,000	40,000*	36,000*	40,500*	35,000
0030837	SR592, Flamingo Rd, 750' W of SR-606 (Maryland Pk).		61,000	61,700	64,500	62,000	63,500	63,300	86,500	67,000	65,500	64,000
0030839	SR592, Flamingo Rd, .1 mi E of the IR-515 Flamingo Rd Intch 'Exit 69'.		36,000	32,100	35,000	34,500*	36,000	37,100*	36,500	35,000	38,500	38,000
0030840	IR15, btwn the Primm Intch 'Exit 1' & the Jean Intch 'Exit 12'.		34,260	35,195	38,200	38,540	41,650*	41,600*	45,500	44,000	46,500	46,000*
0030842	IR15, .9 mi S of the St Rose Pk. Intch 'Exit 27'.		36,610	37,535	40,500	42,050	43,700	43,800*	49,000	48,000*	50,500*	46,000*
0030843	IR15, btwn the I-215 Intch & the Hollywood-Speedway Intch 'Exit 54'.		19,595*	21,730	22,600	24,320	27,500	27,300*	31,000	33,500	33,000	34,000
0030844	IR15, btwn the Valley of Fire Intch 'Exit 75' & the Ute Intch 'Exit 80'.		14,980	15,800	16,700*	17,890*	18,600*	18,000*	19,500*	20,000	20,000	20,000
0030845	IR15, btwn the Ute Intch 'Exit 80' & Byron Intch 'Exit 84'		14,985	15,790	16,700*	17,880*	18,600*	18,100*	19,500*	19,800	20,000	20,000
0030846	IR15, 1 mi S of Moapa Intch 'Exit 90'.		14,975	15,790	16,700*	17,880*	18,600*	18,100*	19,500*	19,600	20,000	20,000
0030847	IR15, btwn the Moapa Intch 'Exit 90' & the Glendale Intch 'Exit 91'.		13,260	14,250	15,700*	16,550*	17,120*	16,000*	17,500*	18,200*	21,100*	21,000*
0030848	IR15, btwn the W Mesa Rest Area & Carp-Elgin Intch 'Exit 100'.		12,655	14,205	15,800*	16,580*	17,080*	15,900	16,500	17,700	18,100	19,000

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030849	IR15, btwn the Carp-Elgin Intch 'Exit 100' & E Mesa Intch 'Exit 109'.		12,665	14,195	15,800*	16,570*	17,070*	16,000	16,500	18,000	18,100	19,000
0030850	IR15, btwn the E Mesa Intch 'Exit 109' & Riverside-Bunkerville Intch 'Exit 112'.		12,740	14,285	15,800*	16,630*	17,000*	16,100	16,500	18,500	18,600	20,000
0030851	US95, .8 mi N of SR-163 (Laughlin-Davis Dam Hw).		6,750	5,600	6,200	6,700	7,700*	7,700	8,000	8,500	8,750	9,300
0030852	IR215, 1.3 mi W of Gibson Rd.		24,500	24,500	36,500*	43,000*	71,670*	71,500*	57,000	60,000*	102,000*	119,000*
0030853	US95, Maine St, N/B off-ramp of the Rainbow/Summerlin Intch to Rainbow Bl		2,685	2,680	2,780	2,500	2,450	2,450*	2,450*	8,500	9,000	8,400
0030854	US95, N/B on-ramp from Summerlin PK (EB flyover)		6,575	6,655	5,800	5,500	5,350	5,350*	5,350*	10,100	12,900	14,000
0030855	US95, S/B off-ramp of the Rainbow/Summerlin Intch 'to W/B Summerlin Pk.		6,055	8,185	9,100	10,000	10,000*	13,400	15,000*	12,600	15,300	16,000
0030856	US95, S/B off-ramp of the Rainbow/Summerlin Intch to Rainbow Bl		9,270	9,560	9,500	8,500	9,200	10,400	11,000*	9,050	10,600	10,000
0030857	US95, S/B on-ramp of the Rainbow/Summerlin Intch from E/B Summerlin Pk.		27,325	32,660	34,200	34,200*	33,500	33,500	33,500*	29,500	34,500	32,000
0030858	Summerlin Pk, E/B off-ramp of Summerlin Pk to Rainbow Bl		5,320	6,970	8,500	9,000	8,700	8,700*	8,700*	3,850	2,750	2,600
0030859	Stewart St, .1 mi E of Nellis Bl.		8,600	8,600	12,700	13,000	12,700*	12,900*	14,300	14,900	15,900	17,000
0030860	Christy Ln, 350' N of Washington Av.		3,050	3,050	2,700	2,700*	2,700*	3,600	4,000	4,200	4,450	4,300
0030861	IR215, W/B on-ramp from Stephanie St.				7,600	11,000	13,100	15,700	20,300	19,100	14,700	15,000
0030862	Rainbow Bl, S of the Rainbow-Summerlin Intch 'Exit 81A' & N of Westcliff Dr.		60,000	61,650	62,000*	61,000	58,500	60,800	60,800*	61,000*	64,500*	63,000*
0030864	US95, S/B on-ramp of the Rainbow/Summerlin Intch from S/B Rainbow Bl		3,310	3,320	3,600	3,100	3,200	2,950	3,900	3,800*	11,500*	10,000*
0030865	US95, Maine St, N/B off-ramp of the Rainbow/Summerlin Intch to WB Summerlin Pk. (Summerlin Flyover)		30,415	34,590	37,700	37,700*	37,000	37,100*	37,000*	36,000*	34,500*	36,000
0030866	Summerlin Pk, .1 mi W of Rampart Bl		27,800	35,500	43,500	47,000	50,000	50,000	47,500	50,000	52,500	51,000*
0030867	SR562, Sunset Rd, .2 miles E of Gibson Rd.		25,000	24,800	24,800*	24,800*	24,800*	20,600	23,600	25,200	22,700	23,000
0030868	SR604, Las Vegas Bl, btwn the IR-215 Intch & Sunset Rd.		24,000	26,300	28,300	31,000	31,500	31,500	38,500	42,000	45,000	40,000*

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030869	IR215, E/B on-ramp from Pecos Rd.				7,300	9,800	10,600	10,600*	8,300	10,700	13,300	15,000
0030870	Fogg Dr, 50' N of Charleston Bl.							3,400	3,200	3,900	3,550	4,100
0030871	US95, S/B on-ramp of the Cheyenne Av Intch 'Exit 83'.		19,000	20,000	20,000	19,000	20,500	21,300	18,300	17,800	17,300	17,000
0030872	US95, N/B off-ramp of the Cheyenne Av Intch 'Exit 83'.		17,950	19,130	19,100	17,060	17,900	19,200	15,700	17,400	16,700	18,000
0030873	US95, N/B on-ramp of the Cheyenne Av Intch 'Exit 83'.		5,520	6,180	6,500	7,100	7,350	8,350	8,350	8,500	8,300	8,200*
0030874	US95, S/B off-ramp of the Cheyenne Av Intch 'Exit 83'.		5,290	6,135	6,600	6,700	6,950	8,050	8,050	8,500	8,250	8,100
0030875	US95, S/B off-ramp of the Craig Rd Intch 'Exit 85'.		2,115	2,585	3,100	3,500	4,400	4,650	4,750	5,100	5,100	5,000
0030876	US95, S/B on-ramp of the Craig Rd Intch 'Exit 85'.		14,400	14,365	13,800	13,000	14,900	15,900	14,200	14,600	15,000	15,000
0030877	US95, N/B off-ramp of the Craig Rd Intch 'Exit 85'.		12,970	12,560	12,300	12,000*	10,900	11,800	12,600	10,900	14,000	14,000
0030878	US95, N/B on-ramp of the Craig Rd Intch 'Exit 85'.		2,335	2,940	3,600	3,600*	5,000	5,500	5,400	5,500	5,700	5,600*
0030879	IR215, W/B on-ramp to N/B IR-15 from Las Vegas Bl.		4,040	4,100	4,700	4,800	4,800*	5,200	5,300	5,850	6,450	8,300
0030880	US95, Maine St, N/B off-ramp of the Wagon Wheel Dr Intch 'Exit 56' to Wagon Wheel Dr.		570	470	520	450	560	630	770	840	850	890
0030881	US95, S/B on-ramp of the Wagon Wheel Dr Intch 'Exit 56' from Wagon Wheel Dr.		265	335	330	340	430	450	540	690	570	610
0030882	US95, N/B off-ramp of the Wagon Wheel Dr Intch 'Exit 56' from US-95 to Boulder Hw.		2,875	2,900	3,070	2,700	2,900	2,750	2,950	3,050	3,000	3,000
0030883	US95, S/B on-ramp of the Wagon Wheel Dr Intch 'Exit 56' from Boulder Hw to IR-515.		4,160	3,465	3,560	3,560*	3,050	3,050*	3,300	3,400*	3,300*	3,300
0030884	US95, S/B off-ramp of the Wagon Wheel Dr Intch 'Exit 56' to Wagon Wheel Dr.		2,020	2,120	2,180	2,300*	2,650	3,450	4,400	5,600	6,200	6,900
0030885	US95, N/B on-ramp of the Wagon Wheel Dr Intch 'Exit 56' to US-95.		1,865	1,905	2,200	2,200	2,100	3,980*	4,200	5,250	6,000	6,900
0030886	Wagon Wheel Dr, E of the N/B on-ramp to US-95.		4,900	4,900	4,900	5,000	5,750	7,200	9,250	10,600	11,100	12,000
0030887	SR171, Airport Co, N of IR-215.		57,500	57,100	86,800	81,200*	91,400*	92,300*	94,750*	103,000	107,400	109,000

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030888	Dawson Av, W of the S/B ramps of the Wagon Wheel Dr Intch 'Exit 56'.		1,450	1,450	1,450*	1,450*	1,850	2,450	3,300	5,150	6,850	7,400*
0030889	Wagon Wheel Dr, 10' W of Appaloosa Rd.		4,150	4,700	5,150	4,400	5,000	5,000	5,650	5,550	5,650	5,800
0030890	SR582, Boulder Hw, .1 miles S of Magic Wy.		9,500	7,900	9,350	9,350*	8,750	10,300*	10,800	12,400*	13,100*	13,000*
0030893	SR582, Boulder Hw, .2 miles N of Horizon Dr.		19,000	19,400	20,200	18,000	18,100	18,300	20,900	21,400	20,700	22,000
0030894	US95, S/B on-ramp from WB Lake Mead		5,255	5,310	8,490*	10,000	11,200	12,300	11,000*	10,000*	1,100*	1,200
0030895	US95, Maine St, N/B off-ramp of I-215 Henderson Intch to EB Lake Mead and WB I-215 (before the ramps split)		4,635	4,705	8,360*	7,900	10,500	11,100	11,000*	12,000*	17,400*	20,000
0030896	US95, btwn the Lake Mead Dr Intch 'Exit 61' & Horizon Dr Intch 'Exit 59'.		56,410	57,700	60,850*	58,000	68,900	71,900	70,000	73,000	87,500	92,000
0030897	US95, S/B off-ramp of the Horizon Dr Intch 'Exit 59'.		8,485	9,550	10,700	9,700	11,650	11,800	12,200	11,500	16,000	17,000
0030898	US95, S/B on-ramp of the Horizon Dr Intch 'Exit 59'.		1,115	1,225	1,250	1,300	1,350	1,400	2,950	3,800	2,450	2,500
0030899	US95, N/B off-ramp of the Horizon Dr Intch 'Exit 59'.		1,160	1,315	1,350	1,400	1,400	1,400	2,850	2,800	2,050	1,900
0030900	US95, N/B on-ramp of the Horizon Dr Intch 'Exit 59'.		9,570	10,005	10,800	9,800*	11,900	11,900	12,400	13,300	16,900	18,000
0030901	Horizon Dr, E of the N/B ramps of IR-515.		21,000	22,700	23,800	25,000	26,200	25,500*	31,500	32,000*	31,000*	31,000
0030903	US95, S/B off-ramp of the College Dr Intch 'Exit 57'.		3,970	3,530	4,200	4,600	5,200	4,650	4,650	4,600	5,750	6,400
0030904	US95, S/B on-ramp of the College Dr Intch 'Exit 57'.		730	700	800	900	1,070	1,100	1,350	1,700	1,700	1,800
0030905	US95, N/B on-ramp of the College Dr Intch 'Exit 57'.		3,135	3,435	4,100*	4,000	4,600	4,250	4,550	4,650	5,150	5,900
0030906	US95, N/B off-ramp of the College Dr Intch 'Exit 57'.		835	830	950	950	1,100	1,250	1,450	1,700	1,850	2,100
0030908	College Dr, .1 mi N of the N/B ramps IR-515.		8,200	8,700	9,650	9,650*	10,000*	10,300*	12,100	12,800	13,800	15,000
0030909	US95, Between the College Dr. Intch. & the Wagon Wheel Dr. Intch.		35,090	35,150	35,400	34,450	40,470	43,500	44,500	48,000	50,500	52,000
0030910	SR582, Boulder Hw, N of Railroad Pass Intch (on hil, access from NB).		37,050	38,295	38,150*	38,975	39,680*	40,900*	43,000*	44,000*	43,000*	44,000
0030911	SR562, Sunset Rd, 400' W of Valle Verde Dr.		38,500	38,400	36,600	33,000	31,500	31,000	34,500	34,000	34,000	32,000
0030912	US95, Maine St, btwn College Dr Intch 'Exit 57' & Horizon Dr Intch 'Exit 59' at the College Dr overhead sign.		40,630	40,685	41,950*	41,200	48,100	50,500	51,000*	55,000	58,500	61,000
0030913	SR595, Rainbow Bl, 150' N of Endora Dr.		46,800	46,800	49,500	43,000	52,000	51,600*	49,000	55,500	56,500*	56,000

* Data Adjusted or Estimated

Page 36

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030914	SR604, Las Vegas Bl, 200' S of Oquendo Rd.		41,000	41,000	42,500	43,000	46,000	49,000	61,500	58,000	61,000	59,000
0030915	SR596, Jones Bl, .2 miles S of Harmon Av North of Tropicana Av.		23,000	24,700	26,600	26,700	25,800	30,500	34,000	34,000	37,000	35,000*
0030916	SR596, Jones Bl, N of Flamingo Rd , 100' S of Viking Rd.		29,000	28,600	29,200	29,000	30,300	33,500	37,500	35,500	38,000	36,000
0030917	US95, N/B off-ramp of the Lake Mead Bl Intch 'Exit 82' to E/B Lake Mead Bl.		2,600	2,945	2,900	2,600	2,400	2,600	2,600*	2,950	3,950	4,400
0030918	US95, S/B on-ramp of the Lake Mead Bl Intch 'Exit 82' from E/B Lake Mead Bl.		10,720	11,155	11,400	9,900	9,900*	10,300	10,500	9,800	9,600	9,700
0030919	US95, S/B loop on-ramp of the Lake Mead Bl Intch 'Exit 82' from W/B Lake Mead Bl.		5,655	6,180	6,500	6,000	6,000*	7,600*	5,050	5,000	5,850	6,200
0030920	US95, N/B loop off-ramp of the Lake Mead Bl Intch 'Exit 82' to W/B Lake Mead Bl.		9,010	10,085	10,300*	9,500	9,800	11,900	12,000*	8,950	8,900	10,000
0030921	US95, N/B on-ramp of the Lake Mead Bl Intch 'Exit 82' from Rainbow Bl.		5,350	5,795	5,600	5,700	6,350	7,100	7,900	7,550	8,400	8,000
0030922	US95, S/B off-ramp of the Lake Mead Bl Intch 'Exit 82' to Rock Springs Dr.		4,945	5,355	6,100	6,300	6,600	7,200	7,100	7,450	7,900	7,400
0030923	IR15, Tropicana Av Intch 'Exit 37' Flyover ramp .3 mi S of the S/B off-ramp.		18,765	21,600	22,000*	21,000	20,700	20,700*	22,200	20,900	20,200	22,000
0030924	Alta Dr, 200' E of Lorenzi St.		9,700	11,400	10,000	12,000	12,000*	10,100	11,300	11,000	11,000	11,000
0030925	SR163, Davis Dam Rd, .6 mi W of Casino Dr.				5,230	5,800*	7,900	7,750	7,850*	11,200	11,100	11,000
0030926	Arville St, 400' N of SR-589 (Sahara Av).		8,950	9,450	8,400	8,900	9,200	9,150	10,400	10,300	10,500	10,000
0030927	Bonanza Rd, 200' E of Sloan Ln. (at Capaldi Dr.)		9,250	9,600	9,000	9,600	9,600*	10,200	10,700	10,500	9,150	9,800
0030928	Bonanza Rd, btwn Ute Ln & Hopi Ln East of Nellis Bl.		19,400	19,600	19,400	19,000	19,000*	19,200	20,700	21,200	19,100	20,000
0030929	Bruce St, 300' S of Stewart Av.		6,000	6,300	5,400*	5,500	5,500*	5,300	5,650	6,300	6,050	6,200
0030931	Center St, 300' S of Maple St.		5,800	5,600	5,600*	5,700	6,100	6,100*	5,550	5,650	5,350	5,100
0030932	College Dr, .1 mi S of the US-95 S/B ramps.		5,950	5,850	6,450	6,450*	8,950	9,000*	10,600	10,500	11,900	13,000*
0030933	IR215, btwn Pecos Rd & Green Valley Pk Intch.				76,200*	98,035*	106,850	119,000	113,000	124,000	136,000	144,000*
0030934	Convention Center Dr, 500' W of Paradise Rd.		13,000	14,200	10,200	11,000	11,000*	11,400*	12,700	12,500	10,600	10,000
0030935	E Desert Inn Rd, 100' E of Nellis Bl.		3,800	3,850	3,850*	4,600	5,350	5,400	5,750	11,100	10,200	9,300

* Data Adjusted or Estimated

Page 37

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030936	Gibson Rd, .2 miles N of I-215		13,000	13,000	13,000*	14,000	23,200	22,000	22,000*	20,000*	21,100*	21,000
0030937	'H' St, btwn Jackson Av & Van Buren Av.		6,650	7,600	6,500	6,800	7,050	6,900	7,450	7,200	8,050	7,300
0030938	IR215, W/B on-ramp from Green Valley Pk.				9,500	10,000	11,730	12,200	14,100	14,300	13,400	13,000
0030941	Dean Martin Dr, .5 mi N of SR-160 (Pahrump Vy Rd).		4,150	4,600	3,500	4,200	5,550	5,550*	6,000*	9,650	9,150	9,100
0030942	Karen Av, 100' E of Paradise Rd.		13,000	13,000	13,600	13,000	13,100*	11,700*	14,500	16,000*	14,200*	14,000
0030945	Losee Rd, .2 miles S. of Carey.		14,200	14,600	14,000	14,000*	14,000*	13,300*	13,400	15,700	17,700	20,000
0030947	Major Av, .1 mi S of Center St.		8,850	8,100	8,100*	8,900	8,550	8,700	8,700*	8,200	7,600	7,000
0030948	IR215, E/B off-ramp to Green Valley Pk.				9,400	9,800	12,100	13,000	13,500	14,600	13,400	13,000
0030949	IR215, W/B off-ramp to Green Valley Pk.				5,100	6,300	7,850	8,450	9,250	9,000	11,100	12,000
0030950	IR215, E/B on-ramp from Green Valley Pk.				4,800	5,800	7,200*	7,750	8,150	8,100	10,400	12,000
0030951	Michael Wy, btwn Marieta Av & Carl Av.		2,550	2,650	2,620*	3,500	3,500*	3,600	4,400	4,700	4,200	4,500
0030952	IR15, Spring Mountain Rd S/B Fly-Over.				10,000*	7,400*	9,350	13,450*	12,900	13,200	14,400	16,000
0030953	Mojave Rd, 200' N of Vegas Valley Dr.		6,300	5,850	5,700	5,700*	5,750	5,650	5,350	5,750	5,800	5,200
0030956	W Oakey Bl, 200' E of Lindell St.		9,350	11,000	10,500	9,900	9,850	10,500	10,600	10,700	12,300	11,000
0030958	Sahara Av, btwn Caraville St & Winterwood Bl.		15,400	18,000	20,700	21,000	21,000*	22,700	25,800	26,200	25,900	26,000
0030959	IR215, btwn Warm Springs Intch & Windmill Ln Intch.		52,075	58,580	94,700	111,000	127,100	137,300	137,000	146,000	153,000	157,000
0030960	Sandhill Rd, 300' N of Sunset Rd.		7,200	7,650	7,650	8,100	7,600	7,500	7,600	8,600	8,750	8,700
0030961	Sandhill Rd, .1 mi N of Patrick Ln.		11,500	11,900	12,300	12,000	11,100	10,800	11,400	12,700	12,700	13,000
0030962	Sandhill Rd, btwn Hacienda Av & Casey Av.		14,000	13,600	13,500	14,000	12,700	11,800	12,200	13,100	13,100*	13,000
0030963	Sandhill Rd, btwn Harmon Av & Rosecrest Ct.		13,000	11,400	11,400*	11,400*	10,500	10,400*	10,300	10,700	11,300	11,000
0030964	Sandhill Rd, 100' N of SR-592 (Flamingo Rd).		20,500	18,000	18,000*	18,000	13,900	15,000	16,000	16,900	15,800	17,000
0030965	IR215, E/B on-ramp from Valle Verde Dr.				3,600	3,800	3,850	4,150	3,250	2,800	4,050	4,400
0030966	Torrey Pines Dr, 200' S of Hillview Av & N of Clarice Av.		8,300	8,150	8,500	8,500*	7,400	7,400*	11,400	11,000	11,200	11,000*
0030969	Twain Av, .2 miles W. of Sandhill.		3,650	3,550	3,400	3,300	3,250	3,250*	3,350	3,400	3,650	3,500
0030972	Valley View Bl, 600' N of SR-159 (Charleston Bl).		26,000	28,300	26,500*	26,500*	24,600	21,200	22,600	24,400	27,400	26,000*
0030973	Valley View Bl, btwn Fortune Av & Pyramid Dr South of Washington Av.		13,700	13,500	12,600	12,600*	14,300	13,600*	14,100	17,000	17,400	14,000*

* Data Adjusted or Estimated

Page 38

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0030974	IR215, E/B off-ramp to Valle Verde Dr.				5,800	6,000*	6,100	6,350	7,150	7,450	7,100	7,900
0030975	Vegas Valley Dr, btwn Eastern Av & Burnham Av.		4,450	4,300	3,800	4,700	4,150	3,900	4,000	4,200	4,650	4,100
0030977	Vegas Valley Dr, 300' E of Robar St.		2,000	2,100	2,000	2,200	1,950	1,900	2,100	2,150	2,300	2,000
0030978	Washington Av, 150' W of Shifting Sands Dr.		12,700	12,800	13,200	14,000	13,100	13,400	14,500	15,200	15,200	17,000
0030979	Perkins Av, btwn Gentry St & Anderson St in Overton.		470	480	480	480	460	490	450	440	430	480
0030980	Casino Dr, S of Laughlin Civic Dr.		33,000	33,000	32,000	32,500*	29,600	32,300	33,000	28,000	30,000	30,000
0030982	Overton Beach Rd, 300' E of N Shore Rd.		570	550	530	500	480	530	460	450	400	440
0030983	North Shore Rd, 200' N of the rd to Callville Bay.		650	770	670	670*	610	640	800	680	620	680
0030984	IR15, N/B loop on-ramp of the Spring Mtn Rd Intch 'Exit 39' from E/B Spring Mtn Rd.		6,400	6,400	6,500	6,300	5,800	7,250	7,200	8,200	7,700	7,300
0030985	Red Rock Canyon Rd, 4.3 mi W of SR-159 (Charleston Bl) West of Las Vegas.		580	630	540*	500	850	450	800	680	700	740
0030986	Moapa Power Company Rd, 100' N of the S/B ramps of the Hidden Valley Intch 'Exit 88'.		430	370	340	480	440	460	460*	550	440	470
0030988	Av 'B', 0.1 N of Adams Bl.		1,850	1,600	1,850	1,900	1,850	2,100	1,850	1,950	2,000	1,900
0030990	'G' Av, btwn Seventh St & Eighth St.		2,400	1,900	2,750	2,500	2,700	2,750	2,550	2,650	2,600	2,600
0030991	Pacifica Wy, 100' N of US-93.		1,400	1,400	1,480	1,600	1,550	1,550*	1,400	1,450	1,450	1,300
0030992	Ville Dr, 150' N of US-93.		2,100	2,200	2,300	2,500	2,250	2,200	2,250	2,650	2,450	2,100
0030993	Wyoming St, 200' E of Av 'B'.		5,650	5,250	5,850	5,850*	5,950	6,000	6,000	5,950	6,300	6,100
0030999	Warm Springs Rd, btwn Pecos Rd & Green Valley Pk.		30,500	32,600	31,500	25,000	25,900	26,600	29,600	29,600	30,500	27,000
0031000	13th St, btwn Clark St & Lewis St.		8,100	8,100	7,650	8,000	8,050	10,100	7,600	8,050	8,200	7,900
0031002	Maryland Pk, 50' S of Bridger St.		8,300	8,150	8,000	8,000	8,450	7,650	7,900	8,450	8,500	8,100
0031003	Utah St, 100' E of New Mexico St.		3,400	3,300	3,150	3,300	3,150	3,200	3,250	3,150	3,250	3,200
0031004	IR215, W/B off-ramp of the Warm Springs-Airport Co Intch to the Airport Co.		8,645	8,935	13,600	15,000	16,800	16,400	16,100	17,200	18,300	17,000
0031005	Horizon Dr, 200' E of Greenway Dr.		13,000	14,200	14,500*	16,000	18,100	19,200*	21,300	20,700	21,200	21,000
0031007	Russell Rd, .3 mi E of Pecos Bl.		20,000	18,200	18,200*	18,000	19,500	18,800	19,700	20,900	21,300	21,000
0031011	Pecos Rd, S of Patrick Ln.		26,500	27,400	26,700	26,700	24,900	26,200	27,800	28,800	29,400	28,000

* Data Adjusted or Estimated

Page 39

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0031012	St Louis Av, btwn Paradise Rd & Santa Paula Av.		4,300	4,600	4,500	4,200	4,200	4,200*	4,450	4,750	4,450	4,000*
0031013	St Louis Av, btwn 15th St & 16th St.		5,600	7,000	7,500	7,500*	5,400	5,450	5,550	5,800	5,800	5,300
0031014	US95, Maine St, .1 mi S of the RxR Pass Intch S/B ramps.		8,400	8,250	7,620	8,500	8,800	9,700	10,900*	12,300	12,700	12,000*
0031015	IR15, S/B off-ramp of the Russell Rd Intch 'Exit 36'.		7,150	8,865	9,900	9,900	9,650	10,700	11,300	11,300	13,100	12,000
0031016	IR15, S/B on-ramp of the Russell Rd Intch 'Exit 36'.		7,535	6,050	5,900	7,000*	7,150	7,300	7,300*	10,700	11,000	11,000
0031017	IR15, N/B off-ramp of the Russell Rd Intch 'Exit 36'.		7,575	6,875	6,000	7,100	7,240*	7,800	7,800*	14,200	15,300	13,000
0031018	IR15, N/B on-ramp of the Russell Rd Intch 'Exit 36'.		8,135	8,155	11,200	12,000	13,500	14,600	14,200	14,900	16,100	15,000
0031020	SR594, Russell Rd, E of the IR-15 Russell Rd Intch 'Exit 36'.		26,000	26,000	26,200	29,000	28,000*	30,000	32,000	35,000*	33,500*	33,000
0031021	IR15, .2 mi. S of mp 36 South of the Russell Rd Intch 'Exit 36'.		118,645	126,775	146,300*	148,900*	159,670*	158,800*	169,000*	192,000*	206,000*	209,000*
0031022	Lindell Rd, 300' N of Harmon Av.		2,200	2,200	3,200	3,300	3,000	3,000*	2,900	2,900	3,100	3,100
0031023	Decatur Bl, .1 mi S of Cheyenne Av.		19,500	20,400	20,700	23,000	22,200	24,100	26,000	27,100	27,100	28,000
0031029	Camino Al Norte, .2 mi S of Lone Mtn Rd.		24,400	28,100	27,500	29,000	29,400	30,300*	36,000	34,000	37,000	37,000
0031031	Camino Eldorado, .1 mi S of Tropical Pk.		5,550	7,100	7,550	8,200	8,500	9,400	12,800	12,500	14,000	14,000
0031033	Losee Rd, .3 mi S of SR-574 (Cheyenne Av).		10,600	10,900	10,400	10,400*	8,900*	12,200	11,400	14,000	15,400	15,000
0031035	SR574, Cheyenne Av, .3 mi W of Simmons St.		24,000	25,900	25,800	27,000	28,300*	33,500	34,500	34,000	37,000	34,000
0031039	Cabana Dr, 182' S of Twain Rd.		5,350	5,350	7,050	9,100	9,400	9,950	11,300	12,200	14,300	16,000
0031041	Green Valley Pk, .3 mi S of Warm Springs Rd.		31,000	30,500	32,000	30,000	28,300	29,300	31,000	32,500	28,500	29,000
0031043	Harmon Av, .1 mi E of Jones Av.		2,350	2,350	3,050	3,000	5,350	6,250	6,800*	6,200	5,800	5,800*
0031044	Sunset Rd, .2 mi W of Stephanie St.		37,600	39,600	37,000	37,000*	33,500	33,000	37,000	38,500	37,500	35,000
0031045	Racetrack Rd, .1 mi N of Boulder Hw.		15,000	16,700	17,100	16,000	16,580	17,600*	19,800	20,000*	22,000*	20,000
0031046	Racetrack Rd, .1 mi N of Warm Springs Rd.		1,650	1,750	1,750*	2,200	2,200	2,300	2,550	2,650	2,950*	2,500
0031051	Green Valley Pk, 300' N of SR-562 (Sunset Rd).		20,000	20,100	20,300	19,000	17,800	17,600	18,300	18,100	16,800	16,000
0031052	Jimmy Durante Bl, 500' N of E Harmon Av.		4,550	4,550	5,400	5,900	6,250	6,600	7,050	7,300	8,400	8,800
0031054	Valley View Bl, .1 mi S of Spring Mtn Rd.		27,000	27,000	25,000	23,000	24,900	23,000	26,600	26,400	27,500	26,000
0031055	Valley View Bl, .2 mi S of SR-593 (Tropicana Av).		11,000	14,500	15,700	16,000	17,300	18,900	19,500	20,000	20,200	20,000*
0031056	Buffalo Dr, .2 mi S of SR-589 (Sahara Av).		21,000	20,300	20,500	24,600	19,800	19,800*	27,800	26,000	23,200	24,000

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0031057	Buffalo Dr, .3 mi S of Spring Mtn Rd.	19,000	18,200	18,600	19,000	20,600*	16,500*	23,800	23,100	22,400	21,000
0031058	SR595, Rainbow Bl, .6 mi S of Russell Rd.	12,700	13,300	20,800	20,800*	28,300	27,800*	24,400	39,500	40,500	45,000
0031059	SR589, E Sahara Av, .3 mi E of Maryland Pk.	43,000	43,800	45,000	47,000	42,500	46,800*	48,000	49,500	49,500	50,000
0031060	Sahara Av, .2 mi W of SR-595 (Rainbow Bl).	43,500	43,600	40,000	42,000	42,000*	44,500	46,000	49,000	48,500	43,000
0031061	Spring Mountain Rd, .2 mi W of SR-595 (Rainbow Bl).	23,000	21,400	21,400*	25,000	27,000*	23,900	26,000*	26,900	24,300	25,000
0031062	Flamingo Rd, .2 mi W of SR-595 (Rainbow Bl).	33,000	33,200	33,000	33,000*	33,500	38,000	41,000	44,000	45,000	41,000
0031063	Flamingo Rd, .2 mi W of Buffalo Dr.	24,000	24,100	28,500	28,500*	32,000	34,400*	41,000	42,000	43,000	40,000*
0031064	Flamingo Rd, .1 mi W of Koval Ln.	54,000	56,100	55,500	55,500*	58,500	58,600	67,000	62,000*	65,500*	63,000
0031067	Tropicana Av, .1 mi W of Buffalo Dr.	20,000	25,300	17,500	24,000	23,600	29,800	33,500	33,500	29,600	30,000
0031068	Desert Inn Rd, .2 mi W of the Boulder Highway.	35,800	36,500	33,000	34,000	35,000*	34,500	38,500	40,500	39,500*	39,000
0031070	Hacienda Av, .1 mi E of Eastern Av.	5,150	5,150	4,250	4,000	3,900	3,650	4,400	3,900	4,250	3,800
0031071	Spencer St, .1 mi S of SR-593 (Tropicana Av).	6,050	6,050	6,300	6,900	6,400	5,900	6,950	6,400	5,900	6,500
0031072	Warm Springs Rd, .7 mi W of Eastern Av.	39,000	42,200	41,500	37,000	37,000	37,000*	40,500	41,500	42,000	38,000
0031073	Craig Rd, .2 mi W of Tenaya Wy.	9,450	9,700	9,700*	12,000	12,000*	9,260*	9,300*	10,000*	11,100*	16,000
0031074	Needles Hw, .2 mi N of Casino Dr.	4,500	4,500	4,200	4,100	4,100	4,880	5,650	4,850	4,950	4,700
0031075	Needles Hw, .3 mi S of Casino Dr.	6,300	6,700	6,400	5,900	6,050	5,850	7,300	5,850	6,100	5,300
0031077	Casino Dr, .4 mi S of Thomas Edison Dr.	5,500	5,350	5,320	4,500	4,450	4,300	4,600	3,900	3,600	3,700
0031078	Casino Dr, .3 mi S of Bruce Woodbury Dr.	19,500	20,300	19,100	19,000*	17,000	18,400	18,200	15,900	15,500	16,000
0031080	Rampart Bl, .1 mi N of Summerlin Pk.	29,200	28,000	32,500	34,000	35,000	35,000	38,000	38,000*	37,000*	35,000
0031081	Buffalo Dr, 150' N of the Summerlin Pk Intch 'Exit 81-A'.	41,800	50,200	59,500	55,000	55,200	50,500	61,500	55,500	52,500	52,000*
0031082	Buffalo Dr, S of the Summerlin Pk Intch 'Exit 81-A'.	49,000	51,800	51,500	45,500	45,500*	51,500	56,000	48,000	46,500	43,000*
0031083	Sahara Av, .2 mi E of Fort Apache Rd.	32,500	34,400	33,500	33,000	34,000	36,500	37,000*	40,500	43,000	37,000
0031085	Washington Av, .2 mi W of Rancho Dr.	16,000	16,900	16,800	17,000	17,100	17,100*	18,500	21,800	22,100	22,000
0031086	Rancho Dr, 100' N of Sirius Av.	8,700	8,350	8,350*	8,350*	8,350*	6,500	6,300	6,600	6,550	6,400
0031087	US93, .3 mi N of Buchanan Bl.(at 'Village Square' sign)		31,200	31,000	32,000	28,100	28,600*	31,000	29,800	28,600	30,000
0031089	Nevada Hw, S of Park St.	3,650	3,950	4,700	4,200	4,000	4,100	4,250	4,550	4,650	4,700

* Data Adjusted or Estimated

Page 41

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0031090	Alta Dr, .2 mi E of Decatur Bl.		9,600	10,700	9,100	8,900	8,900*	8,650	10,100	8,750	9,650	9,100
0031091	Alta Dr, .1 mi E of Valley View Bl.		12,700	14,100	10,000	9,800*	9,800*	9,850	12,000	10,700	11,700	10,000
0031092	Alta Dr, .4 mi E of Rancho Rd.		17,600	18,400	17,800	19,800	19,800*	19,800*	17,000	17,500	19,500	19,000
0031093	SR160, Pahrump Valley Rd, .7 mi W of Decatur Bl.		15,000	14,700	11,700*	12,000	14,700	16,200	20,600	27,000	25,700	26,000*
0031094	SR160, Pahrump Valley Rd, .3 mi W of SR-595 (Rainbow Bl).		9,600	9,500	9,800	9,400	9,050	9,450	12,000	22,500	22,100*	21,000
0031096	Buffalo Dr, .2 mi S of Alexander Rd.		6,350	7,300	7,700	7,700*	7,700	7,700*	9,650	10,300	11,000	11,000*
0031097	Buffalo Dr, .1 mi S of Cheyenne Av.		18,500	23,200	21,600*	21,000	23,200	22,100*	25,000	24,100	24,100	24,000*
0031098	Buffalo Dr, 200' N of Vegas Dr.		25,600	38,600	42,000	39,000	39,000*	39,000	42,000	40,000	38,000	38,000
0031099	Buffalo Dr, 200' N of Oakey Bl.		26,500	28,400	34,500	32,000	27,000	26,000	31,500	31,500	28,500	28,000
0031100	SR159, Charleston Blvd, .2 mi E of Buffalo Dr.		28,000	27,700	30,000	29,000	30,100	31,000	35,500	35,000	36,000	34,000
0031102	Cheyenne Av, .3 mi E of Rampart Bl East of Soaring Gulls Dr.		29,100	31,900	32,700	35,000	35,500	40,000	37,000	37,500	35,000	32,000*
0031104	Decatur Bl, .2 mi N of Russell Rd.			30,800	28,500	28,500*	34,500	33,000	34,500	38,500	33,000	31,000
0031105	Eastern Av, .3 mi N of Bonanza Rd.		32,400	32,700	35,000	35,000	35,000*	37,000	40,000	39,000	39,000	37,000
0031106	Harmon Av, .1 mi W of Sandhill Rd.		7,000	6,800	7,200	6,800	7,750*	6,350	6,600	7,400	8,700	9,400
0031107	Harmon Av, 300' E of Maryland Pk.		11,500	10,500	10,000	8,200	9,500	8,700	9,250	9,800*	9,550*	9,400
0031108	Harmon Av, 200' E of Eastern Av.		8,500	8,000	8,200	7,100	8,100	6,900	7,250	7,700	8,550	9,300
0031109	Lake Mead Bl, .2 mi W of Laguna Mist Dr.		29,800	29,500	28,600	26,000	26,000*	26,100	26,500	26,300	25,300	26,000
0031110	IR15, at the NV-CA Stateline.		32,150	34,040	34,855	35,650	37,750	38,075	38,799	39,500	40,500	40,000
0031111	SR595, Rainbow Bl, 1.3 mi N of Wigwam Av.		9,250	8,300	7,900	7,900*	12,500	12,500*	20,900	21,000*	26,300*	26,000*
0031112	Rampart Bl, .1 mi S of Cheyenne Av.		24,600	23,600	25,300	25,800	25,600	25,300	29,000	28,700	29,500	28,000
0031115	Fort Apache Rd, .1 mi S of SR-159 (Charleston Bl).		30,000	31,400	35,500	37,000	35,000	36,000	35,500	33,000	37,500	37,000
0031116	Fort Apache Rd, 400' S of Sahara Av.		20,900	21,900	26,600	29,000	28,600	26,900	26,600	26,800	33,000	31,000*
0031120	IR15, 1.5 mi N of the Apex Intch SR-604.		18,710	19,380	19,580	20,450	22,940	22,870	23,800	26,200	26,100	26,000
0031122	Summerlin Pk, .6 mi W of Buffalo Dr Intch.		50,500	53,300	69,500	75,000*	79,500*	79,500*	80,000*	75,500	78,500	76,000*
0031123	Summerlin Pk, .2 mi E of Buffalo Dr Intch.		69,115	81,500	91,000	98,000*	104,000*	104,000*	104,000*	97,000*	101,000*	98,000*
0031124	Valley View Bl, .1 mi S of SR-592 (Flamingo Rd).		11,500	11,700	11,700	11,000	10,600	11,300	11,400	10,000	12,000	11,000
0031126	SR596, Jones Bl, .2 mi N of SR-147 (Lake Mead Bl).		20,500	19,000	19,700	19,000	18,000	19,600	20,200	19,000*	19,100*	18,000

* Data Adjusted or Estimated

Page 42

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0031127	SR604, Las Vegas Bl, .15 mi S of Pecos Rd.		22,800	24,500	27,000*	25,500	27,500*	25,400	28,700	30,000*	30,500*	29,000*
0031128	Valley View Bl, .1 mi N of Alta Dr.		29,000	33,000	31,000*	29,000	26,700	23,900	26,400	27,000	29,300	28,000*
0031130	IR15, 0.7 MI N of the E Mesquite Intch SR 144		17,805	18,715	18,740	19,955	21,510	21,835	22,700	23,600	24,000	24,000
0031131	US95, N/B on-ramp of the Snow Mtn Intch 'Exit 95'.		85	105	140	80*	130	140	160	140	150	130
0031132	US95, N/B off-ramp of the Snow Mtn Intch 'Exit 95'.		440	445	510	570*	530	570	650	570	580	460
0031133	US95, S/B on-ramp of the Snow Mtn Intch 'Exit 95'.		440	410	520	570	560*	510	590	490	510	400
0031134	US95, S/B off-ramp of the Snow Mtn Intch 'Exit 95'.		85	95	110	90	110	100	130	100	100	90
0031135	US95, .5 mi N of the Snow Mtn Intch 'Exit 95'.		5,590	5,685	6,420	6,000	6,050	6,300	6,950	6,650	6,750	7,800
0031136	IR15, SR-589 (Sahara Av Fly Over) 'Exit 40'.		12,620	13,265	12,000	12,000	13,900	13,400	13,700	15,200	13,700	13,000
0031137	Basic Rd, .1 mi S of SR-146 (Lake Mead Dr).		1,400	1,400	1,300	1,200	1,300	1,250	1,350	1,250	1,200	1,300
0031138	Atlantic Av, 70' S of SR-146 (Lake Mead Dr).		2,450	2,450	2,300	2,300	2,200	2,000	3,050	1,900	1,700	1,700
0031139	Appaloosa Rd, 250' N of Wagon Wheel Dr.		2,350	2,350	2,700	2,700	2,700*	2,900	2,950	2,800	3,100	3,100
0031140	Burkholder Bl, .1 mi S of SR-146 (Lake Mead Dr).		3,400	3,400	4,800	6,200	6,850	6,850*	7,700	7,450	7,200	7,200*
0031141	Equestrian Dr, .1 miles E of Magic Wy.		3,550	3,550	3,500	3,100	2,900	3,000*	3,750	3,400	3,750	3,500*
0031142	Essex Av, E of Pueblo Bl.				290	300	260	260*	290	310	240	240
0031143	Ithaca Av, .1 miles E of Pueblo Bl.				370	400	450	470*	390	380	390	420
0031144	Mission Dr, .2 mi W of College Bl.		1,150	1,150	1,700	2,100	2,850	3,250	4,050	4,000*	4,400*	4,800
0031145	Newport Dr, .2 miles W of Racetrack Rd.		1,650	1,650	2,050	2,100	2,200	2,200	2,150	2,100	2,350	2,300
0031146	Magic Wy, 127' S of Equestrian Dr.				2,100	2,200	2,050	2,150	2,200	2,300*	2,250*	2,100
0031147	Heather Dr, .1 miles E of Greenway Rd.				2,400	2,600	2,600	2,750	2,850	1,950	2,700	2,800
0031148	Olsen St, .1 mi N of SR-146 (Lake Mead Dr).		1,550	1,550	2,000	1,900	1,950	2,150	1,950	2,800	2,250	2,300
0031149	Anasazi Dr, .2 mi S of Summerlin Pk.		1,900	1,900	4,300	3,700	11,300	10,900	10,800	9,550	9,750	10,000
0031150	Sixth St, N of SR-159 (Charleston Bl).							730	760	830	640	670
0031151	Farm Rd, 25' W of Torrey Pines.		300	300	1,150	2,400	2,400*	4,000	4,000*	4,700	4,700	3,500
0031152	Racel Av, .1 mile W of Buffalo Bl.					1,100	1,100*	1,450	1,450*	1,550	2,750	2,500
0031153	Lake Las Vegas Pk, 150' N of Lake Mead Pk		1,700	1,700	3,800	3,800	3,800*	7,200	9,450	9,250	10,300	10,000
0031154	Stufflebeam Av, Galleria, .1 mi W of Gibson Rd.		140	140	700	710	710*	970	840	900*	910*	490
0031155	High View Dr, .1 mi E of Green Vy Pk.		6,900	6,900	6,900*	6,000	6,350	6,450	6,950	7,000*	7,000*	6,000

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0031156	Seven Hills Dr, .2 mi S of SR-146 (St Rose Pkwy), 50' N of Horizen Ridge Pkwy.		6,100	6,100	11,500	13,000	15,800	17,500*	16,800	15,500	18,900	20,000
0031157	Circus Circus Dr, 250' E of Industrial Rd.		6,000	6,000	6,550	6,000	6,550	7,950	8,100	9,450	8,150	7,700
0031159	Alta Dr, .1 mi E of Town Center Dr.		1,200	1,200	4,700	5,800	6,900*	7,650	8,200	9,650	10,100	9,500
0031160	'H' St, 100' S of Carey Av.		5,650	5,650	5,600	5,600*	5,600*	5,000	5,100	5,350	5,550	5,200
0031161	Veterans Memorial Dr, .1 mile S of Washington Av.							1,050	1,050	990	990	1,100
0031164	Patrick Ln, .1 mi W of Pecos Rd.				6,750	9,800	10,300	10,000	11,000	9,900	10,900	11,000
0031165	Rebel Rd, S of Tropicana Av.										11,000	11,000*
0031166	Stephanie St, 100' N of Russell Rd.						7,650	8,800	9,250	9,150	9,000	7,800
0031168	Wigwam Av, .1 mile W of Rainbow Bl.						1,300	1,200	1,200*	1,200	1,250	1,300*
0031169	Robindale Rd, 200' E of Decatur Bl.						490	490*	490*	620	910*	900*
0031174	Burns Rd, 190' N of Sunset Rd.				1,250	1,000	1,150	1,150*	1,150	910	1,600	1,400
0031175	Jimmy Durante Bl, .1 mi N of Tropicana Av.				3,300	3,900	3,750	4,000	4,750	5,050	5,450	6,100
0031176	Pabco Rd, 206' S of Sunset Rd.				1,700	1,600	1,750	1,750*	1,600	1,750	1,750	1,700
0031177	Wigwam Av, E of SR-595 (Rainbow Bl).									540	670*	670*
0031179	Paradise Rd, .1 mi S of Warm Springs Rd.		8,100	8,100	8,900	9,200	9,350	9,300	9,300*	10,000*	11,300*	10,000
0031180	Gillespie St, 500' N of Pebble Rd.		350	350	200	290	380	430	570	640	920	980
0031181	Robindale Rd, .1 mi W of Eastern Av.		3,500	3,500	3,600	3,600*	3,250	3,400	3,650	4,000	4,400	4,500
0031182	Serene Av, 0.1 mi E of Decatur Bl.									100	80	60
0031184	Bermuda Rd, .1 mi N of Warm Springs Rd.		2,000	2,000	3,500	4,200	4,650	5,250	5,750	6,000	6,050*	6,000
0031188	Cactus Av, .2 mile E of Decatur Bl.					2,900	1,700	4,700	4,700	6,150	7,850	7,800*
0031189	Cactus Av, 300' E of SR-604 (Las Vegas Bl).		100	100	1,500	1,600	2,000	2,000*	2,950	2,500	2,500	2,500
0031190	Erie Av, 100' E of SR-604 (Las Vegas Bl).					170	200	370	540	420	600	480
0031192	Horizon Ridge Pk, .1 miles E of Gibson Rd.		6,700	6,700	7,550	11,000	12,200	13,500	23,200	23,000*	12,800*	12,000*
0031193	Wynn Rd, 250' N of SR-593 (Tropicana Av).		8,550	8,550	8,900	7,900	8,300	8,750	9,100	7,750	8,550	8,300
0031194	Arville St, 300' S of Spring Mtn Rd.				16,300	18,000	16,000	18,000	19,900	19,400	20,300	18,000*
0031195	Palo Verde St, 250' S of Burkholder Bl.		3,700	3,700	4,200	4,900	5,150	5,400*	5,300	4,350	4,250	4,200
0031200	Cheyenne Av, 200' W of Durango-Rampart Bl.		20,500	20,500	26,200	27,000	32,600	30,500	32,000	30,500	31,000	28,000
0031201	Carey Av, 200' E of SR-610 (Lamb Bl).		6,950	6,950	6,950	7,400	7,400*	7,650	7,950	8,750	9,050	10,000

* Data Adjusted or Estimated

Page 44

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0031204	Industrial Rd, .1 mi N of Desert Inn Rd.		29,000	29,000	26,500	29,300	28,000	29,000	36,500	43,000	39,000	30,000*
0031208	Arrowhead Trail, 50' S of Horizon Dr.		4,000	4,000	4,150	4,400	4,200	4,200*	4,700	4,000	3,950	3,800
0031210	IR15, 0.2 mi N of the SR 589 Sahara Av Intch		203,195	225,955	229,500	222,100	225,500*	240,585	256,000	260,000*	261,000*	264,000
0031211	Mitchell St, 0.3 mi N of Craig Rd		3,850	3,850	4,250	4,500	4,500*	4,600	5,400	4,250	4,600	4,600
0031212	Walnut Rd, 400' E of Mitchell St.		720	720	600	590	590*	520	770	750*	760*	730
0031213	F St, City Pk, off of the Grand Central Pk .1 mile S of Bonanza Rd.(150' N of Grand Central)					7,200	4,250	4,600	4,600*	4,300	4,450*	4,400*
0031214	Liston Av, 250' E of RxR tracks in Logandale.						360	390	360	440	380	360
0031216	Arville St, 300' N of Russell Rd.		4,900	4,900	7,600	8,400	9,350	10,200	11,500	11,000	11,600	11,000*
0031218	Rainbow Bl, S of SR-160 (Pahrump Vy Rd) & South of Gary Rd.		350	350	400	410	400	510	850	470	3,500*	4,800
0031219	Cold Creek Rd, .1 mi W of US-95.			1,000	1,150	1,100	1,100	1,200	1,250	1,250	1,250	1,200*
0031221	Reservation Rd, .5 mi S of SR-168 (Glendale-Moapa Vy Rd).			380	350	430	410	400	410	470	490	420
0031222	Rainbow Canyon Dr, .1 mi S of SR-157 (Charleston Park).			630	630	560	440	490	540	420	420	460
0031223	Cotton Wood Dr, .3 miles from SR-159 (Blue Diamond Rd).			300	250	250*	280	280	280*	270	270	240
0031224	Boulder Ln, 100' N of McFarland Av (Indian Springs).				500	490	490*	420	490	490	480	360
0031225	McFarland Av, 50' W of Boulder Ln (Indian Springs).			1,250	1,300	1,200	1,200*	1,250	1,300	1,400	1,250	1,200
0031226	Yucca Dr, 50' mi N of SR-144 (Mesquite Bl).			750	770	820	820*	740	740*	740*	790*	780
0031227	Gann St, 25' W of SR-169 (Logandale Rd).			360	350	280	280	270	250	250	290	270
0031228	Williams Ranch Rd, NE of SR-160 (Pahrump Valley Rd) in Mtn Springs.			70	40	60	50	80	80*	70*	75*	370
0031229	IR215, E/B off-ramp to N/B IR-15.				2,000	2,700	4,350	6,000	6,750	11,700	14,900	18,000
0031230	IR15, 0.7 mi N of SR 147 the Lake Mead Intch		75,615	79,500	80,000	92,760	101,155	106,720	110,000	115,000	117,000	118,000
0031232	IR215, N/B off-ramp to W/B I-215				2,200	2,600	3,500	4,300	4,950	5,700	5,200	7,800
0031233	IR215, E/B off-ramp to SR-604 (Las Vegas Bl).					2,700	3,300	4,350	4,500	5,700	7,150	6,000

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0031234	IR215, E/B off-ramp to S/B IR-15.			2,200	2,800	3,550	4,050	4,700	5,600	6,200	8,400
0031236	IR215, E/B off-ramp to Stephanie St.			7,300	11,000	13,400	15,100	21,000	19,400	14,200	14,000*
0031237	IR215, W/B on-ramp from Valle Verde Dr.			5,900	6,000	6,450	6,750	6,950	7,400	6,900	7,700*
0031238	IR215, btwn Green Valley Pk & Valle Verde Dr.			67,200*	90,335*	98,070*	101,800*	102,000*	102,000*	127,000*	143,000
0031239	IR215, btwn Valle Verde Dr & Stephanie St.			62,700*	86,135*	93,270*	97,000*	95,000*	93,000*	122,000*	138,000
0031241	US95, N/B on-ramp of Durango Rd Intch.					280	590	830	840	1,100	1,100
0031242	US95, S/B off-ramp of Durango Rd Intch.					240	480	670	970	1,350	1,400
0031243	US95, S/B on-ramp of Durango Rd Intch.					11,285*	14,900	18,400	19,400	18,900	19,000
0031244	IR15, S/B off-ramp of the Lamb Bl Intch.			550*	690	870	770*	2,550	2,600*	2,500*	3,000
0031245	IR15, N/B on-ramp of the Lamb Bl Intch.			550*	630	830	730*	2,350	2,300*	2,350*	3,300
0031246	Arrowhead Rd, at the RxR (Moapa area).									910	900*
0031247	SR146, Lake Mead Dr, .1 mi. E of Maryland Pk.					13,500	15,900	18,700*	26,100	29,400	26,000
0031248	IR215, E/B off-ramp of the Sahara Av Intch.						3,550	3,900	4,300	4,050	3,800
0031249	IR215, W/B on-ramp of the Sahara Av Intch.						3,800	4,200	4,600	4,250	3,900
0031250	IR215, 0.2 mi E of Eastern Av. Intch	23,160	39,405	70,930	89,235	98,035	103,395	106,000	106,000	119,000	128,000
0031251	IR215, E/B on-ramp of the Charleston Bl Intch.					3,950	5,700	6,850	7,650	10,500	11,000
0031252	IR215, W/B off-ramp of the Charleston Bl Intch.						5,550	5,600*	8,050	10,900	12,000
0031253	IR215, E/B off-ramp of the Charleston Bl Intch.					2,900	3,450	4,450	5,450	6,950	6,500
0031254	IR215, W/B on-ramp of the Charleston Bl Intch.					3,350	4,000	4,000*	6,000	7,450	7,300
0031255	US95, Maine St, N/B off-ramp of Durango Rd Intch.					11,650*	11,100	14,200	16,800	16,600	16,000
0031258	IR215, E/B off-ramp of the Gibson Rd Intch.									6,600	8,000
0031259	IR215, E/B on-ramp of the Gibson Rd Intch.									4,750	5,000
0031260	IR215, W/B off-ramp of the Gibson Rd Intch.									4,600	5,100
0031261	IR215, W/B on-ramp of the Gibson Rd Intch.									6,000	7,400
0031263	Desert Inn Rd, 1000' E of Highland Dr at RxR tracks.					11,100	11,200	14,100	16,000	14,500	14,000
0031269	Jones Bl, N of Elkhorn Rd.						11,200	11,200*	13,400	13,100	13,000
0031270	Tenaya Wy, .1 mile N of Flamingo Rd.					4,800	4,700	4,650	4,650	5,050	4,900
0031271	Tenaya Wy, .1 mile S of Charleston Bl.					3,300	3,200	3,300	3,200	3,400	3,400*

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0031272	Tenaya Wy, 150' S of Elkhorn Rd.						5,500	6,900	7,950	8,650	9,100
0031273	Tenaya Wy, .1 mile S of Grand Teton Dr.						1,350	3,150	2,950	3,300	3,200
0031274	Tenaya Wy, .1 mile S of Vegas Dr.						5,500	6,450	6,100	5,550	5,300
0031275	Durango Dr, .2 mi S of Warm Springs Rd.					8,800	8,800*	8,800*	7,700*	36,000*	35,000
0031276	Durango Dr, 0.1 mi N of Warm Springs.							22,100	22,000*	44,500*	43,000*
0031278	Alexander Rd, 75 ' E of Rainbow Bl.					8,800	9,150	9,350	9,700	10,100	10,000
0031280	Durango Dr, 150' S of Ann Rd.									16,900	18,000
0031282	Del Webb, .1 mile W of Rampart Rd.					9,500	9,250	9,300	8,750	8,400	8,000
0031283	El Capitan Wy, 500' N of Cheyenne Av.					5,900	5,950	5,950	5,600	5,750	5,200
0031284	El Capitan Wy, 100' N of Ann Rd.					1,050	1,800	1,600	830	890	1,000
0031285	Buffalo Dr, 1000' S of Craig Rd.					5,650	5,650*	6,950	7,300	7,550	7,700
0031286	Buffalo Dr, 500' S of Lone Mountain Dr.					2,750	2,750*	3,200	3,450	3,800	4,000
0031287	Buffalo Dr, .1 mile N of Grand Teton.						2,250	3,650	4,150	3,950	3,900
0031289	Rainbow Bl, 0.1 mi N of Elkhorn Rd.							600	630	570	890
0031292	Washington Av, .2 mile W of Buffalo Dr.					7,050	7,300	7,300*	8,500	10,600	10,000
0031293	Hollywood Bl, 500' S of Vegas Valley Dr.					1,500	1,500*	3,100	2,350	4,200	4,400
0031294	Summerlin Pk, btwn. I-215 and N Anasazi Dr						2,700	19,900	20,200	21,100	20,000*
0031295	Oakey Bl, 1000' E of Buffalo Dr.					6,850	6,000	6,400	6,200	6,400	6,100
0031297	Sloan Ln, .1 mile S of Charleston Bl.						9,750	11,000	12,400	12,400	12,000
0031298	Lindell Rd, .1 mile N of Sahara Av.					4,050	3,850	4,450	4,300	4,200	4,300
0031299	Twain Av, 200' W of Rainbow Bl.					4,000	3,500	4,150	4,200	4,850	4,300
0031300	Twain Av, 50' E of Jones Av.					7,150	7,500	9,000	10,100	10,700	9,600
0031302	Valle Verde Dr, .1 mile S of I-215.					15,100	16,000	17,500	17,000	18,300	19,000
0031303	Sunset Rd, 1000' E of Boulder Hw.					8,000	10,000	9,600	9,300	10,800	11,000*
0031304	Arroyo Grande Bl, 100' N of I-215					3,600	4,300*	5,150	5,150	5,050	4,700
0031305	Green Valley Pk, .2 miles S of I-215.(75' N of Paseo Verde.						29,000	33,500	34,500	35,000	35,000
0031309	Rainbow Bl, .3 miles N of Smoke Ranch Rd.					12,100	12,100*	25,900	27,200	27,300	27,000
0031313	Industrial Rd, 1000' N of Spring Mountain Rd.					29,000	29,000*	28,400	27,100	41,000	24,000

* Data Adjusted or Estimated

Page 47

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0031314	Industrial Rd, 1000' S of Wyoming Av.						17,200	17,800	20,000	19,900	17,000
0031315	Hidden Hills Rd, 5.2 mi S of SR-160					300	230	230*	230*	230*	230*
0031316	Ann Rd, .1 miles E of Hualapai Wy.					1,000	1,700	3,000	3,000	2,950	3,000*
0031317	Ann Rd, .1 miles E of Durango Dr.					9,150	9,150	10,700	10,900	10,800	12,000
0031318	Lone Mountain Rd, 300' W of Fort Apache Rd.					2,700	6,000	4,950	5,100	5,150	4,800
0031319	Lone Mountain Rd, .1 mile E of Durango Dr.					4,200	6,050	6,200	7,450	7,800	7,100
0031391	Webb Av, 300' W of Mc Daniel St. *local	540	430	550	550	550*	550	610	490	470	410
0031400	US95, Maine St, N/B off-ramp of Centennial Pk Intch (Exit 91) to E/B 215				6,700	6,650	8,700	8,600	9,800	11,600	11,000
0031401	US95, N/B off-ramp of Centennial Pk Intch (Exit 91) to W/B 215				3,100	3,155	3,650	3,300	3,550	4,500	4,700
0031402	US95, N/B on-ramp of Centennial Pk Intch to US-95 N/B.				690	680	1,350	1,200	1,500	1,350	1,300
0031403	US95, S/B off-ramp of Centennial Pk Intch to Centennial Pk.					1,350	2,450	2,300	2,050	1,850	1,900
0031404	US95, S/B on-ramp of Centennial Pk Intch to US-95.					5,950	6,750	7,700	13,000*	1,650*	2,300
0031411	US95, Maine St, S/B on-ramp of the Auto Show Intch									2,450	3,300
0031413	Horizon Ridge Pk, .3 miles N. of Gibson Rd.						12,600	21,900	22,000*	13,900*	12,000
0031414	IR15, N/B off-ramp of the Lamb Bl Intch.									1,550	1,700
0031415	IR15, S/B on-ramp of the Lamb Bl Intch.									1,300	1,600
0031417	IR215, E/B off-ramp to US-95 North and South (before the ramps split)									29,700	36,000
0031420	IR215, W/B on-ramp from SR-604 (Las Vegas Bl)			3,120	3,950	5,050	5,250	5,900	7,050	7,300*	
0031421	IR215, btwn the Sahara Av Intch & Charleston Bl Intch.							41,000	46,000	59,000	63,000
0031422	US95, Maine St, South of the Auto Show Drive Intch.									102,000	109,000*
0031423	US95, N/B off-ramp of the Auto Show Intch.									1,950	2,600

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0031424	US95, Maine St, S/B off-ramp of the Auto Show Intch									5,000	5,300
0031425	US95, Maine St, S/B off-ramp to EB Lake Mead									11,100	11,000
0031426	Horizon Ridge Pk, .3 miles W of Valle Verde Dr.							18,400	16,800	18,800	19,000
0031427	IR215, W/B off-ramp to Valle Verde Dr.			3,600	4,000	3,900	4,250	3,600	3,600	4,400	4,900
0031428	IR15, S/B off-ramp to W/B IR-215.			2,000	2,600	4,550	5,650	6,500	11,700	14,100	16,000
0031429	Needles Hw, .1 miles S of Aha Macav Pk (2 miles North of CA-NV line)						2,900	2,950	2,450	2,900	3,600
0031430	Wyoming St, .1 mile E of Northridge Dr.						1,300	1,300*	1,250	1,300	1,300
0031433	IR215, .3 miles W of Decatur Bl.						14,300	17,100	21,900	27,500	29,000
0031434	IR215, .2 miles E of Decatur Bl.						17,900	16,900	21,300	25,300	27,000
0031439	IR15, S/B off-ramp of the Sahara Av Intch to Highland Dr.						9,600	1,450	1,450	1,400	1,500
0031440	IR215, E/B off-ramp to US-95 NB									13,300	17,000
0031441	US95, Maine St, N/B on-ramp of the Auto Show Intch									3,600	4,000
0031443	IR15, N/B off-ramp to I-215 at the N section.							4,800	4,750	5,900	7,600
0031444	IR215, W/B off-ramp of the Decatur Bl Intch.						11,600	12,700	11,700	13,100	12,000
0031445	IR215, E/B on-ramp of the Decatur Bl Intch.						10,800	11,500	9,700	11,100	12,000
0031446	IR215, W/B off-ramp of the Sahara Av Intch.						1,650	1,800	1,900	2,750	3,300
0031447	IR215, E/B on-ramp of the Sahara Av Intch.						1,700	1,700*	1,800	2,600	3,000
0031448	IR15, N/B on-ramp from I-215 at the N section.							2,650	2,400	3,000	2,700
0031449	IR15, S/B off-ramp to I-215 at the N section.							2,750	2,500	2,400	2,900
0031450	IR15, S/B on-ramp from I-215 at the N section.							4,700	5,050	6,600	7,900
0031451	IR15, btwn the Lamb Bl Intch and the I-215 Intch							34,000*	38,000*	36,000*	39,000
0031453	Summerlin Pk, btwn. N Anasazi Dr and Towncenter Dr							26,800	26,900	28,100	27,000*
0032000	5th St, 0.1 mi N of Gowan.							10,200	12,000*	9,900*	13,000
0032001	5th St, 0.1 mi N of Tropical.							2,050	2,100*	3,450*	3,400*
0032002	Alexander Av, 0.1 mi E of Western Beltway.							3,600	4,050	4,350	4,800

* Data Adjusted or Estimated

Page 49

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name CLARK

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT						
0032003	Aliante Pk, 0.1 mi N of Centennial Pk.							8,500	11,100	11,600	12,000*
0032004	Allen Av, 0.1 mi N of Gowan.							12,700	5,300	5,900	4,700
0032005	Allen Av, 0.1 mi N of Tropical.							3,750	5,800	4,950	6,200
0032006	Alta Dr, 0.1 mi W of Rainbow.							12,500	14,400	13,500	14,000
0032007	Ann Rd, 0.1 mi E of Western Beltway.							2,200	2,700	2,850	2,200
0032008	Ann Rd, 0.1 mi W of Decatur.							14,700	17,600	19,100	20,000
0032009	Ann Rd, 0.1 mi W of Western Beltway.										2,700
0032010	Anthem Pk, 0.1 mi W of Eastern.								8,650	9,600	12,000
0032011	Arroyo Grande Bl, 0.1 mi S of I-215.							4,600	5,250	5,250	4,900
0032012	Arville St, 0.1 mi N of Harmon.							23,700	24,800	26,100*	23,000
0032013	AutoShow Dr, 0.1 mi W of US-95.								9,100	12,000	13,000
0032014	Bermuda Rd, 0.1 mi S of Serene.							11,300	14,300	12,900	16,000
0032015	Bermuda Rd, 0.1 mi N of St Rose.								520	580	2,400
0032016	Bermuda Rd, 0.1 mi N of Pebble.							12,000	13,700	14,100*	14,000
0032017	Bermuda Rd, 0.1 mi S of Warm Springs.							7,150	8,550	8,650*	9,100
0032018	Bonanza Rd, 0.1 mi E of Las Vegas Bl.							18,500	19,500	20,300	19,000
0032019	Bruce St, 0.1 mi N of Bonanza.								5,100	5,150	5,900
0032020	Buffalo Dr, 0.1 mi N of Alta.							35,000	40,500	37,500	35,000
0032021	Buffalo Dr, 0.2 mi N of Centennial Pk.								3,500*	3,750*	8,500
0032022	Buffalo Dr, 0.1 mi N of Peace.							15,500	16,600	16,300	14,000
0032024	Buffalo Dr, 0.1 mi S of Robindale.										9,000
0032025	Anasazi Dr, 0.1 mi N of Summerlin Pk.							12,300	11,000*	11,100*	11,000
0032026	Ann Rd, 0.1 mi E of US-95.							25,700	31,000	32,500	28,000
0032027	Centennial Center, 0.1 mi N of Azure.							14,100	12,700	14,100	13,000
0032028	Casino Center Bl, 0.1 mi S of US-95.								8,800	9,200	11,000
0032030	Centennial Centre Blvd, 0.1 mi W of US-95.							11,500	5,100	5,350	5,300*
0032032	Cheyenne Av, 0.1 mi E of Western Beltway.							14,700	17,600	19,100	17,000
0032033	Cheyenne Av, 0.1 mi W of Western Beltway.							7,700	9,600	10,100	9,400

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name CLARK

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT						
0032034	Commerce St, 0.1 mi N of Gowan.							1,650	1,950	7,450	8,400
0032035	Decatur Bl, 0.2 mi N of Centennial Pk.							12,500	18,600	20,100	26,000*
0032036	Decatur Bl, 0.1 mi N of Edna.							45,500	47,500	47,500	48,000
0032037	Decatur Bl, 0.1 mi N of Patrick.							26,100	28,100	29,100*	33,000
0032038	Decatur Bl, 0.1 mi N of Tropical.							12,000	14,800	16,100	22,000
0032039	Decatur Bl, 0.1 mi S of Cactus.							11,100	13,100	15,100*	17,000
0032040	Desert Inn Rd, 0.1 mi E of Western Beltway.							5,650	4,350	4,650*	3,600
0032041	Desert Inn Rd, 0.1 mi W of Rainbow.							28,500	27,800	31,500	32,000
0032042	Desert Inn Rd, 0.1 mi W of Western Beltway.							4,800	4,550	4,850*	3,500
0032043	Decatur Bl, 0.1 mi N of Gowan.							27,500	28,000	29,100	30,000
0032044	Durango Dr, 0.1 mi N of Edna.							32,000	35,000	39,000	39,000
0032045	Durango Dr, 0.1 mi N of Gowan.							16,500	17,600	18,100	18,000
0032046	Durango Dr, 0.2 mi N of Patrick.							16,800	21,600	23,100*	25,000
0032047	Durango Dr, 0.1 mi N of Robindale.										37,000
0032048	Durango Dr, 0.2 mi S of Tropical.							7,000	10,500	11,100	15,000
0032049	Durango Dr, 0.1 mi S of US-95.							7,450	16,700	17,400	22,000
0032050	Eastern Av, 0.1 mi N of Serene.							55,500	70,000	70,500*	72,000
0032051	Eastern Av, 0.1 mi N of IR-215.								37,500	39,000	43,000
0032052	Eastern Av, 0.1 mi S of St. Rose.								59,000	58,500	57,000
0032053	Eastgate Rd, 0.1 mi S of Warm Springs.								1,850	2,350	2,400
0032054	El Capitan Wy, 0.1 mi N of Tropical.							1,400	620	660	680
0032055	Elkhorn Rd, 0.1 mi E of Durango.							760	760*	800*	7,600
0032056	Elkhorn Rd, 0.1 mi W of Decatur.							1,550	1,450	1,650	4,000
0032057	ExecAirport Dr, 0.1 mi S of St. Rose Pk								7,850	9,050	9,600
0032058	Far Hills Av, 0.1 mi E of Western Beltway.							8,300	7,550	8,950	7,100
0032059	Far Hills Av, 0.1 mi W of Western Beltway.							9,450	7,350	8,750	6,300
0032061	Flamingo Rd, 0.1 mi E of Western Beltway.							20,500	27,800	29,100*	32,000
0032062	Flamingo Rd, 0.1 mi W of Western Beltway.							13,800	21,100	22,100*	25,000

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name CLARK

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0032063	Fort Apache Rd, 0.1 mi N of Gowan.							5,000	6,250	6,550	4,400
0032064	Fort Apache Rd, 0.1 mi N of Peace.							11,400	22,000	23,100*	28,000
0032065	Fort Apache Rd, 0.1 mi N of Patrick.								12,900	14,100*	14,000
0032066	Fort Apache Rd, 0.1 mi N of Tropical.							1,900	1,050	1,150	1,500
0032067	Frank Sinatra Dr, 0.1 mi N of Flamingo.							12,900	29,500	18,700	21,000
0032068	Frank Sinatra Dr, 0.1 mi S of Tropicana							16,600	20,000	20,400	13,000
0032069	Gibson Rd, 0.1 mi N of Lake Mead Dr.								18,400	18,600	18,000*
0032070	Gibson Rd, 0.1 mi S of Boulder Hwy.							8,050	8,900	9,300	8,400
0032071	Gibson Rd, 0.1 mi S of Warm Springs.							23,900	22,300	17,100	16,000
0032072	Gilespie St, 0.1 mi S of Warm Springs.									960	2,500
0032074	Grand Teton Dr, 0.1 mi W of Decatur.							1,950	1,650	1,850	3,400
0032075	Grand Teton Dr, 0.1 mi W of US-95.							2,100	4,100	4,350	4,400
0032076	Grand Teton Dr, 0.1 mi E of US-95.							430	840*	890*	640
0032077	Sunridge Heights, 0.1 mi S of Eastern Av								13,500	16,600	17,000*
0032078	Green Valley Pk, 0.1 mi N of IR-215.							40,500	38,500	37,000	37,000
0032079	Tenaya Wy, .2 mi S of Centennial Pk.	5,000	6,600	6,600*	6,600	6,600*	6,800*	6,800*	7,000*	7,300*	7,700*
0032080	Rainbow Bl, .1 mi N of Hammer Ln.	4,500	4,800	5,500	5,500*	5,500*	5,650*	5,650*	5,800*	6,050*	6,700*
0032081	Lone Mountain Rd, 200' W of Torrey Pines Dr.	8,300	9,500	9,500*	9,500*	10,000*	10,300*	10,300*	10,600*	11,000*	11,000*
0032082	Durango Dr, N of Lone Mountain Rd.		3,000	6,850*	6,850*	7,260*	7,450*	7,450*	7,700*	8,000*	8,600*
0032083	Durango Dr, btwn Flamingo Rd & Tropicana Av.		18,000	18,300	18,300*	20,500*	21,100*	21,000*	22,000*	23,000*	25,000*
0032087	Gowan Rd, .1 mi E of Clayton Dr.	2,450	2,800	2,800*	2,800*	2,800*	2,900*	2,900*	3,000*	3,100*	3,200*
0032088	Alexander Rd, 300' W of M.L.K.BI.	3,800	4,650	4,650*	4,650*	4,650*	4,800*	4,800*	4,900*	5,100*	5,100*
0032089	Lone Mountain Rd, 100' W of Scott Robinson St.	4,700	5,100	5,100*	5,100*	8,050*		8,000*	8,200*	8,500*	8,600*
0032090	Grand Central Pk, N of Bonneville St.			5,200	5,200*	5,200*	5,350*	5,400*	5,600*	5,800*	5,800*
0032091	Green Valley Pk, 0.1 mi N of Eastern.								8,550	8,550	8,600*
0032092	H St, 0.1 mi N of Bonanza.								4,400	4,600	4,700
0032093	Hacienda Av, 0.1 mi E of Las Vegas Bl.							17,300	18,300	20,000	22,000
0032094	Hacienda Av, 0.1 mi W of IR-15.							9,450	13,000	11,100	15,000

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0032095	Lone Mountain Rd, .1 mi W of US-95 ramps.	7,400*	7,600	7,600*	7,600*	7,600*	7,800*	7,800*	8,000*	8,300*	7,600*
0032096	Alexander Rd, .4 mi W of Buffalo Dr.	5,000	4,450	4,700*	4,700*	4,700*	4,850*	4,850*	5,000*	5,200*	5,800*
0032097	Alexander Rd, .2 mi E of Tenaya Wy.	6,750	6,650	7,000*	7,000*	7,000*	7,200*	7,200*	7,400*	7,700*	8,500*
0032098	Torrey Pines Dr, .4 mi N of Gowan Rd.	1,850	1,750	1,750*	1,750*	1,750*	1,800*	1,800*	1,900*	2,000*	2,000*
0032099	Tenaya Wy, 0.1 mi N of Gowan.	6,900	7,800	7,800*	7,800*	7,800*	8,050*	9,650	8,700	9,150	8,300
0032100	Gowan Rd, .3 mi E of Tenaya Wy.	5,650	6,400	6,400*	6,400*	6,400*	6,600*	6,600*	6,800*	7,100*	6,600*
0032101	Torrey Pines Dr, 200' N of Peak St.	5,050	5,400	5,350*	5,350*	5,350*	5,500*	5,500*	8,000*	8,350*	8,100*
0032102	Lake Mead Bl, 0.1 mi E of Western Beltway.	3,550	3,550	3,900	3,900*	3,900*	4,000*	8,000*	8,200*	8,500*	8,600*
0032104	Lake Mead Bl, 0.1 mi W of US-95.	42,000	43,100	42,000	42,000*	42,000*	42,400*	43,500	40,500	40,500	38,000
0032105	Industrial Rd, btwn Flamingo Rd & Tropicana Av.		17,500	25,000	25,000*	25,000*	25,700*	25,500*	26,000*	27,000*	25,000*
0032106	Torrey Pines Dr, .1 mi N of Lake Mead Bl.	8,700	9,600	9,500	9,500*	9,500*	9,800*	9,800*	10,000*	10,000*	10,000*
0032107	Michael Wy, btwn Smoke Ranch Rd & Rancho Dr.		4,400	4,400*	4,400	4,400*	4,550*	4,600*	4,700*	4,900*	4,900*
0032108	Vegas Dr, .2 mi W of Rancho Dr.	11,000	10,300	10,600	10,600*	10,600*	10,900*	11,000*	11,300*	11,800*	12,000*
0032109	Vegas Dr, 0.1 mi W of US-95.		9,050	9,350	9,350*	10,600*	10,900*	10,800	11,700	13,100	13,000
0032110	Smoke Ranch Rd, btwn Rainbow Bl & Rancho Rd.		13,000	13,000	13,000*	14,000*	14,400*	14,500*	15,000*	16,000*	16,000*
0032111	Washington Av, 1 mi E of Tenaya Wy.							7,300*	7,500*	7,800*	7,800*
0032112	Torrey Pines Dr, .1 mi N of Washington Av.		8,400	9,200	9,200*	9,200*	9,450*	9,500*	9,800*	10,200*	10,000*
0032113	Sping Mountain Rd, W of Durango Dr.		8,550	9,000	9,000*	10,400*	10,700*	11,000*	11,300*	11,800*	11,000*
0032114	Harmon Av, 0.1 mi E of Las Vegas Bl.							21,400	21,800	23,100*	19,000
0032115	Harmon Av, 0.1 mi E of Paradise.							15,300	15,700	17,100	26,000
0032116	Durango Dr, .3 mi S of Westcliff Dr.	8,100	8,800	10,200	10,200*	11,400*	11,700*	12,000*	12,400*	13,000*	14,000*
0032117	Alta Dr, .3 mi W of Buffalo Dr.		8,850	8,850*	10,600*	10,600*	10,900*	11,000*	11,300*	11,800*	13,000*
0032118	Spring Mountain Rd, W of Buffalo Dr.		15,600	16,200	16,200*	17,500*	18,000*	18,000*	18,500*	19,300*	18,000*
0032119	Harmon Av, 0.1 mi W of IR-15.							3,300	5,300	4,650	4,600*
0032120	US95, At SR-157 (Charleston Park Rd) Intch.	9,235	9,185	9,630	10,005	9,910	10,700	10,500	10,500	11,100	11,000
0032121	Torrey Pines Dr, 100' N of Oakey Bl.		8,900	10,100	10,100*	10,100*	10,400*	10,500*	10,800*	11,300*	11,000*
0032122	Hills Center Dr, 0.2 mi S of Lake Mead BL							8,150	7,250	7,550*	7,000
0032123	Hollywood Bl, 0.1 mi N of Sahara.							6,900	8,150	6,950	7,100

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name CLARK

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0032124	Horizon Ridge Pk, 0.1 mi E of Eastern.								22,200	27,600	27,000
0032125	Durango Dr, .3 mi S of SR-159 (Charleston Bl).	16,000	18,400	28,000	28,000*	31,400*	32,300*	34,000*	35,000*	37,000*	37,000*
0032126	Horizon Ridge Pk, 0.1 mi N of Horizon							16,900	25,100	18,400	17,000
0032127	Horizon Ridge Pk, 0.1 mi W of Eastern Av								7,750	9,600	13,000
0032128	Torrey Pines Dr, .25 mi S of Edna Dr.		4,700	4,700*	4,700*	4,700*	4,850*	4,900*	5,000*	5,200*	5,100*
0032129	Desert Inn Rd, .1 mi E of Crystal Water Wy.	8,000	10,500	10,500*	10,500*	12,300*	12,700*	13,000*	13,400*	14,000*	14,000*
0032130	Horizon Ridge Pk, 0.1 mi W of Stephanie.							18,100	20,200	19,600	17,000
0032131	Durango Dr, .2 mi S of Spring Mtn Rd.		25,700	19,600	19,600	22,000*	22,700*	23,000*	23,700*	24,700*	27,000*
0032132	Hualapai Wy, 0.1 mi N of Alta.							11,100	11,000	11,100*	12,000
0032133	Desert Inn Rd, .2 mi W of Torrey Pines Dr.	11,500	25,800	25,200	25,200*	26,500*	27,300*	27,500*	29,000*	30,200*	31,000*
0032134	Desert Inn Rd, .3 mi E of Decatur Bl.	21,000	33,900	34,000	34,000*	35,700*	36,700*	37,000*	38,000*	40,000*	41,000*
0032135	Hualapai Wy, 0.1 mi S of Sahara.							12,500	15,000	16,100*	16,000
0032136	Hualapai Wy, 0.1 mi N of Gowan.							1,400	1,450	1,550	4,900
0032137	Torrey Pines Dr, .2 mi S of Twain Av.		4,500	5,150	5,150*	5,150*	5,300*	5,300*	5,300*	5,550*	5,400*
0032139	Torrey Pines Dr, .1 mi S of Harmon Av.		4,900	5,600*	5,600*	5,600*	5,800*	5,800*	5,800*	6,050*	5,900*
0032140	Industrial Rd, 0.1 mi N of Flamingo.								26,000*	27,800*	25,000
0032141	Industrial Rd, 0.1 mi N of Sahara.								22,800	23,800	20,000
0032142	Wigwam Av, 50' W of Giles St.		750	750*	750*	1,000*	1,050*	1,050*	1,050*	1,150*	1,100*
0032143	Industrial Rd, 0.1 mi N of Patrick.							8,250	13,200	14,100*	13,000
0032144	Industrial Rd, 0.1 mi S of Cactus.							2,800	3,050	2,950*	4,100
0032145	Industrial Rd, 0.1 mi N of Wigwam.							12,800	14,300	13,100*	19,000
0032146	Windmill Ln, .2 mi E of Spencer St.		19,800	23,500	23,500*	23,300*	24,000*	24,000*	24,700*	25,800*	26,000*
0032147	Windmill Ln, .4 mi E of Eastern Av.	19,500	19,500	19,500*	19,500*	19,300*	19,900*	20,000*	20,600*	21,500*	21,000*
0032148	Windmill Ln, .5 mi E of Pecos Rd.	13,000	13,000	15,500	15,500*	15,300*	15,800*	11,300	12,600	11,700	12,000
0032149	Eastern Av, .2 mi S of Windmill Ln.			35,500	35,500*	36,600*	36,700*	37,000*	38,000*	40,000*	40,000*
0032150	Wigwam Av, .1 mi E of Eastern Av.	2,400	2,400	3,100	3,100	3,100*	3,200*	12,200	12,400	12,100	12,000
0032151	Pebble Rd, 0.1 mi E of Eastern.			8,300	8,300*	9,200*	9,450*	11,000	11,400	11,100*	11,000
0032152	Jones Bl, 0.1 mi N of Patrick.							11,800	18,300	19,100*	26,000

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name CLARK

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0032153	Pecos Rd, 0.1 mi S of Pebble.	9,150	15,600	22,400	22,400*	24,900*	25,600*	26,000*	45,000	27,000*	27,000*
0032154	Wigwam Av, 0.1 mi W of Green Valley.		19,100	19,100*	19,100*	19,100*	19,700*	13,500	13,000	13,100	13,000
0032155	Jones Bl, 0.2 mi N of Robindale.								21,800	27,100*	27,000
0032156	Wigwam Av, .3 mi E of Green Valley Pk.			8,050	8,050*	8,050*	8,300*	8,500*	8,700*	9,100*	9,100*
0032158	Valley Verde Dr, 0.1 mi N of IR-215.	9,450	9,800	12,300	12,300*	12,300*	12,700*	16,000	16,000	16,800	17,000
0032159	Jones Bl, 0.1 mi S of Cactus.							6,000*	5,800	6,850*	5,500
0032160	Koval Ln, 0.1 mi N of Flamingo.							33,500	32,000	32,500	34,000
0032161	Windmill Ln, 260' E of Valley Verde Dr.	5,600	5,950	5,500	5,500*	5,500*	5,650*	5,700*	5,900*	6,200*	6,200*
0032162	Valley Verde Dr, 0.1 mi S of Warm Springs.	8,300	8,100	8,100	8,100*	8,100*	8,350*	8,400*	12,700	10,900	11,000
0032163	Warm Springs Rd, .1 mi E of Valley Verde Dr.	26,000	26,000	23,500	23,500*	24,400*	25,000*	25,000*	25,700*	26,800*	24,000*
0032164	Arroyo Grande Bl, .4 mi S of Warm Springs Rd.		10,300	9,000	9,000*	9,000*	9,250*	9,300*	9,600*	10,000*	10,000*
0032165	Warm Springs Rd, .2 mi E of Arroyo Grande Bl.	24,000	32,000	32,000*	32,000*	33,300*	33,400*	34,000*	35,000*	37,000*	37,000*
0032166	Stephanie St, .1 mi N of Warm Springs Rd.	21,000	25,100	26,200	26,200*	26,200*	27,000*	27,000*	27,800*	29,000*	29,000*
0032167	Warm Springs Rd, 0.1 mi W of US-95.	8,550	12,100	16,300	16,300*	17,000*	17,500*	22,300	23,500	16,900	20,000
0032168	Van Wagenen St, .5 mi S of SR-146 (Lake Mead Dr).	6,350	6,900	8,200	8,200*	8,200*	8,450*	8,450*	8,400*	7,650*	8,000*
0032169	Koval Ln, 0.1 mi S of Tropicana.							23,000	25,500	25,500	27,000
0032171	Lamb Bl, 0.1 mi N of Bonanza.							37,500	38,000	39,000	39,000
0032172	Las Vegas Bl, 0.1 mi S of St. Rose.								6,500	6,550	8,900
0032173	Horizon Dr, 50' E of Arrowhead Dr.		13,600	16,700	16,700	16,700*	17,200*	17,200*	17,000*	17,100*	17,000*
0032174	Greenway Rd, btwn Boulder Hw & U.P.R.R.	7,700	7,700	7,700	7,700	7,700*	7,950*	7,950*	8,000*	7,750*	7,800*
0032175	Las Vegas Bl, 0.1 mi S of Serene.							4,500*	29,800	35,500*	39,000
0032176	Athens St, E of Evelyn St.	4,550	5,450	7,400	7,400*	7,400*	7,600*	7,600*	7,800*	8,100*	7,800*
0032177	Galleria Dr, .3 mi E of Stephanie St.	2,200	2,700	3,250	3,250*	3,400*	3,500*	3,500*	3,600*	3,800*	3,900*
0032178	Stephanie St, .1 mi N of Galleria Dr.	13,000	12,800	15,400	15,400*	15,400*	15,900*	16,000*	16,500*	17,200*	17,000*
0032179	Whitney Ranch Rd, 100' N of Galleria Dr.	8,850	9,400	10,400	10,400*	10,400*	10,700*	11,000*	11,300*	11,800*	12,000*
0032180	Las Vegas Bl, 0.1 mi S of US-95.								33,500	35,000	32,000
0032181	Lone Mountain Rd, 0.1 mi E of Western Beltway.							4,250	4,750	5,050	4,200
0032182	Nellis Bl, .1 mi N of Hacienda Av.	3,750	3,800	5,300	5,300*	5,300*	5,450*	5,500*	5,700*	5,900*	6,100*

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name CLARK

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0032183	Lone Mountain Rd, 0.1 mi W of Western Beltway.								2,500	2,650	2,100
0032184	Harmon Av, .1 mi W of SR- 612 (Nellis Bl).	4,250	3,600	6,500	6,500*	7,400*	7,600*	7,600*	7,800*	8,100*	8,400*
0032185	Mountain Vista St, .3 mi N of Harmon Av.	12,000	13,400	14,100	14,100*	14,100*	14,500*	14,500*	14,900*	15,500*	14,000*
0032186	Flamingo Rd, .2 mi W of Cabana Dr.		9,100	9,100	10,000	10,500*	10,800*	11,000*	11,300*	11,800*	12,000*
0032187	Losee Rd, 0.1 mi N of Tropical.							8,650	11,500	14,800	14,000
0032188	Marks St, 0.1 mi S of Warm Springs.							8,000	7,800	5,750	7,000
0032189	Maryland Pk, 0.1 mi S of Serene.								17,400	19,100*	18,000
0032190	Maryland Pk, 0.1 mi N of St Rose.							19,700*	8,800	9,000	8,200
0032191	Charleston Bl, .2 mi W of Christy Ln.		32,800	31,500	31,500*	31,500*	31,600*	36,000*	37,000*	36,500*	36,000*
0032192	Hollywood Bl, 150' N of Stewart Av.	7,100	7,950	9,250*	9,250*	9,250*	9,500*	9,500*	9,800*	10,200*	10,000*
0032193	Maryland Pk, 0.1 mi N of Pebble.							18,300	18,600	19,100*	19,000
0032194	Martin Luther King Bl, 0.1 mi N of Gowan.							39,500	36,500	38,500	38,000
0032195	Paseo Verde Pk, 0.1 mi W of Green Valley.							17,400	19,500	19,700	18,000
0032196	Ogden Av, .1 mi W of Main St.	4,850	4,850	5,750*	5,750*	5,750*	5,900*	5,900*	6,000*	6,350*	6,000*
0032200	Patrick Ln, 0.1 mi W of Stephanie.							4,950	4,850	5,000	5,300
0032201	Pebble Rd, 0.1 mi E of Las Vegas Bl.							9,100	11,100	10,400	8,900
0032204	Pebble Rd, 0.1 mi W of Eastern.							14,800	15,200	16,100*	17,000
0032205	Pebble Rd, 0.1 mi E of Rainbow.							190*	400	510*	430
0032206	Pecos Rd, 0.1 mi N of Gowan.							9,550	9,900	10,300	11,000
0032207	Pecos Rd, 0.1 mi N of St Rose.							26,500	28,000	32,500*	48,000
0032208	Rainbow Bl, 0.1 mi N of Gowan.							11,400	11,000*	11,100*	12,000
0032209	Rainbow Bl, 0.1 mi S of Washington.							30,500	30,500	33,000	33,000*
0032210	Rampart Bl, 0.1 mi N of Alta.							46,500	47,000	49,500	48,000
0032211	Range Rd, 0.1 mi S of Northern Beltway.							6,600	7,700	10,600	9,900
0032212	Red Rock Ranch Rd, 0.1 mi S of Desert Foothills.							6,850	7,650	8,000	8,200*
0032213	Fiesta Henderson Rd, 0.1 mi S of Lake Mead Dr.							11,400	12,000	12,000*	
0032214	Riviera Bl, 0.1 mi E of Las Vegas Bl.							7,150	5,850	7,450	6,800
0032215	Robindale Rd, 0.1 mi E of Las Vegas Bl.							1,550	1,850*	1,500	

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name CLARK

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT						
0032216	Russell Rd, 0.1 mi E of Boulder Hwy.							4,000*	7,900	7,150	9,000
0032217	Russell Rd, 0.1 mi E of Western Beltway.							12,000*	4,650	4,950*	4,500
0032218	Russell Rd, 0.1 mi E of Decatur.							18,500	20,400	19,100*	31,000
0032219	Russell Rd, 0.1 mi W of Stephanie.							25,800	29,100	29,100*	28,000
0032220	US95, Maine St, 0.2 mi S of SR-596 (Jones Bl) Intch.	167,745	181,465	189,255	191,440	192,755	192,100	191,000*	188,000*	189,000*	180,000
0032221	Russell Rd, 0.1 mi W of US-95.								28,300	28,100*	25,000
0032222	Russell Rd, 0.1 mi W of Western Beltway.							13,300	13,700	14,300*	13,000
0032223	Sahara Av, 0.1 mi E of Western Beltway.							30,000*	12,300	13,100*	13,000
0032224	Sahara Av, 0.1 mi W of Western Beltway.							7,900	9,150	9,750	10,000
0032225	Sands Av, 0.1 mi E of Las Vegas Bl							36,400*	36,000*	42,500*	47,000
0032226	Santiago Dr, 0.1 mi W of Stephanie.							9,200	10,200	5,700	5,100
0032227	Serene Av, 0.1 mi E of Eastern.							7,550	6,700	7,400	7,000
0032228	Serene Av, 0.1 mi E of Las Vegas Bl.							1,550	1,400	1,450*	1,600
0032229	Serene Av, 0.1 mi W of Eastern.							23,000	21,000*	23,500*	23,000
0032231	Silverado Ranch Bl, 0.1 mi W of Eastern.								17,200	16,900	22,000
0032232	Silverado Ranch Bl, 0.1 mi W of Decatur.								10,000*	10,400*	1,700
0032233	Simmons St, 0.1 mi N of Gowan.							10,200	9,100	11,700	11,000
0032234	Smoke Ranch Rd, 0.1 mi W of US-95.							14,600	14,200	15,100	13,000
0032235	Speedway Bl, 0.1 mi E of IR-15.							3,200	2,850	3,250	2,900
0032236	Spencer St, 0.1 mi S of Serene.							18,000	16,600	17,400	19,000*
0032237	Spencer St, 0.1 mi N of St. Rose.								11,300	11,100*	14,000
0032238	Spring Mountain Rd, 0.1 mi W of Decatur.							34,500	35,500	36,000	37,000
0032239	Statz St, 0.1 mi N of Tropical.								1,450	1,800	2,400
0032240	SR612, Nellis Bl, 75' N of St. Louis Av.	43,250	43,125	41,400	41,400	42,040	40,690	44,795	46,500	44,500	42,000
0032241	Stephanie St, 0.1 mi S of IR-215.							19,100	24,800	24,600	21,000
0032242	Stephanie St, 0.1 mi N of IR-215.							39,000	45,000	41,500	37,000
0032243	Stephanie St, 0.1 mi S of Warm Springs.								44,000	36,500	36,000
0032244	Stewart Av, 0.1 mi E of Eastern.							16,100	15,300	16,100*	17,000

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name CLARK

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT						
0032247	Sunset Rd, 0.1 mi W of Rainbow.							2,300	1,650	1,750*	3,500
0032248	Sunset Rd, 0.1 mi W of IR-215 (Western Beltway)								6,650	6,950*	14,000
0032249	Town Center Dr, 0.1 mi N of Western Beltway.							12,200	12,200	13,100*	14,000
0032250	Town Center Dr, S of Sahara Av							17,300		18,100*	16,000
0032251	Town Center Dr, 0.1 mi S of Western Beltway.							4,000	4,000*	4,250*	4,500*
0032252	Tropical Pk, 0.1 mi W of US-95.							12,200	12,200	13,100	11,000
0032253	Tropicana Av, 0.1 mi E of Boulder Hwy.							26,100	14,900	16,600	17,000
0032254	Tropicana Av, 0.1 mi E of Western Beltway.							32,500	31,000	32,500*	28,000
0032255	Tropicana Av, 0.1 mi W of Decatur.							60,000	61,000	60,500	57,000*
0032256	Tropicana Av, 0.1 mi W of Rainbow.							44,500	41,500	38,500*	40,000
0032257	Tropicana Av, 0.1 mi W of Western Beltway.								38,500	40,500*	34,000
0032258	Twain Av, 0.1 mi E of Paradise.							20,500*	19,500	24,100*	27,000*
0032259	Twain Av, 0.1 mi W of Industrial.							15,600	20,700	21,900	22,000*
0032261	Valley View Bl, 0.1 mi N of Patrick.							16,000	18,600	20,100*	20,000*
0032262	Valley View Bl, 0.1 mi S of Cactus.							6,250	6,100	7,050*	7,600
0032264	Vegas Dr, 0.1 mi W of Decatur.							11,700	13,400	13,100	14,000
0032265	Vegas Valley Dr, 0.1 mi E of Nellis.							14,200	16,700	16,700	16,000
0032266	Warm Springs Rd, 0.1 mi E of Las Vegas Bl.							20,800	22,900	26,100*	23,000
0032268	Warm Springs Rd, 0.1 mi W of IR-15.							19,600	21,000	24,100	23,000
0032269	Warm Springs Rd, 0.1 mi W of Rainbow.							6,650	5,450	6,750*	9,800
0032270	Washington Av, 0.1 mi E of Nellis.							8,500	8,350	9,800	9,100
0032271	Washington Av, 0.1 mi W of Decatur.							16,600	18,700	19,100	19,000
0032272	Washington Av, 0.1 mi W of IR-15.							11,300	10,000*	12,100*	16,000
0032273	Washington Av, 0.1 mi W of MLK.							15,700	15,400	18,100	16,000
0032274	Windmill Ln, 0.1 mi E of Las Vegas Bl.							14,600	16,600	14,300	21,000
0032275	Windmill Ln, 0.1 mi W of Rainbow.							2,100	1,900	2,450*	2,100
0032276	Cheyenne Av, 0.1 mi W of US-95.							9,350	61,000	64,500	59,000*
0032277	Main St, 0.1 mi S of US-95.							17,700	21,500	22,100	19,000

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name CLARK

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0032278	Durango Dr, 0.1 mi N of Elkhorn.							5,600	5,700	5,950	4,900
0032279	Oakey Bl, 0.1 mi E of Las Vegas Bl.							8,300	7,950	8,300	9,000
0032280	Silverado Ranch Bl, 0.1 mi E of Las Vegas Bl									16,800	18,000
0033120	SR562, Sunset Rd, 0.1 mi E of Paradise Rd.	36,455	38,585	38,135	37,420	40,345	38,154	40,303	42,000	42,500	41,000
0033130	US95, Maine St, 0.7 mi N of SR-164 (Nipton Rd)	5,965	6,305	6,225	6,870	7,745	7,775	8,805	9,150	9,500	9,500
0033150	US93, 0.8 mi S of US-95 Intch.	30,895	31,965	32,250	32,135	32,190	32,770	33,625	34,000	34,000	35,000
0033160	SR163, Davis Dam Rd, 0.5 mi E of US-95.	5,025	4,965	4,820	5,244	6,090	6,115	6,540	7,050	7,000	6,800
0033180	SR160, Pahrump Vy Rd, 15.6 mi W of SR-159.	6,360	7,030	7,235	7,280	7,720	7,850	8,660	9,450	9,700	9,800
0033190	SR599, Rancho Rd, 0.2 mi N of SR-574 (Cheyenne Av).		28,610	27,775	27,435	27,260	26,420	27,973	31,500	32,000	32,000
0033200	SR564, Lake Mead Dr, 1.7 miles East of Lake Las Vegas Pkwy			3,755	3,245	3,030	2,695	2,688	2,900	2,900	2,700
0035210	SR159, Charleston Bl, 0.3 mi E of Valley View Bl.	41,310	40,315	39,345	36,015	40,770	39,680	43,147	40,500	41,500	42,000
0035220	US93, 0.3 mi S of Boulder Beach Hwy				13,225	12,280	12,610	12,969	13,000	13,000	13,000
0035230	Eastern Av, 0.15 mi S of SR-159 (Charleston Bl.)				35,495	34,810	33,530	34,373	36,000	37,000	36,000
0035240	Jones Bl, 0.1 mi N of Smoke Ranch Rd.							20,408	19,400	17,500	17,000
0035250	SR592, Flamingo Rd, 0.1 mi E of Decatur Bl.	58,000	56,400	51,000	51,000*	63,915	62,650	64,118	64,100*	64,000*	65,000
0035260	SR144, Mesquite Bl, 0.4 mi E of SR-170 (Bunkerville Rd).				14,110	14,255	13,920	14,552	15,000*	11,000*	11,000
0035270	IR215, 0.8 mi S of Far Hills Intch.					23,075	29,475	36,679	39,500	46,500	51,000
0035310	SR593, Tropicana Av, 0.1 mi E of Spencer St.	54,500	61,200	57,000	57,000*	52,535	53,045	54,782	53,500	54,500	53,000
0035320	US95, 0.8 mi S of Durango Intch.						33,995	37,093	40,000	41,000	41,000
0035330	SR604, Las Vegas Bl, 0.3 m S of SR-612 (Nellis Blvd)	24,100	25,300	33,500	33,500*			14,061	14,300	14,100	13,000
0035340	IR15, 0.1 mi. S. of SR-160 Intch. (Blue Diamond Rd)										91,000
0035350	IR15, 3.2 mi N of US-93.							20,916	21,900	22,800	22,000
0035360	IR15, 1.5 mi S of the Sloan Intch.									45,000	46,000
0036001	Centennial Pk, 400' W of Losee.							5,750	7,300*	7,650*	6,600*
0036002	Washburn Rd, 200' W of Losee.							4,400	3,400*	3,550*	3,700*

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name CLARK

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT						
0036003	Lone Mountain Rd, 200' W of Losee.							3,800	3,850	4,150	3,800*
0036004	Craig Rd, 400' W of Losee.							34,500*	44,500	46,500	45,000*
0036005	Alexander Rd, 200' W of Losee.							4,750	4,700*	4,950*	4,900*
0036006	Gowan Rd, 200' W of Losee.							1,500	1,500*	1,650*	2,700
0036007	Cheyenne Av, 100' E of Bucyrus Erie.							44,500	45,800*	47,700*	44,000
0036008	Brooks Av, 200' W of Losee.							3,200	3,550	3,850	3,300
0036009	N 5th St, 600' S of Brooks.								5,100	5,350	5,700*
0036010	Carey Av, 100' W of Kyle Wy.							14,600	14,200	14,800	16,000
0036011	Lake Mead Bl, 200' W of Bangle.							22,600	23,000*	24,100*	23,000
0036012	Owens Av, on I-15 overpass.							9,200	11,900	13,100	13,000
0036101	Main St, 300' N of Owens.							11,800	10,900	11,100	11,000
0036102	Las Vegas Bl, 300' N of Owens.							12,000	11,000	11,500	12,000
0036103	Bruce St, 200' N of Owens.							7,900	6,850	7,250	7,800
0036104	Civic Center Dr, 200' N of Owens.							29,700*	31,000*	32,000*	30,000
0036106	Pecos Rd, 200' N of Owens.								21,200	22,000	23,000
0036201	Simmons St, 300' N of Lake Mead.								13,300	14,100	13,000
0036202	Martin Luther King Bl, 500' N of lake Mead.								32,000	33,500	37,000
0036203	Revere St, 200' N of Lake Mead.								5,000	5,250	4,700
0036204	Losee Rd, 500' N of Lake Mead.							17,800*	18,900	20,100	19,000
0036301	Decatur Bl, 400' N of Cheyenne.							28,100	29,000*	30,500*	32,000
0036302	Valley Dr, 300' N of Cheyenne Av.							3,000	2,900	3,050	4,000
0036303	Allen Ln, 300' N of Cheyenne Av.							5,150	7,100	7,450	5,900
0036305	Clayton St, 300' N of Cheyenne.							6,600	6,600*	6,900*	6,300
0036306	Martin Luther King Bl, 600' N of Cheyenne.							39,000	38,000*	40,500*	38,000
0036307	Revere Dr, 300' N of Cheyenne.							4,300	4,600	4,650	4,200*
0036308	Commerce St, 600' N of Cheyenne.							5,900	5,750	6,150	10,000
0036309	N 5th St, 300' N of Cheyenne.							11,000	14,600	16,100	14,000
0036310	Losee Rd, 300' N of Cheyenne.							17,800*	22,000*	23,000*	28,000

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name CLARK


Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT						
0036311	Civic Center Dr, 200' N of Cheyenne.							9,850	11,100	11,100	12,000
0036312	Pecos Rd, 300' N of Cheyenne.								14,000	15,100	16,000
0036401	Decatur Av, 600' S of Craig.							25,300	29,300	30,500	30,000
0036403	Allen Rd, 200' S of Craig.							4,500	6,000	6,350	5,200*
0036404	Simmons St, 300' S of Craig.										11,000
0036405	Clayton St, 600' S of Craig.								12,100	13,100	9,500
0036406	Martin Luther King Bl, 800' S of Craig.							34,500	34,000*	35,500*	30,000
0036407	Revere St, 300' S of Craig.							2,500	2,700*	2,850*	2,600*
0036408	Commerce St, 300' S of Craig.										6,000
0036409	N 5th St, 300' S of Craig.							7,000	8,600	9,000	10,000
0036411	Losee Rd, 400' S of Craig.							11,200	14,000	12,100	17,000
0036412	Pecos Rd, 400' S of Craig.							10,500	10,700	11,100	13,000
0036414	Lamb Bl, 800' S of Craig.							11,900	12,700	14,100	15,000
0036415	Clayton St, .1 mile N of Craig Rd.							14,000	15,000*	15,700*	10,000*
0036501	Decatur Bl, 600' S of Ann.							20,300	21,700	23,100	26,000
0036502	Valley Dr, 200' S of Ann.										2,700
0036503	Allen Ln, 200' S of Ann.							4,350	6,000*	6,350*	5,000
0036504	Simmons St, 200' S of Ann Rd.							5,250	7,650	7,950	12,000
0036505	Clayton St, 200' S of Ann.							6,000	6,850	7,250	7,600
0036506	Camino Al Norte, 700' S of Ann.							18,400	21,800	23,100	20,000
0036507	Commerce St, 200' S of Ann.							5,100	6,300	6,950	9,600*
0036508	N 5th St, 200' S of Ann.							5,800	7,700	8,050	10,000*
0036509	Losee Rd, 100' S of Ann.							11,300	14,000*	15,100*	14,000*
0036701	Ann Rd, 300' E of Decatur.							15,900	20,000	21,100	21,000*
0036702	Washburn Rd, 200' E of Decatur.							2,500	2,350	2,550	2,400
0036703	Lone Mountain Rd, 500' E of Decatur.							8,600	8,800	9,250	9,400
0036704	Craig Rd, 100' E of San Diego.							34,000	36,500	39,500	38,000
0036705	Alexander St, 200' E of Decatur.							5,300	5,300*	5,550*	5,600

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations


County Name CLARK			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0036706	Gowan Rd, 700' E of Decatur.								4,350	4,350	4,650	5,100
0036707	Cheyenne Av, 0.2 mi E of Decatur.								33,500	34,000	35,500	35,000
0036708	Carey Av, 200' E of Rancho.								12,100	13,100	14,100	13,000
0036709	Lake Mead Bl, 0.2 mi E of Rancho.								20,700	20,600	22,100	25,000
0036805	Craig Rd, 300' W of Lamb.								33,000	36,000	35,500	33,000
0036807	Alexander Rd, 300' W of Pecos.								3,700	4,500	4,700	5,500
0036808	Gowan Rd, 200' W of Pecos.								3,300	4,300	4,550	4,600
0036809	Cheyenne Av, 300' W of Pecos.								28,700	31,500	32,500	30,000
0036810	Las Vegas Bl, 400' W of Pecos.								27,800	28,900	30,000	27,000
0036811	Carey Av, 100' W of Pecos.								4,550	4,050	4,150	5,500
0036812	Lake Mead, 400' W of Pecos.								34,000	39,000	40,700	38,000
0036813	Owens Av, 300' W Pecos.								14,100	17,000	17,700	17,000
0036901	Tropical Pk, 100' E of Camino Al Norte.									2,150	2,350	5,100
0036902	Ann Rd, 300' E of Camino Al Norte.								7,800*	11,100	11,100	8,900
0036903	Washburn Rd, 300' E of Camino Al Norte.								6,250	7,550	7,850	8,200
0036904	La Madre Wy, 200' E of Camino Al Norte.								3,800	3,900*	4,100*	2,000
0036905	Lone Mountain Rd, 200' E of Camino Al Norte.								5,650	5,700*	5,950*	6,000*
0036906	Craig Rd, 100' W of Home Depot St.								35,500	45,500	47,000	50,000
0036907	Alexander Rd, 500' E of Martin Luther King.								7,100	7,100*	7,450*	5,200*
0036908	Gowan Rd, 300' E of Martin Luther King.								6,400	6,000	6,350	6,500
0036909	Cheyenne Av, 500' E of Martin Luther King.								38,500	38,000	40,500	33,000
0036910	Brooks Av, 100' E of Martin Luther King.								1,700	2,050	2,150	2,300
0036911	Carey Av, 300' E of Martin Luther King.								11,900*	12,100	13,100	12,000
0036912	Lake Mead Bl, 500' E of Martin Luther King.									21,400	22,100	24,000
0036913	Centennial Pk, 400' E of Camino Al Norte.									3,450	3,600	4,900
0310883	US95, S/B on-ramp of the Wagon Wheel Dr Intch 'Exit 56' from Boulder Hw to IR-515.		2,050	1,800	2,200*	1,600	1,700	1,700*	1,600	1,950	3,300*	1,800*

*005

DOUGLAS



*005



**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name DOUGLAS			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0050001	US395, .2 miles N of the NV-CA Stateline (Topaz Lake Area).		3,700	3,750	3,900	3,980*	4,100	4,300	4,600	4,600*	4,450*	4,700
0050002	US395, .3 mi South of SR-208.		4,550	4,500	4,700	4,800*	4,950*	5,200	5,600	5,600*	5,350*	5,600
0050003	SR208, Main St, 1 mi E of US-395 100' W of mp DO-1.		3,150	3,200	3,550	3,600	3,600*	3,900	3,900	4,100	4,150	4,000*
0050005	US395, .1 mi S of mp 16 & S of Palomino Dr.		7,050	6,700	6,800	7,600	8,050	8,900	8,900*	9,000*	8,700*	9,000
0050006	US395, 10' S of Toler Av.		20,800	21,200	22,700	22,000	23,000	23,500*	24,000	25,900	26,100	24,000
0050007	US395, 30' S of Eddy St.		21,000	21,600	23,200	22,000	22,000*	22,500	23,000	24,200	22,900	23,000
0050008	US395, 150' S of High School St.		24,300	25,300	26,500	25,000	25,000*	27,700	26,000	28,700	29,100	26,000
0050010	US395, 150' S of Sixth St.		22,800	25,900	24,200	24,200*	24,200*	26,500	22,700*	27,400	25,600	25,000
0050011	US395, 650' South of SR-88.		22,300	23,000	24,300	24,300*	24,900	26,200	26,200	27,700	25,900	26,000
0050012	SR88, .2 mi S of US-395		11,800	12,800	12,600	13,300*	13,700*	14,400*	13,700	12,300	13,700	14,000
0050013	SR207, Kingsbury, .2 mi W of SR-88.		3,500*	4,300	4,300*	3,700	3,700*	4,100	3,700	4,050	4,050	4,100
0050014	SR88, 550' S of SR-207 (Waterloo & Mottsville Ln).		9,000	8,900	9,250*	9,800*	10,100	10,700	9,950	9,900*	10,200*	9,800
0050015	Waterloo Ln, .2 mi E of SR-88.		1,300	1,500	1,700	1,800	1,900	2,050	2,000	2,200	2,250	2,100
0050016	SR756, Centerville Ln, .3 W of US-395.		5,400	5,400	5,650	5,300	5,250	5,800	5,500	6,600	6,650	5,400
0050017	SR756, Centerville Ln, .1 mi N of SR-207 (Waterloo Ln).		8,050	8,100	9,250*	9,800	10,200	10,700	10,500	12,000	12,100	10,000
0050018	SR756, Centerville Ln, 550' mi E of SR-88.		3,450	3,700	3,850	3,800*	4,100	4,450	4,500*	4,300	4,250	4,200
0050019	SR88, .1 mi S of Kimberling Rd.		3,400	3,550	3,600	4,200	4,300	4,250	4,600	4,600	4,300	4,300*
0050022	SR206, Fairview Rd, 1 mi W of SR-88 & .1 mi W of Fredricksburg Rd.		450	500	610	600	620	710	660	660*	780*	670
0050023	SR206, Fairview Rd, .1 mi S of SR-207 (Kingsbury Grade).		2,400*	2,250	2,250	2,800	2,600	2,850	2,900	2,900*	2,250*	3,000
0050024	SR207, Kingsbury, .3 mi W of SR-206 (Foothill Rd).		4,450*	5,500	4,850	5,300	5,200*	5,550	5,400*	5,700	5,700	5,700*
0050025	SR206, Fairview Rd, .1 mi N of SR-207 (Kingsbury Grade).		2,400	2,350	2,200	2,500	2,350	2,650	2,850	3,050	2,800	2,400
0050026	SR757, Muller Ln, 200' W of US-395.		1,450	1,400	1,500	1,600	1,600	1,550	1,500	1,500*	1,650*	1,500
0050027	SR206, Foothill Rd, 2.2 mi N of SR-757 (Muller Ln)/.34 mi S of Genoa Ln		1,600	1,950	1,800	1,800*	1,850	2,100	2,300	2,350	2,400	2,000

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name DOUGLAS



Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0050028	SR206, Genoa Ln, 200' W of US-395.	1,250	1,450	1,400	1,400*	1,600	1,600	1,500	1,450	1,450	1,500
0050029	US395, .25 mi S of Muller Ln.	24,100	25,200	26,600*	26,600*	29,200	30,500	30,500*	32,500	32,000	29,000
0050030	US395, .1 mile S of SR-206 (Genoa Ln).	25,100	25,900	27,300	27,300*	29,000	30,000	31,500	32,000	30,500	29,000
0050031	US395, 500' N of SR-206 (Genoa Ln).	24,500	26,200	27,000	27,000*	28,800	30,500	31,000	33,000	31,500	30,000*
0050032	SR759, Douglas County Airport Rd, .1 mi E of US-395.	2,300	2,300	2,300	2,300*	2,200	2,450	2,450	2,700	2,550	3,000
0050033	US395, .9 mi S of Mica Dr.	25,100	26,400	27,700*	27,700*	29,900	30,500	31,000*	33,000	33,000	32,000
0050034	Jacks Valley Rd, .15 mi W of US-395.	4,500	7,400	9,000	9,000*	15,300	11,000*	11,000*	11,000	11,100	10,000
0050035	SR28, North Shore Rd, .2 mi N of US-50.	6,300	6,300	6,000	6,000	5,850	5,950	6,450	6,000*	5,650*	11,000*
0050036	US50, Aultman St, .4 mi W of SR-28 at mp 12.	11,300	11,700	12,700	12,600*	12,600*	11,100	13,000	11,300	10,900	5,700*
0050037	US50, 600' W of the road to Glenbrook.	11,300	11,700	12,700*	12,600*	12,300	11,600	11,600*	11,800	12,100	12,000
0050038	US50, .3 mi E of SR-760. (Elk Point Rd.)	18,300	19,600	18,300*	18,000	18,200*	16,800	16,000	16,000*	13,600*	13,000*
0050039	SR760, Elk Point Rd, .1 mi W of US-50.	1,400*	1,500	1,200	1,200	900	750	750*	750*	1,200*	670
0050040	US50, Aultman St, .4 mi E of SR-207 (Kingsbury Grade) at mp DO1.	20,300	21,800	20,300	22,000	21,000	20,300	23,000	23,700	19,800	17,000
0050041	US50, 300' E of SR-207 (Kingsbury Grade).	20,300	25,900	23,000	25,000	24,100	22,100	22,300*	27,700	23,700	20,000
0050042	SR207, Kingsbury, 350' E of US-50.	14,900	15,100	15,200*	15,200*	14,800	15,000	14,700*	14,600*	14,300*	13,000
0050044	US50, Aultman St, 300' E of the NV-CA State line.	26,700	26,700	27,800*	27,300*	27,600*	30,500	30,800*	28,900	26,500	25,000
0050045	US395, .4 mi N of Jacks Valley Rd 10' S Drive Way of Liberty Baptist Church.	32,200	33,600	37,600	37,600*	39,600	36,500	44,000	45,500	46,000	49,000*
0050046	US395, .4 mi N of Mica Dr.					31,500	34,000	34,000*	35,000	35,500	34,000*
0050048	Foothill Rd, .1 mi S of Alpine View Ct.	1,400	1,700	1,700*	2,100	2,050	2,200	2,400	2,500	2,450	2,300
0050049	Jacks Valley Rd, .4 mi N of SR-206 (Genoa Ln).	2,050	2,250	2,250*	2,600	2,500	2,700	2,900	2,900	2,850	2,700
0050050	Pinenut Rd, 500' mi E of US-395.	2,500	2,400	2,600	3,100	3,150	3,050	3,050	3,300	3,250	3,600
0050051	E Valley Rd, .1 mi NW of Pinenut Rd.	600	550	680	950	890	860	1,100	1,100	1,250	1,300
0050052	Johnson Ln, .2 mi E of US-395.	4,300	4,600	4,800	4,900	6,000	6,350	6,450	7,250	7,250	6,600
0050054	Johnson Ln, 150' E of Clapham Ln.	2,550	2,700	2,950	2,800	2,800*	3,500	3,400	4,000	4,000	3,800
0050056	Waterloo Ln, .2 mi E of US-395.	4,250	4,750	5,050	6,100	6,700*	7,150	7,200	6,900	7,400	7,200
0050058	Toler Av, .3 mi E of Elges Rd.	3,300	3,400	3,800	3,800	4,100	4,400	3,800	3,900	4,050	4,200

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations


County Name DOUGLAS

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0050059	US395, 200' S of the N Leg of Industrial Wy.	17,300*	17,800	20,000	19,000	20,100	21,900	23,000*	24,000*	24,100*	20,000
0050060	SR88, 1 mi S of US-395.	10,100	10,100	10,500*	11,400*	11,800	12,400	12,400	12,000*	12,100*	13,000
0050062	Centerville Ln, .1 mi W of Sheridan Wy & 150' E of SR-206 (Foothill Rd).	2,000*	2,050	2,200	2,400	2,400*	2,500	2,500	2,450	1,900	2,500
0050063	Centerville Ln, .7 mi W of SR-88.	2,450	2,400	2,600	2,700	2,700*	2,900	2,900	2,850	2,850	2,900
0050064	County Rd, .1 mi E of SR-88.	3,150	3,400	4,050	4,050*	3,600	3,700	3,300	3,150	3,100	4,100
0050066	Kimmerling Rd, 75' E of Short Ct.	6,600	6,500	6,650	6,900	6,900	7,350	7,250	7,300*	6,900*	6,600
0050067	US395, .5 mi N of Johnson Ln at mp DO-28.6.	22,400	23,800	25,000	25,000*	25,900	27,600	29,200	30,500	29,000	28,000
0050069	US395, .5 mi S of Pinenut/Riverview Rd.	10,100	10,100	10,000	11,000	10,800	11,500	11,800	12,300	11,900	12,000
0050070	Buckeye Rd, .1 miles W of Orchard Rd.						2,350	2,100	2,300	2,200	2,200
0050071	Palamino Ln, 200' E of Pinto Cir.						1,300	1,250	1,350	1,400	1,200
0050072	Pinto Cir, 300' N of Palamino Ln.						1,250	1,100	1,200	1,200	1,200*
0050073	Tillman Ln, .5 mi S of Dresslerville Rd.						6,850	6,750	7,450	7,550	6,100
0050074	Dresslerville Rd, .1 mile E of Tillman Ln.						3,900	3,950	4,000	3,750	3,700
0050075	Dresslerville Rd, 200' W of Tillman Ln.						8,600	8,800	9,900	8,500	8,100
0050076	Riverview Dr, 250' W of US-395						310	370	10,000	10,400	9,700
0050077	Stephanie Ln, 760' E of US-395.						6,300	7,050	7,350	7,200	6,900
0050078	Stephanie Ln, 125' E of Vicki Ln.						2,150	2,150	2,400	2,550	2,200
0050079	Vicki Ln, 420' N of Johnson Ln.						1,600	1,550	1,650	1,700	1,400
0050080	Fish Springs Rd, .15 miles W of Sawmill Rd.						2,500	2,700	2,800	2,850	2,900
0050081	SR88, Woodfords Rd, 250' N of Kimmerling Rd.						10,600	10,200	10,000*	10,400*	9,900
0050082	Topaz Ranch Rd, 200' N of W leg of SR-208 (Yerington Rd).						590	670	590	590	550
0052110	US50, Aultman St, 0.6 mi E of the NV-CA State line	30,905	31,100	32,330	31,580	32,010	32,840	33,205	32,500	31,000	30,000
0053110	US395, 4.20 mi N of NV/CA Stateline	5,795	6,080	6,245	6,385	6,790	6,990	7,136	6,000	7,000	6,700
0053120	SR88, Woodfords Rd, 0.5 mi N of the NV-CA State line	3,090	3,310	3,345	3,570	3,785	3,875	3,905	3,800	3,850	3,800
0053130	Centerville Ln, 0.2 mi N of Dresslerville Rd.	7,850	7,900	9,000	8,610	8,580	8,620	9,297	8,800	8,850	8,700
0053150	SR207, Kingsbury, 0.5 miles E of US-50					11,735	12,555	12,294	12,100	12,100	12,000


*007




ELKO AREA

***007**


*007




CARLIN



WELLS



MONTELLO




SPRING CREEK


INTERSTATE 80 INTERCHANGES

007


WEST CARLIN 279




CENTRAL CARLIN 280




EAST CARLIN 282




HUNTER 292




ELKO WEST 298




ELKO DOWNTOWN 301




ELKO EAST 303




OSINO 310




RYNDON-DEVIL'S GATE 314




DEVILS GATE -ELBURZ 317




HALLECK-RUBY VALLEY 321




RIVER RANCH 328




DEETH-STARR VALLEY 333




WELCOME-STARR VALLEY 343




BEVERLY HILLS 348




WEST WELLS 351




U.S.93 EAST WELLS 352




MOOR 360



INDEPENDENCE VALLEY 365




SUMMIT 373




INTERSTATE  INTERCHANGES

007


PEQUOP 376




OASIS 378




SHAFTER 387




PILOT PEAK 398



OLA 407



WEST WENDOVER 410



State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name ELKO			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0070001	SR221, Chestnut St, .5 mi W of Tenth St.		1,150	1,150	900	900*	900*	980	970	1,050	1,300	1,000
0070002	SR766, Newmont Mine Rd, 5 mi N of the Central Carlin Intch 'Exit 280' & 75' N of Dump Rd.		2,500	2,500	2,500*	1,900	1,850	2,000	2,200	2,450	2,650	2,500
0070003	Pacific Av, W of Humboldt Av at the RxR tracks. (Wells area)						580	460		400	250	240
0070004	Hot Springs Rd, S of Elko 45' N of the RxR tracks.						220	350		130	190	340
0070005	'B' St, In Carlin 75' N of at the RxR tracks.						170	140		110	130	170
0070006	SR221, Chestnut St, 200' E of 10th St.		1,550	1,550	1,550*	1,500	1,450	1,550	1,500	1,750	1,750	1,800
0070007	IR80, E of the E Carlin Intch 'Exit 282' at mp 288.		9,790	10,005	10,270	9,720	9,600*	9,500	9,800	10,000	10,700	11,000
0070008	IR80, E/B off-ramp of the Hunter Intch 'Exit 292'		30	40	40	30	50	30	30	40	40	30
0070009	Tenth St, in Carlin 15' N of the RxR tracks.						860	990		1,350	1,150	1,200*
0070010	Lake Av, in Wells 50' S of the RxR tracks.						580	680		680	640	600
0070011	IR80, E/B on-ramp of the Hunter Intch 'Exit 292'		105	70	70	80	100	70	60	70	80	100
0070012	Fourth St, in Carlin 75' N of the RxR tracks.					470	690	400	370	380	400	400*
0070013	IR80, W/B off-ramp of the Hunter Intch 'Exit 292'		70	80	80	80*	140	80	80	90	100	120*
0070015	IR80, W/B on-ramp of the Hunter Intch 'Exit 292'		40	50	50	50	50*	40	50	50	60	50*
0070016	SR535, Idaho St, .3 mi E of the E/B off-ramp of the Elko W Intch 'Exit 298'.		2,400	2,500	2,500*	2,200	2,350	2,150	2,300	2,750	3,100	2,900
0070017	SR535, Idaho St, .4 mi W of Mountain City Hw.		3,800	3,400	3,400*	3,500	3,500*	3,400	3,200	4,000	4,350	4,000
0070020	SR227, 5th St, 150' S of SR-535 (Idaho St).		10,300	9,700	10,700	9,600	9,550	9,200	9,650	10,000	9,650	9,600
0070022	Spring Creek Pk, 115' W of Bellwood Dr.					780	770	740	770	800	810	890
0070025	SR225, Mountain City Hw, .4 mi S of SR-226.		950	880	880*	770	770	770*	790	680	800	750*
0070027	SR226, Deep Creek Rd, .1 mi W of SR-225 to Mountain City.		140	150	120	150	130	110	110*	130	170	150
0070030	Spring Valley Pk, .1 mi W of Lamont Dr.						520	510	490	520	590	580
0070032	Old Maggie Summit Rd, .3 mi W of SR-225.					30	30	40	60	50	60	30
0070034	SR225, Mountain City Hw, .6 mi N of mp 108.		370	420	380	380*	330	320	360	300	340	340
0070037	SR225, Mountain City Hw, 3.7 mi N of South Boundary of Duck Valley Indian Reservation.		470	470	440	440*	420	420*	470	370	430	350

* Data Adjusted or Estimated

Page 1

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name ELKO			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT						
0070038	Wilson Reservoir Rd, Rd to Sheep Creek Reservoir .3 mi W of SR-225, just S of Owyhee.		700	590	590	550	590	630	640	700	600	610
0070041	SR225, Mountain City Hw, 150' S of the NV-ID State line.		750*	810	950	950*	930	1,000	890	910	1,050	990
0070042	Wilson Reservoir Rd, .1 mi N of the county rd to the ILL Ranch & Wilson Reservoir.					30	50	30	50	20	50	20*
0070043	Bull Run Reservoir Rd, .1 mi W of Wilson Reservoir Rd.					20	20	30	20	30	20	20
0070047	SR226, Deep Creek Rd, 1.5 mi N of Old SR-18 to Tuscarora.		90	120	110	120	120	100	100*	100	120	150
0070048	Tuscarora Rd, 1.4 mi W of SR-226.					70	40	60	50	60	70	60
0070052	SR228, Jiggs Rd, 150' S of SR-227 to Lamoille.		1,350	1,250	1,250*	1,250*	1,350	1,350	1,400*	1,400*	760*	800*
0070053	SR227, 5th St, .2 mi S of SR-228 to Jiggs.		10,300	10,200	10,500	9,800	10,100	10,300	10,500*	10,000*	11,200*	11,000
0070054	Lamoille Canyon Rd, .1 mi S of SR-227.		310	340	310	430	250	370	370	460	320	310
0070055	SR227, 5th St, .1 mi E of Lamoille Canyon Rd.		1,050	970	1,050	910	830	880	970	1,000*	950*	960
0070057	SR228, Jiggs Rd, .1 mi N of Woods Ln.		365	330	400	400*	380	330	350	510	410	400*
0070059	Old SR-46 (Bald Mtn Mine Rd), .3 mi S of SR-228.					90	100	90	100	210	150	180
0070063	SR767, Ruby Valley Rd, 16.7 mi S of Wye of SR-229 & SR-767.		45	55	50	50*	50*	50	50	60	70	40
0070064	SR767, Ruby Valley Rd, .1 mi S of the leg of Wye of SR-229.		115	115	110	130	180	100	120	100	110	100
0070065	SR229, Ruby Valley Rd, .8 mi E of the N leg of Wye to SR-229.		115	105	100	100	140	110	110	120	150	120
0070069	SR229, Ruby Valley Rd, 500' mi N of the county rd to Arthur in Ruby Valley.		190	120	200	180	260	180	170	180	180	190
0070070	Lamoille Valley Rd, .25 mi W of SR-229.		100	90	60	70	120	60	60	80	40	60
0070071	SR229, Ruby Valley Rd, 1.1 mi. N of the Lamoille Vy Rd.		200	140	160	160	210	140	140	180	150	160
0070074	SR230, Starr Valley Rd, .6 mi S of Starr Valley County Rd.		150	90	110	100	100*	100	100	110	100	120

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name **ELKO**

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0070076	SR230, Starr Valley Rd, .1 mi N of the County Rd to Deeth.		220	140	120	140	130	160	130	160	160	130
0070077	IR80, E/B off-ramp of the Osino Intch 'Exit 310'		475	320	450	400	390	380	390	460	410	430
0070079	IR80, E/B on-ramp of the Osino Intch 'Exit 310'		230	200	210	200	240	270	250	270	290	290
0070081	IR80, W/B off-ramp of the Osino Intch 'Exit 310'		170	200	160	200	170	190	180	190	210	210*
0070083	IR80, W/B on-ramp of the Osino Intch 'Exit 310'		505	320	490	400	400	400	400	460	400	420*
0070084	IR80, E/B off-ramp of the Ryndon Intch 'Exit 314'		550	430	400	440	410	420	410	510	560	580
0070086	IR80, E/B on-ramp of the Ryndon Intch 'Exit 314'		40	50	40	50	50	70*	40	50	110	80
0070088	IR80, W/B off-ramp of the Ryndon Intch 'Exit 314'		40	40	40	50	40	120	40	40	100	70*
0070091	IR80, W/B on-ramp of the Ryndon Intch 'Exit 314'		600	400	400	440	400	410	400	510	540	570*
0070092	IR80, E/B off-ramp of the Elburz Intch 'Exit 317'		200	180	90	140*	110*	100	90	110	120	130*
0070094	IR80, E/B on-ramp of the Elburz Intch 'Exit 317'		15	20	30	20*	20	30	30	20	30	20*
0070096	IR80, W/B off-ramp of the Elburz Intch 'Exit 317'		20	20	20*	20*	20	30*	40	30	30	30*
0070098	IR80, W/B on-ramp of the Elburz Intch 'Exit 317'		185	180	100	140	110	110	100	120	130	130*
0070099	IR80, 2.6 mi E of Elburz Intch 'Exit 317'		6,575	6,360	6,820*	6,720*	7,250	7,250*	6,900	6,700	6,700	7,200
0070100	IR80, E/B off-ramp of the Halleck Intch 'Exit 321'		125	120	110	130*	140	140*	140	140	140	140
0070101	SR229, Ruby Valley Rd, 200' S of the E/B off-ramp of the Halleck Intch 'Exit 321'.		270	250	330	330*	330	220	210	210	220	300
0070102	IR80, E/B on-ramp of the Halleck Intch 'Exit 321'		45	30	40	30*	30	30*	30	30	40	40
0070103	IR80, W/B off-ramp of the Halleck Intch 'Exit 321'		25	30	40	30	30	30*	30	20	30	30*
0070104	IR80, W/B on-ramp of the Halleck Intch 'Exit 321'		105	110	120	130	130	130*	120	120	120	110*
0070105	IR80, E/B off-ramp of the River Ranch Intch 'Exit 328'		55	70	80	60	60	60*	70	60	70	80
0070107	IR80, E/B on-ramp of the River Ranch Intch 'Exit 328'		40	40	30	30	40	40*	50	40	80	50*
0070109	IR80, W/B off-ramp of the River Ranch Intch 'Exit 328'		50	50	30	30	40	40*	40	40	70	50*
0070111	IR80, W/B on-ramp of the River Ranch Intch 'Exit 328'		55	70	80	60	50	50*	60	70	70	80*
0070112	IR80, .25 mi E of the River Ranch Intch 'Exit 328'.		6,395	6,140	6,570*	6,460	7,010	7,000*	6,750	6,500	6,450	6,900

* Data Adjusted or Estimated

Page 3

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name ELKO

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0070113	IR80, E/B off-ramp of the Deeth Intch 'Exit 333'	130	90	100	100	90	90*	80	70	90	70
0070115	IR80, E/B on-ramp of the Deeth Intch 'Exit 333'	50	50	50	50	40	40*	50	40	60	40*
0070116	IR80, W/B off-ramp of the Deeth Intch 'Exit 333'	65	60	50*	50	40	40*	50	40	60	40*
0070117	IR80, W/B on-ramp of the Deeth Intch 'Exit 333'	100	70	100	110*	90	90*	80	70	90	70*
0070118	IR80, E/B off-ramp of the Welcome Intch 'Exit 343'	45	60	100	50	60	60*	70	60	70	50
0070120	IR80, E/B on-ramp of the Welcome Intch 'Exit 343'	190	100	100	120	120	120*	100	100	120	80
0070122	IR80, W/B off-ramp of the Welcome Intch 'Exit 343'	190	100	100	100	100	100*	70	70	90	50*
0070123	Frontage Rd to Welcome, .1 mi E of the cross traffic rd of the Welcome Intch 'Exit 343'.	75	50	130	70	70	140	80	70	70	70*
0070125	IR80, W/B on-ramp of the Welcome Intch 'Exit 343'	55	60	110	60	70	70*	90	40	50	30*
0070126	Old US-40, 100' W of the 2nd Mountain View Dr Entrance.	150	170	230	230*	230*	150	110	90	100	90
0070127	Old US-40 (6th St), .2 mi NW of Humboldt St.	400	430	470	470*	470*	400	400	370	360	390
0070128	SR223, 6th St, 100' W of Lake Av E of the Wagon Wheel Motel.	2,100	1,950	2,150	2,400	2,400*	2,100*	1,800	1,700	1,800	1,600
0070129	SR231, Angel Lake Rd, .9 mi W of Humboldt Av.	70	75	120	120*	120	130	90	100	130	130
0070130	SR223, 6th St, 110' W of US-93 in Wells.	2,950	2,750	2,800	2,800*	2,800*	2,450	2,500	2,550	2,750	2,300
0070131	US93, .25 mi S of the E/B ramps at the E Wells Intch 'Exit 352'.	1,000	1,050	1,000	1,100	1,250	1,200	1,150	1,200	1,250	1,300
0070133	IR80, E/B off-ramp of the Moor Intch 'Exit 360'	30	40	50	40	30	30*	40	30	40	30
0070134	IR80, E/B on-ramp of the Moor Intch 'Exit 360'	25	30	20	20*	20	20*	20*	20	30	20
0070136	IR80, W/B off-ramp of the Moor Intch 'Exit 360'	15	30	20	30	20	20*	20	10	20	10*
0070138	IR80, W/B on-ramp of the Moor Intch 'Exit 360'	25	40	50	40	30	30*	40	30	40	30*
0070139	IR80, E/B off-ramp of the Independence Intch 'Exit 365'	35	40	70	30	40	40	50	30	50	50
0070140	IR80, E/B on-ramp of the Independence Intch 'Exit 365'	15	20	50	10	20	20	20	20	30	30
0070142	IR80, W/B off-ramp of the Independence Intch 'Exit 365'	10	10	20	20	10	10	10	10	10	20*

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name **ELKO**

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0070143	IR80, W/B on-ramp of the Independence Intch 'Exit 365'	30	30	30	30	30	30	30	30	40	40*
0070144	IR80, 1.0 mi E of the Pequop Intch 'Exit 376'.	4,840	5,080	4,790*	4,640*	4,900	4,950*	5,300	5,050	5,050	5,200
0070145	SR233, Montello Rd, .1 mi N of the W/B lanes of IR-80.	400	580	580*	350	380	370	520	380	390	320
0070146	Wendover Bl, 200' W of US-93A (to freeway).	12,700	12,300	12,500	12,500*	13,300	12,900	13,300	13,300	13,100	13,000
0070147	Wendover Bl, .25 mi W of the NV-UT State line.	11,100	11,300	9,200*	9,700	9,300	9,150	9,700	9,700*	9,750*	9,600
0070148	US93A, at mp EL 52. 200' S of the Wendover City Limits.	480	500	520	550	440	430	440	490	490	760
0070150	SR233, Montello Rd, .3 mi S of the county road to Crittenden Reservoir.	420	540	490	490*	420	450	550	500*	510*	500*
0070151	SR233, Montello Rd, .2 mi N of county road to Crittenden Reservoir-Wine Cup Ranch Rd.	250	360	350	290	320	300	410	310	310	290
0070153	SR229, Ruby Valley Rd, .1 mi W of US-93.	130	135	100	110	170	130	120	130	160	140
0070154	Southern Rd to Arthur in North Ruby Valley, 2.2 mi N of SR 229 & .1 mi N of a fence corner E.				30	60	60	30	30	40	40*
0070155	US93, .1 mi N of SR-229.	1,000	950	870	1,100	980	980	990	1,000	1,050	1,200
0070156	SR232, Clover Valley Rd, .1 mi W of US-93.	25	25	30	30*	30	20	20	20	30	30
0070158	SR232, Clover Valley Rd, N Clover Vy Rd .1 mi W of US-93 S of Wells.	150	170	160	210	160	180	140	160	150	140
0070161	IR80, .35 mile west of the East Elko Int. (Exit 303)										11,000
0070162	US93, 1.1 mi N of Jackpot.	3,950	3,850	3,850*	3,900	3,950	3,950	3,800	3,500	3,750	3,700
0070163	IR80, 6.0 miles E of on-ramp of 'Exit 303'.	8,575	7,660	8,270	8,200	8,530	8,900	10,300	8,250*	8,450*	8,200*
0070164	FREL54, .2 mi E of Nevada Youth Training Center driveway.	1,750	1,800	1,800*	1,500	1,480*	1,600	1,700	1,750	2,000	1,900
0070165	IR80, .3 mi W of Summit Intch 'Exit 373'.	4,840	5,080*	5,210*	5,060	5,270	5,350*	5,200	5,200*	5,050*	5,500*
0070166	IR80, E/B off-ramp of the Summit Intch 'Exit 373'	240	310	420	430	410	470	370	410	470	400
0070167	IR80, E/B on-ramp of the Summit Intch 'Exit 373'	240	310	220	210	230	260	230	220	240	220
0070168	IR80, W/B off-ramp of the Summit Intch 'Exit 373'	315	380	220	220	230	250	220	230	250	220*
0070169	IR80, W/B on-ramp of the Summit Intch 'Exit 373'	315	380	420	420	420	460	440	470	540	460*

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name **ELKO**

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0070171	IR80, .2 mi E of the Summit Intch 'Exit 373'.	4,840	5,080	4,790*	4,640*	4,900*	4,950*	5,400	5,100*	4,850*	5,300
0070172	IR80, E/B off-ramp of the Pequop Intch 'Exit 376'	15	10	10	10	10	10	10	10	20	20
0070174	IR80, E/B on-ramp of the Pequop Intch 'Exit 376'	15	10	10	10	10	10	10	10	20	10
0070175	IR80, W/B off-ramp of Pequop Intch 'Exit 376'	15	10	10	10	10	10*	10	10	20	10*
0070176	IR80, W/B on-ramp of the Pequop Intch 'Exit 376'	15	10	10	10	10	10	20	10	10	10*
0070177	IR80, E/B off-ramp of the Oasis Intch 'Exit 378'	165	160	110	100	110	110	170	100	120	100
0070179	IR80, E/B on-ramp of the Oasis Intch 'Exit 378'	130	160	100	100*	100*	90	160	70	90	60
0070181	IR80, W/B on-ramp of the Oasis Intch 'Exit 378'	210	210	130	100*	110*	110*	190	110	120	110*
0070182	IR80, W/B off-ramp of the Oasis Intch 'Exit 378'	150	210	130	110	100	90*	190	70	80	60*
0070185	IR80, .5 mi E of the Oasis Intch 'Exit 378'.	4,745	5,080	4,780*	4,650*	4,880	5,100	5,300	5,000*	5,300*	5,200
0070186	Idaho St, .1 mi E of 30th St at the E Elko City Limits.	8,300	8,200	8,250	7,500	8,140	7,050	7,000*	8,550	9,100	9,200
0070188	SR225, Mountain City Hw, .1 mi S of E/B off-ramp at Elko Downtown Intch 'Exit 301'.	17,700	18,100	18,100*	18,100*	16,500	16,800	17,500	19,400	19,100	22,000
0070191	5th St, 250' N of Ash St.	9,900	9,600	8,700	9,000	9,400	9,400	9,950	9,850	10,000	9,800
0070192	5th St, 150' N of Juniper St.	9,800	9,350	8,800	8,600	9,150	9,000	9,500	9,450	9,550	9,500
0070194	SR227, 5th St, 50' S of River St.	12,800	12,400	11,900	12,000	12,500	10,900	12,600	11,600*	11,300*	14,000
0070195	SR227, 5th St, 200' E of Carlin Ct.	7,400	7,450	7,450*	7,450*	7,800*	7,200	7,850	7,900*	7,650*	9,000
0070196	SR535, Idaho St, 100' W of 3rd St.	9,100	9,800	9,450	8,500	9,450	9,450*	8,500	9,250	9,750	9,700
0070197	Highland Dr, 300' N of W Cedar St.	670	650	630	610	620	640	690	700	690	680
0070198	Highland Dr, 200' N of Ash St.	610	610	500	530	510	550	590	560	560	560
0070203	8th St, 100' N of Cedar St.	1,000	1,050	820	940	990	1,000	1,000	1,000*	1,150*	990
0070205	Cedar St, 50' S of Fir St.	1,350	1,300	1,350	1,350*	1,100	1,100	1,200	1,200	1,250	1,300
0070206	Cedar St, 200' W of 5th St.	2,300	2,250	2,350	2,350*	1,850	1,850	1,950	1,900	1,950	1,900
0070207	Cedar St, 200' E of 5th St.	3,500	3,500	3,500*	3,500*	3,150	2,950	3,050	3,100	3,200	3,000*
0070208	Cedar St, 100' E of 8th St.	3,050	3,150	2,800	2,800*	2,800*	2,800	2,750	2,900	2,950	2,600
0070210	Cedar St, 200' E of 13th St.	3,450	3,800	2,900*	3,100	3,100*	3,150	3,000	3,050	3,300	3,100
0070211	Cedar St, 75' E of Golf Course Rd.	2,000	2,100	2,100*	1,800	1,900	1,850	1,750	1,700	1,850	1,900
0070214	College Av, 300' E of Golf Course Rd.	2,850	3,050	3,050*	2,300	2,350	2,350	2,800	2,350	2,900	2,900

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name ELKO			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0070217	Golf Course Rd, 500' N of Cedar St.		3,400	3,250	2,850	3,200	3,500	3,400	3,550	3,800	3,800	3,700
0070218	13th St, 150' N of Oak St.		2,950	3,050	3,050*	2,700	2,700*	2,700	2,700	2,550	2,550	2,300*
0070219	12th St, 220' N of Idaho St & 75' S of Court St.		4,050	4,000	4,000*	4,000*	4,100	4,150	4,100	3,950	4,200	4,000
0070220	Idaho St, 150' E of 9th St.		15,000	14,900	14,300	13,000	13,900	13,400*	13,200	13,200	14,500	14,000
0070222	Silver St, 140' E of SR-227 (5th St).		7,600	6,700	7,050	7,050*	6,850	6,550	7,100	6,950	7,400	7,700
0070223	Silver St, 150' W of SR-227 (5th St).		11,600	10,900	10,200	9,800	10,100	9,900	10,700	11,800	12,200	13,000
0070226	2nd St, 150' N of Main St.		300	300	290	250	310	300*	260	310	380	330
0070227	IR80, E/B off-ramp of the Shafter Intch 'Exit 387'		30	50	40	40	40*	30	30	30	60	40
0070229	IR80, E/B on-ramp of the Shafter Intch 'Exit 387'		35	50	50	50	50	30	40	40	60	40
0070231	IR80, W/B on-ramp of the Shafter Intch 'Exit 387'		45	90	75	70	60	60	80	60	90	70*
0070233	IR80, W/B off-ramp of the Shafter Intch 'Exit 387'		50	80	70	70	60	60	70	60	80	60*
0070234	Wilson Av, 75' W of SR-227 (5th St).		4,600	3,900	4,150	4,150*	4,000	3,900	4,200	4,250	4,200	4,200
0070237	IR80, E/B off-ramp of the W Wendover Intch 'Exit 410'.		970	880	1,000	1,100	1,050	980	970	880	940	950
0070238	IR80, E/B on-ramp of the W Wendover Intch 'Exit 410'		1,245	1,240	1,645*	2,000*	1,650	1,500	1,880	1,500	1,350	1,500
0070239	IR80, W/B off-ramp of the W Wendover Intch 'Exit 410'		1,355	1,350	1,520*	2,000	1,650*	1,800	1,900*	2,450	2,100	1,500*
0070240	IR80, W/B on-ramp of the W Wendover Intch 'Exit 410'		925	950	950	1,040*	1,020*	980*	940	790	850	850*
0070241	Wendover Bl, .1 mi E of US-93A.		11,100	11,300	11,300*	11,000	10,500	10,300	10,700	11,500	12,100	11,000
0070243	IR80, 1 mi E of the Pilot Peak Intch 'Exit 398'.		4,840	5,110	4,785*	4,760*	4,980	5,150	5,400	5,100	5,450	5,300
0070244	IR80, .2 mi E of the W Wendover Intch 'Exit 410'.		5,545	5,870	6,000	6,320	5,910	5,800	6,600	6,800*	6,150*	6,000
0070245	12th St, 400' S of Idaho St.		11,300	12,300	10,800	10,800*	12,000	11,900	12,500	12,300	13,200	14,000
0070246	12th St, 150' N of SR-227 (5th St).		12,900	14,000	12,500	12,000	12,700	12,500	13,000	12,600	13,400	14,000
0070248	IR80, E/B off-ramp of the W Carlin Intch.		305	180	110	130	120	140	120	130	140	140
0070249	IR80, W/B on-ramp of the W Carlin Intch 'Exit 279'		180	160	110	100	100	100	90	100	90	90*
0070250	SR278, Eureka-Carlin Rd, .3 mi S of SR-221 (Chestnut St).		610	520	520	610	610*	510	550	620	630	610
0070251	IR80, .4 mi E of the W Carlin Intch 'Exit 279'.		5,915	6,820	6,865*	6,620*	6,750	6,650	6,900	7,000	6,950	7,600

* Data Adjusted or Estimated

Page 7

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name ELKO			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0070252	IR80, E/B off-ramp of the Central Carlin Intch 'Exit 280'		545	550	600	570	530	620	600	580	530	620
0070253	SR766, Newmont Mine Rd, 400' N of SR-221(Chestnut St).		3,500	3,500	2,550*	2,600	2,600	2,800*	2,900	3,250	3,500	3,700*
0070254	IR80, E/B on-ramp of the Central Carlin Intch 'Exit 280'		2,190	1,760	2,280*	1,850*	1,850	1,950	2,000	2,100	2,350	2,300
0070256	IR80, W/B off-ramp of the Central Carlin Intch 'Exit 280'		2,090	1,790	1,800	1,950*	1,800	1,900	1,950	2,100	2,300	2,300*
0070257	IR80, W/B on-ramp of the Central Carlin Intch 'Exit 280'		550	555	535	530	530*	590	750	790	730	850*
0070258	IR80, 3493' E of the Central Carlin Intch 'Exit 280'.		9,100	9,265	9,810	9,320	9,360	9,250	9,600	9,800	10,100	10,000
0070259	IR80, W/B off-ramp of the E Carlin Intch 'Exit 282'		380	410	220	200	220	210	200	230	280	270*
0070260	IR80, E/B on-ramp of the E Carlin Intch 'Exit 282'		310	330	240	200	220	160	150	170	210	200
0070261	IR80, btwn the Hunter Rd Intch 'Exit 292' & the Elko W Intch 'Exit 298'.		9,895	10,065	10,330	9,800	9,740	9,600*	9,900	10,200	11,100	11,000
0070262	IR80, E/B off-ramp of the Elko W Intch 'Exit 298'		1,215	1,065	1,060	930	940	930	960	1,100	1,250	1,300
0070263	IR80, E/B on-ramp of the Elko W Intch 'Exit 298'.		300	300	330	390	370	390	430	500	540	560
0070265	IR80, W/B on ramp of the Elko W Intch 'Exit 298'		785	650	650	660	670	620	650	720	810	810*
0070266	IR80, W/B off-ramp of the Elko W Intch 'Exit 298'		395	360	400	450	400	400	450	530	510	530*
0070268	IR80, btwn the Elko W Intch 'Exit 298' & the Elko Downtown Intch 'Exit 301'.		8,590	9,010	9,350*	9,050*	8,900*	9,000	8,900	9,550	10,100	9,800
0070269	IR80, E/B off-ramp of the Elko Downtown Intch 'Exit 301'		1,415	1,550	1,790	1,700	1,700	1,750	1,800	2,000	2,050	2,200
0070270	IR80, E/B on-ramp of the Elko Downtown Intch 'Exit 301'		2,390	2,350	2,255*	2,260*	2,650	2,650	2,750	2,700	3,050	3,300
0070271	IR80, W/B off-ramp of the Elko Downtown Intch 'Exit 301'		2,125	2,150	2,090	2,100*	2,300	2,150	2,450	2,600	2,650	2,900*
0070273	IR80, W/B on-ramp of the Elko Downtown Intch 'Exit 301'		1,775	1,870	1,775	1,800	1,800	1,800	1,900	2,150	2,250	2,400*
0070274	SR225, Mountain City Hw, at the Elko Downtown Intch 'Exit 301' (100' N of WB off-ramp).		19,700	19,500	19,000	19,000*	19,600	19,700	20,200	22,600	23,100	26,000*

* Data Adjusted or Estimated

Page 8

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name **ELKO**

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0070276	IR80, E/B off-ramp of the Elko E Intch 'Exit 303'	2,240	2,450	2,545	2,320	2,220	2,150	2,300	2,600	2,750	2,700
0070277	IR80, E/B on-ramp of the Elko E Intch 'Exit 303'	1,525	1,175	1,500	1,400	1,250	1,350	1,350	1,400	1,450	1,400
0070279	IR80, W/B off-ramp of the Elko E Intch 'Exit 303'	1,755	1,575	2,050	1,600	1,700	1,850	1,750	2,050	2,050	2,100*
0070280	IR80, W/B on-ramp of the Elko E Intch 'Exit 303'	2,380	2,730	2,865	2,490	2,550	2,550	2,600	2,950	3,150	3,100*
0070281	Jennings Wy, 200' N of W/B off-ramp of 'Exit 303'.	3,100	3,300	3,300*	3,700	3,700*	3,250	4,300	4,650	4,250	5,000
0070282	FREL17, 190' S of the E/B ramps of the Elko E Intch 'Exit 303'.	9,700	10,000	10,200	9,900	10,300	8,850	10,500	10,700	9,650	12,000
0070283	IR80, 2.0 mi E of Halleck Intch 'Exit 321'	6,415	6,190	6,670	6,520*	7,040*	7,050*	6,800	6,500	6,550	7,000
0070284	IR80, .2 mi W of the Beverly Hills Intch 'Exit 348'.	6,560	6,170	6,460*	6,460*	7,000	7,000	6,750*	6,550	7,050	6,800*
0070285	IR80, W/B on-ramp of the Beverly Hills Intch 'Exit 348'	30	40	20	30	30	30	30	20	30	20*
0070286	IR80, E/B off-ramp of the Beverly Hills Intch 'Exit 348'	35	30	20	30	30	30	30	30	40	30
0070287	IR80, E/B on-ramp of the Beverly Hills Intch 'Exit 348'	35	40	20	30	30	30	30	30	40	20
0070288	IR80, W/B off-ramp of the Beverly Hills Intch 'Exit 348'	30	40	20	20	30	30	20	30	30	30*
0070292	IR80, .3 mi W of the W Wells Intch 'Exit 351'.	6,560	6,180	6,460*	6,450*	7,000	7,000	6,750	6,550	6,400	6,600*
0070293	IR80, W/B on-ramp of the W Wells Intch 'Exit 351'	380	260	240	270	280*	260	290	200	210	210*
0070294	IR80, E/B off-ramp of the W Wells Intch 'Exit 351'	420	360	390	420	430*	450	480	380	390	390
0070295	IR80, E/B on-ramp of the W Wells Intch 'Exit 351'	310	320	280	290	290	350	390	320	330	320
0070296	IR80, W/B off-ramp of the W Wells Intch 'Exit 351'	280	220	180	180	170	230	230*	190	200	190*
0070297	SR223, Humboldt Av, .1 miles N of the W/B ramps of the W Wells Intch 'Exit 351'	1,300	1,300	1,350	1,350	1,150	1,250	1,200	1,050	1,150	1,100
0070299	SR231, Humboldt Av, 25' S of the E/B ramps of the W Wells Intch 'Exit 351'.	620	610	780	780*	640	660	760	730	850	860
0070303	IR80, .15 mi E of the W Wells Intch 'Exit 351'.	6,350	6,100	6,290	6,230*	6,750	6,800	6,600	6,200	6,950	6,600
0070304	IR80, W/B on-ramp of the E Wells Intch 'Exit 352'	1,755	1,490	1,430	1,500	1,500	1,450	1,750	1,350	1,450	1,400*
0070305	IR80, E/B off-ramp of the E Wells Intch 'Exit 352'	1,845	1,460	1,375	1,400	1,500	1,550	1,750	1,400	1,450	1,400
0070306	IR80, E/B on-ramp of the E Wells Intch 'Exit 352'	1,090	1,000	870	840	800	910	990	780	910	810

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name **ELKO**

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0070307	IR80, W/B off-ramp of the E Wells Intch 'Exit 352A'	225	230	275	280	280*	300	330	260	320	290*
0070309	IR80, W/B off slip-ramp to SR-223-US-93 of the E Wells Intch 'Exit 352B'	830	760	670	670	500	550	640	500	540	550*
0070312	IR80, E/B off-ramp of the Pilot Peak Intch.	120	170	100	50	50*	50	50	50	80	50
0070313	IR80, E/B off-ramp of the Ola Intch.				180	180	220	280	220	190	220
0070314	IR80, E/B on-ramp of the Pilot Peak Intch 'Exit 398'	160	200	100	100	90	90	100	100	110	110
0070317	IR80, W/B off-ramp of the Pilot Peak Intch.	160	195	100	100	90*	90	100*	100	100	100*
0070318	IR80, W/B on-ramp of the Pilot Peak Intch 'Exit 398'	115	185	100	50	40	40	40	50	60	50*
0070319	SR227, 5th St, 200' E of 12th St S of Elko.	20,700	20,200	20,200*	20,200*	20,200*	18,100	18,800	19,300	20,300	20,000
0070321	S Frontage Rd, .2 mi E of the cross traffic rd at the E Carlin Intch 'Exit 282'.	500	500	430	370	580	580*	320	570	660	570
0070322	Argent Av, 130' E of SR-225 (Mtn City Hw).	8,250	7,450	7,400	7,300	7,800	7,600	8,300	6,100	5,600	6,000
0070324	Copper St, 100' E of Argent Rd.	2,550	2,350	1,950	2,200	2,250	2,350	2,500	2,450	2,500	2,300
0070325	5th St, 350' N of Spruce St.	5,350	5,200	4,800	4,800	4,750	4,750	5,150	4,800	5,200	5,300
0070326	Sage St, 75' W of Dotta Dr.	3,050	3,200	3,000	3,200	3,100	2,950	3,150	3,300	3,100	3,500
0070328	Elm St, 100' W of 5th St.	1,550	1,550	1,300	1,400	1,450	1,450	1,500	1,450	1,500	1,700
0070330	Elm St, 250' W of College Pk.	2,200	2,150	2,150*	1,900	2,150	2,000	1,950	1,950	2,050	2,100*
0070331	Elm St, 145' E of Burns Rd.	2,400	2,450	2,450*	2,200	2,050	1,850	1,750	1,650	1,150	1,200
0070332	College Pk, 100' S of Mittry Av.	3,700*	3,900	3,200	3,700	4,300	4,250	4,400	4,450	4,450	4,300
0070333	College Pk, 50' N of Sage St.	2,550	2,600	2,600	2,200	2,650	2,600	2,450	2,600	2,650	2,500*
0070335	13th St, 350' N of Cedar St.	2,950	3,400	3,400*	3,400*	2,700	2,650	2,600	2,400	1,950	2,000*
0070336	Convention Dr, .1 mi NW of Idaho St.	350	360	360*	330	360	360	370	430	430	370
0070337	'D' St, 100' N of Idaho St.	1,150	1,100	1,100	920	810	920	950	1,050	1,100	940
0070338	Bullion Rd-Wilson Av, 100' W of Morse Ln.	3,050	2,950	2,950	2,950*	2,600	2,950	3,100	3,200	3,150	3,200
0070339	Bullion Rd, .5 mi W of Errecart Bl.	1,050	950	950*	850	790	830	880	850	920	820
0070340	Wilson Av, 100' E of 5th St.	2,000	3,150	2,700	2,700*	3,150	3,050	3,250	3,150	3,150	3,300
0070341	South 9th St, 100' N of Oudekirk Av.	1,300	2,050	1,400	1,100	1,350	1,350	1,400	1,300	1,600	1,500
0070343	Silver St, 100' W of 12th St.	5,400	4,900	5,500	5,600	5,800	5,850	6,050	6,100	6,450	6,700
0070345	SR225, Mountain City Hw, .6 mi N of Argent Av.	3,300	2,900	2,900	2,600	2,750	2,750*	3,000	3,200	3,250	3,700

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name ELKO

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0070346	SR225, Mountain City Hw, at mp EL-30.	1,650	1,600	1,700	1,700*	1,700*	1,700*	1,650	1,700	1,800	1,800
0070349	IR80, .747 mi E of the Rydon on ramp 'Exit 314'	6,925	6,680	6,960	6,960*	7,430	7,200*	7,200	6,850	6,850	7,400
0070350	IR80, near EL MP 62 E of Deeth Intch 'Exit 333'.	6,360	6,090	6,470	6,350*	6,910*	6,900*	6,700	6,350	6,450	6,900
0070351	IR80, .3 mi E of the Moor Intch 'Exit 360'.	4,880	5,120	5,240*	5,090*	5,310	5,400	5,200	5,100	5,400	5,500*
0070352	IR80, btwn the Shafter Intch 'Exit 387' & the Pilot Peak Intch 'Exit 398'.	4,755	5,070	4,785	4,660*	4,890	5,100	5,100	5,000*	5,400*	5,200*
0070354	US93A, 50' N of Airport Wy.	1,500	1,600	1,700	1,800	1,500	1,450	1,400	1,350	1,350	1,700
0070355	IR80, E/B on-ramp of the Ola Intch.				30	30*	30	30	30	50	40
0070356	Bush St, .2 mi E of SR-278 W of Carlin.	220	290	170	170	160	190	180	200	240	190
0070357	Bush St, W of Fifth St in Carlin.	1,400	1,550	1,550	1,400	1,400*	1,250	1,500	1,400	1,450	1,400
0070359	Silver St, 300' S of SR-535 (Idaho St).	12,200	10,000	11,700	11,700*	11,000	11,100	11,900	13,100	12,300	14,000
0070360	IR80, W/B off-ramp of the Ola Intch.				30	30	30	30	30	40	40*
0070361	Metroplis Rd (9th St), 200' E of Wells Av.	150	190	200	110	80	90	80	110	70	50
0070362	Wine Cup Ranch Rd, 100' N of SR-233 (Montello Rd).	65	80	60	40	50	50	50*	50*	60*	20
0070363	Wine Cup Ranch Rd, .25 mi E of Wine Cup Ranch Headquarters Rd.	10	10	20	20*	10	10	10	10*	30*	10*
0070364	Wine Cup Ranch Rd, .3 mi N of SR-233 (Montello Rd).	60	30	40	40*	30	40	40*	40*	50*	20
0070365	Jarbridge Rd, .1 mi E of SR-225 (Mountain City Rd).	40	40	40	40*	40	40*	40*	40*	60*	40
0070366	Palace Parkway, .1 mi W of Willow Creek Ln.					660	690	730	900	800	790
0070367	South Fork Rd, .1 mi W of SR-228.					610	610	700	660	730	770
0070368	IR80, W/B on-ramp of the Ola Intch. 'Exit 407'				180*	180*	560	410	380	380	380*
0070369	River Ranch Rd, N of Deeth 1 mi N of county rd 96.	20	25	10	10*	10*	30	30	40	50	60
0070370	Dahl Ranch Rd (Starr Valley Rd), 20' N of SR-229 (Ruby Valley Rd) at SR-229 mp 8.9	90	60	70	40	90	100	80	100	110	110
0070371	IR80, 2.0 mi E of the Ola Intch.				4,460*	4,680*	4,500	4,800*	4,700*	4,900*	4,800
0070372	Harrison Pass Rd, to Ruby Valley Wildlife Refuge .3 mi W of Zaga Ranch.	105	105	80	80*	80*	120	110	110*	120*	150
0070373	Dead Cedar Rd, .2 mi E of US-93A.	75	100	100	110	70	110	70	70	80	80

* Data Adjusted or Estimated


Page 11

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name ELKO

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT									
0070374	SR227, 5th St, .4 miles S the N leg of Spring Creek Pk.		5,500	5,000	5,200	5,200*	5,200*	5,000	5,000*	4,000*	4,250*	5,800
0070375	Errecart Blvd, .1 mi S of Silver St.			4,250	4,150	3,900	3,600	3,700	3,800	3,900	3,950	3,900
0070376	Lee Rd, 500' E of SR-228.				150	180	150	120	130	120	120	140
0070377	Ashburn Dr, E of Green Crest Dr.			380	410	490	440	450	450*	500	500	450
0070378	Spring Field Pk, W of Licht Pk.			980	1,150	980	950	930	930*	910	1,150	780
0070379	College Av, 300' E of 9th St.					2,900	870	1,000	1,050	1,100	740	
0070381	IR80, E/B off-ramp of the East Carlin Intch.						60	60	60	70	80	
0070382	IR80, W/B on-ramp of the East Carlin Intch.						60*	80	70	90	100*	
0071120	IR80, 1.7 mi E of the US-93 Intch		4,895	5,145	5,305	5,115	5,335	5,250	4,888	5,250	5,350	5,600
0072110	US93, 16.5 mi S of NV/ID line		1,990	2,035	2,030	2,045	2,165	2,165	2,150	2,150	2,200	7,400
0073110	SR227, Lamoille Rd, 2.4 mi W of SR-228 (Jiggs Rd)		13,290	13,200	13,000	12,665	12,665	12,785	13,019	13,400	14,100	15,000
0075210	SR535, Idaho St, 600' E of Convention Center Dr.		20,355	20,025	19,505	18,575	17,495	16,885	17,962	18,200	18,900	19,000
0075230	IR80, 0.8 mi W of SR-756 (W Carlin Intch)		6,400	7,155	7,085	6,845	6,975	6,955	7,015	7,100	7,300	7,700
0075240	SR225, Mtn City Hw .1 mi N of SR-226						670	580	640	580	680	630
0075250	5th St, 300 Ft S of Spruce Rd.						7,950	8,090	8,294	8,100	8,800	8,600
0075260	IR80, 3.5 mi E of Osino Intch.								7,808	7,850	8,150	8,500



*009



State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations


County Name ESMERALDA			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0090002	SR774, Gold Point Rd, .2 mi S of SR-266 (Lida Rd).		30	30	40	40*	40*	30	30*	30*	40*	20
0090003	SR266, Lida Rd, .2 mi W of US-95.		215*	230	230	190	220	220	220*	200	200	200
0090005	US95, Maine St, S of Goldfield at mp ES-8.8.		1,750	1,850	1,850	1,890*	2,000	2,000	2,050	1,900	1,900	2,000
0090006	US95, Just S of Town at mp ES18.2.		2,350	2,300	2,300*	2,300*	2,100	2,000	2,050	1,950	1,900	2,000
0090008	County Rd to Alkali, .1 mi W of US-95.		80	60	80	80*	70	60	60	60	60	50
0090009	US95, Maine St, at the NY-ES County line S of Tonopah.		1,950	2,000	2,100	2,100	2,250	2,150*	2,100*	2,100	2,100	2,200
0090013	US95, Maine St, 250' W of SR-265 to Silver Peak.		1,850	1,850	1,950	2,000	2,000	2,100	2,200	2,000	2,150	2,000
0090014	SR265, Silver Peak Rd, .1 mi S of US-6 & 95.		145	110	90	80	90	80	80*	90	90	70
0090018	US95, Maine St, .6 mi N of the N leg of Wye of US-006.		1,500	1,600	1,600	1,600*	1,600*	1,700	1,850	1,700	1,700	1,700*
0090019	US6, Mill St, 12 mi W of the Wye with US-95 at Coaldale Jct.		420	350	390	360	360*	400	360	360	350	320
0090021	SR773, Fish Lake Valley Rd, 300' S of US-006.					50	50	50	50*	60	80	50
0090022	SR264, Fish Lake Vy Rd, .4 mi S of SR-773 at mp ES-25.		190	200	170	230	160	190	160	160	180	170
0092110	US95, Maine St, 12.6 mi N of the NY-ES County line.		1,845	1,940	1,950	1,965	2,015	2,070	2,094	2,050	2,000	2,000
0092120	US95, 0.1 Mi S of SR-266 Lida Jct.		1,910	2,015	1,985	2,030	2,135	2,175	2,236	2,150	2,150	2,200

*011



INTERSTATE ⁸⁰ INTERCHANGES

011



State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name EUREKA			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0110001	IR80, E/B off-ramp of the Dunphy Intch 'Exit 254'		100	70	50*	50	50	50	50	60	250	240
0110003	IR80, E/B on-ramp of the Dunphy Intch 'Exit 254'		330	150	140	120	60	90	70	80	70	70*
0110004	Boulder Valley Rd, 1.3 mi N on Frontage Rd to Dunphy FR4023.6							150	160	160	170	170*
0110005	IR80, W/B off-ramp of the Dunphy Intch 'Exit 254'		345	130	180	100*	50	90	50	60	90	90*
0110008	IR80, W/B on-ramp of the Dunphy Intch 'Exit 254'		75	70	50	50	50*	30	30	40	210	210*
0110009	IR80, .2 mi E of the Dunphy Intch.		6,020	6,790	6,770*	6,550*	6,610*	6,500*	6,600*	6,600*	6,850*	7,600*
0110010	IR80, E/B off-ramp of the Beowawe Intch 'Exit 261'		175	100	70	70	50	70	70	90	80	100*
0110011	SR306, Gold Acres Rd, .3 mi S of IR-80.		480	440	450	450*	470	470*	1,050	900	800	880
0110012	IR80, E/B on-ramp of the Beowawe Intch 'Exit 261'		310	270	210	200	180	280	250	260	240	280
0110013	Roberts Creek Ranch Rd, 100' N of US 50.				10	10	10	20	10	20	20	20
0110014	IR80, W/B off-ramp of the Beowawe Intch 'Exit 261'		305	260	220	200	200*	260	270	280	260	290*
0110015	Antelope Rd, 100' S of US 50-38 miles E of SR-376.				10	30	20	20	10*	10*	20*	20
0110016	IR80, W/B on-ramp of the Beowawe Intch 'Exit 261'		145	110	90	90	50*	70	80	80	90	90*
0110018	IR80, 7.0 mi E of the cross traffic rd of the Beowawe Intch 'Exit 261'.		6,315	7,110	7,040*	6,790*	6,890*	6,900*	7,000*	7,000*	7,250*	8,000*
0110019	IR80, E/B off-ramp of the Emigrant Intch 'Exit 268'		35	10	10	10	10	10	10	10	20	10
0110020	IR80, E/B on-ramp of the Emigrant Intch 'Exit 268'		55	20	20	30	30	20	20	20	30	20
0110023	IR80, W/B on-ramp of the Emigrant Intch 'Exit 268'		35	10	10	10	10	10	10	10	20	10*
0110024	IR80, W/B off-ramp of the Emigrant Intch 'Exit 268'		55	20	20	20	30	20	20	20	30	20*
0110025	IR80, Emigrant Pass E/B Truck & Car pull-off.					350	380	380*	240	450	400	370
0110026	IR80, E/B off-ramp of the Palisade Intch 'Exit 271'		20	10	15	20	20	20	20	20	30	10
0110028	IR80, E/B on-ramp of the Palisade Intch 'Exit 271'		40	30	30	30	40	40	40	50	60	20
0110030	IR80, W/B off-ramp of the Palisade Intch 'Exit 271'		35	30	40	40	40	40	50	50	60	30*
0110032	IR80, W/B on-ramp of the Palisade Intch 'Exit 271'		10	20	20	20	20	20	20	20	30	20*
0110035	County Rd to Palisade, 550' W of SR-278 to Carlin S Jct.		50*	50	40	40*	40*	40*	40*	80	110	80
0110036	SR278, Eureka-Carlin Rd, .5 mi S of County Rd to Palisade South Jct.		380	330	250	330	280	320	310	390	400	380

* Data Adjusted or Estimated


Page 1

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**


County Name EUREKA

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0110038	US50, Aultman St, 1.2 mi W of SR-278.	790	750	720*	870	740	720	660	740	760	720
0110039	US50, .2 mi E of SR-278.	1,200	1,250	1,200	1,200	1,050	1,000	930	1,050	1,150	1,200
0110040	SR278, Eureka-Carlin Rd, .1 mi N of US-50.	590	520	570	650	490	600	530	640	580	600*
0110043	Diamond Valley Rd, 1.8 mi N of US-50 & .4 mi N of the Eureka Dump Rd.	190	170	160	180	180	180	180*	210	190	200
0110047	US50, Aultman St, 200' E of SR-780 (Ruby Hill Av) to Ruby Hill.	2,150	2,250	1,900	1,900	2,150	1,800*	1,800	1,900*	1,950*	2,000
0110048	SR780, Bateman St, to Ruby Hill 70' S of US-50.	800	630	570	620	580	480	410	410*	430*	480
0110049	SR780, RUBY HILL AV, .5 miles S of US-50 S of Prospect St.	75	60	60	50	50	30	30*	30	30	40
0110050	County Rd to New York Canyon, .1 mi S of US-50 just before mp US-50 EU 38.	25	15	10	20	10	10	10*	10	30	10
0110051	US50, Aultman St, .9 mi W of County Rd to Duckwater (Fish Creek Rd).	600	670	650	580	640	610	550	550*	560*	570
0110054	IR80, E/B off-ramp of the Beowawe Rest Area.				530	560	500	560	480	530	510
0110055	IR80, W/B off-ramp of the Beowawe Rest Area.				590	590	560	550	590	640	620*
0110056	IR80, .5 mi E of Emigrant Pass Intch 'Exit 268'.	6,355	7,145	7,060	6,820*	6,930	6,950*	7,000*	7,150	7,250	8,000
0110057	IR80, .5 mi W of the Dunphy Intch 'Exit 254'	5,520	6,650	6,550*	6,430	6,600	6,300	6,700	6,850	7,450	7,700*
0110058	Cortez Canyon Rd, at 'EU-LA County Line' sign.	20	20	10	10*	20	20	20	40	40	20
0110060	Diamond Valley Rd, Take 11th St 6 mi from SR-278 to Diamond Valley Rd .1 mi N of 11th St.			170	180	180	160	180	190	190	190

*013



*013




WINNEMUCCA


INTERSTATE 80 INTERCHANGES

013


ROSE CREEK 168




WEST WINNEMUCCA 173




**WINNEMUCCA BLVD
WEST 176**




**WINNEMUCCA BLVD
EAST 178**




EAST WINNEMUCCA 180




BUTTON POINT 187




GOLCONDA 194




GOLCONDA SUMMIT 200




IRON POINT 203




**PUMPERNICKEL
VALLEY 205**




STONEHOUSE 212



VALMY 216



MOTE 222



State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name HUMBOLDT			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0130001	IR80, .2 mi W of the E/B off-ramp of the Rose Creek Intch 'Exit 168'.		7,530	7,270	6,850	6,960	7,410	7,950*	8,300	8,300	8,400	8,600
0130002	IR80, E/B off-ramp of the Rose Creek Intch 'Exit 168'		180	170	170	160	170	160	190	170	230	180
0130003	Bridge St, 70' E of Railroad St.		7,250	7,750	6,600*	6,600*	6,600*	6,100	5,950	6,200	6,250	6,300*
0130004	Jones Ln, .6 mi S of Jungo Rd W of Winnemucca at the RxR tracks.			60	60*	60*	40	50		40	40	40
0130005	IR80, E/B on-ramp of the Rose Creek Intch 'Exit 168'		95	80	90	90	90	80	90	90	100	90
0130006	Eden Valley Rd, 1.1 mi N of Morrison Ln & .2 mi S of RxR tracks N of Golconda.			430	430*	430*	430	430		460	470	400
0130007	IR80, W/B off-ramp of the Rose Creek Intch 'Exit 168'		40	120	100	100	90	80	100	90	90	90*
0130008	Hershell Rd, NO Alias, .3 mi S of SR-289 (Rose Creek Rd) at RxR Crossing.		340	340	300	260	270	260	290	270	270	280*
0130009	IR80, W/B on-ramp of the Rose Creek Intch 'Exit 168'		200	160	140	170	160	160	180	160	220	170*
0130010	IR80, 2.1 mi W of the W Winnemucca Intch 'Exit 173'.		7,285	7,140	6,730	6,820*	7,260	7,750	8,150	8,150	8,300	8,500
0130011	IR80, E/B off-ramp of the W Winnemucca Intch 'Exit 173'		290	130	100	160	160	170	210	220	240	210*
0130013	IR80, E/B on-ramp of the W Winnemucca Intch 'Exit 173'		195	150	160	170	180	180*	190	210*	210*	190
0130015	IR80, W/B off-ramp of the W Winnemucca Intch 'Exit 173'		170	150	160	170*	170	180	180	200	200	170*
0130017	IR80, W/B on-ramp of the W Winnemucca Intch 'Exit 173'		100	60	80	160*	80*	130*	70	75*	90*	80*
0130018	IR80, .4 mi E of the W Winnemucca Intch 'Exit 173'.		7,260	7,250	6,870	6,920*	7,370	7,800*	8,250	8,300*	8,250*	7,700
0130020	Airport Rd, .4 mi E of SR-289 Frontage Rd.		1,000	940	1,150	1,100	1,100	1,050	1,050	1,100	1,100	1,100
0130022	US95, Maine St, 200' E of Potato Rd.		11,200	9,900	12,400	11,700	9,750	10,600	10,800	11,600	11,200	11,000
0130025	US95, Maine St, 100' N of SR-294 (Hanson St).		13,700	12,000	13,700	13,700*	11,900	12,800*	10,800	12,100	11,100	18,000

* Data Adjusted or Estimated

Page 1

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name HUMBOLDT

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0130028	SR289, Weso Rd, 15' N of Bridge St.	8,600	8,200	7,900	7,900*	7,900*	7,900*	6,950	7,400	7,450	4,300
0130029	Highland Dr, .1 mi S of E Winnemucca Bl.		2,600	1,750	1,750*	1,900	1,850	1,950	2,000*	2,150*	2,500
0130030	SR794, 3rd St, .25 mi E of Highland Dr.	3,300	3,150	3,150*	2,040	2,150	1,950	2,000	2,100	1,950	2,400
0130031	IR80, E/B off-ramp of the Button Point Intch 'Exit 187'	205	190	170	160	180	180	190	210	200	180
0130032	IR80, E/B on-ramp of the Button Point Intch 'Exit 187'	335	160	170*	180	180	180	200	220	210	190
0130034	IR80, W/B off-ramp of the Button Point Intch 'Exit 187'	240	170	180	180	260	240	250	275*	260*	240*
0130035	Frontage Rd to Button Point Rest Area, 248' E of cross traffic rd.	750	710	840	620	670	660	670	770	790	660
0130037	IR80, W/B on-ramp of the Button Point Intch 'Exit 187'	280	200	190	210	260	270	280	340	290	270*
0130038	IR80, E/B off-ramp of the Golconda Intch 'Exit 194'	570	610	520	450	350	400	450	600	530	480
0130040	Sibbald Av, in Golconda 80' S of Stanford St & 40' N of RxR tracks.	70	70	80	70	30	50	50*	50*	80*	60
0130041	IR80, E/B on-ramp of the Golconda Intch 'Exit 194'	235	270	170	130	150	150	210	380*	200*	240
0130043	IR80, W/B off-ramp of the Golconda Intch 'Exit 194'	230	260	200	130*	170	170*	230	430	220	250*
0130045	SR789, Getchell Mine Rd, 340' E of Morrison Av.	2,150	1,850	1,000	1,000*	720	780	730	1,150	980	1,000
0130046	Morrison Av, 200' N of SR-789 (Getchell Mine Rd).	640	550	460	510	490	490*	490	640	560	460
0130047	IR80, W/B on-ramp of the Golconda Intch 'Exit 194'	580	680	520*	540	420*	430	480	610	550	500*
0130048	IR80, E/B off-ramp of the Golconda Summit Intch 'Exit 200'	505	110	150	100	110	110	110	110*	120*	120
0130049	IR80, E/B on-ramp of the Golconda Summit Intch 'Exit 200'	225	110	100	100	110	110	100	110*	80*	100
0130051	IR80, W/B off-ramp of the Golconda Summit Intch 'Exit 200'	215	80	100	100*	70	100*	70	100*	70*	90*
0130052	IR80, W/B on-ramp of the Golconda Summit Intch 'Exit 200'	460	110	170	100	100	100	100	100*	110*	110*
0130053	IR80, E/B off-ramp of the Iron Point Intch 'Exit 203'	10	10	10	10	10	10	10	10*	20*	10
0130054	IR80, E/B on-ramp of the Iron Point Intch 'Exit 203'	5	10	10	10	10*	10	10	10*	20*	10

* Data Adjusted or Estimated

Page 2

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name HUMBOLDT			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT									
0130057	Leonard Creek Rd, .5 miles W of SR-140 W of the fork in rd.					10	40	40	40*	20	30	40
0130058	IR80, W/B off-ramp of the Iron Point Intch 'Exit 203'		15	10	10	10	10	10	10*	10*	10*	10*
0130059	IR80, W/B on-ramp of the Iron Point Intch 'Exit 203'		20	10	10	10	10	10	10	10*	10*	10*
0130060	IR80, E/B off-ramp of the Pumpernickel Intch 'Exit 205'		20	10	10	10	10	10	10	10*	20*	10
0130061	IR80, E/B on-ramp of the Pumpernickel Intch 'Exit 205'		5	10	10	10*	10	10	10	10*	20*	10
0130064	IR80, W/B off-ramp of the Pumpernickel Intch 'Exit 205'		10	20	10	10	20	10*	20	20*	30*	20*
0130065	IR80, W/B on-ramp of the Pumpernickel Intch 'Exit 205'		25	20	10	20	20	10	20	20*	20*	10*
0130067	IR80, E/B off-ramp of the Stonehouse Intch 'Exit 212'		220	210	150	150*	170	170	170	170	170	160*
0130069	IR80, E/B on-ramp of the Stonehouse Intch 'Exit 212'		150	330	320*	360*	190	160	180	220	180	150
0130071	IR80, W/B off-ramp of the Stonehouse Intch 'Exit 212'		200	330	360	360	180	150	170	210	170	170*
0130073	IR80, W/B on-ramp of the Stonehouse Intch 'Exit 212'		230	210	160	160*	160	160*	160	160	160	160*
0130074	IR80, E/B off-ramp of the Valmy Intch 'Exit 216'		320	500	680	650*	390	380	380	450	450	360
0130076	IR80, E/B on-ramp of the Valmy Intch 'Exit 216'		260	530	670	670*	400	430	390	440	440	360
0130078	IR80, W/B off-ramp of the Valmy Intch 'Exit 216'		240	500	620	620*	400	430*	330	350	350	350*
0130080	Frontage Rd to Ranches N, Valmy Intch 'Exit 216' .8 mi NW of the W/B on-ramp.			10	10	10*	10*	10	10*	10*	20*	20*
0130081	IR80, W/B on-ramp of the Valmy Intch 'Exit 216'		320	500	610	650*	390*	370	320	360	350	350*
0130082	IR80, E/B off-ramp of the Mote Intch 'Exit 222'		65	30	20	20	20*	20	20	30	40	40
0130084	IR80, E/B on-ramp of the Mote Intch 'Exit 222'		35	50	30	20	20	20	30	40	40	30
0130086	IR80, W/B off-ramp of the Mote Intch 'Exit 222'		30	50	40	30	30	30	40	40	50	50*
0130088	IR80, W/B on-ramp of the Mote Intch 'Exit 222'		45	40	30	30	30	30	40	40	50	50*

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name HUMBOLDT

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0130089	SR789, Getchell Mine Rd, .5 mi S of the RxR grade crossing at Preble.		1,600	870	600	600*	600*	540	720	890	760	890
0130093	SR787, Hanson St, 200' E of 6th St.		13,900	12,900	13,200	13,200*	12,600	11,900	12,600	13,400	14,100	14,000
0130096	W Commander Dr, 100' W of SR-294 (Grass Vy Rd).		800	690	750	630	620	660	630	630	650	710
0130097	SR294, Grass Valley Rd, .1 mi S of W Commander Dr.		3,000	2,750	2,750*	2,400	2,400*	2,350	2,350	2,450	2,400	2,700
0130100	US95, Maine St, 225' N of 2nd St.		8,000	6,900	6,900*	6,900*	6,900*	5,300	6,300	6,750	6,550	6,600
0130101	2nd St, 200' W of Bridge St.		1,350	1,500	1,350	1,300	1,200	1,350	1,250	1,300*	1,250*	1,400
0130102	SR289, Weso Rd, .4 mi N of W/B lanes of IR-80.		1,200	2,250	1,600	1,550*	1,650	1,700	1,900*	1,950	1,850	2,000
0130103	Weso Rd, 1.4 mi N of SR-795.		170	160	160*	160*	120	100	80	120	130	100
0130105	Jungo Rd, .8 mi W of US-95 (Mesarkey St).			870	900	770	870	860	780	810	910	1,200
0130106	US95, Maine St, 341' N of the County Rd to Jungo.		4,600	5,750	5,200	5,160	5,160*	4,800	4,850	5,250	5,100	5,300
0130107	US95, 1.1 mi N of the County Rd to Jungo.		3,200*	3,100	3,050	3,050	2,700	2,650	2,800	2,900	2,900	3,200
0130109	SR290, Paradise Vy Rd, .2 mi E of US-95.		330	360	350	380	380	390	420	400	400	450
0130110	US95, Maine St, .2 mi S of SR-140.		1,650	1,750	1,700	1,700	1,700	1,650	1,700*	1,700*	1,850*	1,700
0130111	SR293, Kings River Vy Rd, .1 mi W of US-95 at Orovada.		390	460	460*	470	400	390	340	340	320	370
0130114	US95, .7 mi S of Cordero Mine Rd in McDermit.		1,600	1,700	1,550	1,580*	1,550	1,500	1,850	1,900*	1,750*	1,800
0130116	Cordero Mine Rd, to the Cordero Mine .25 mi W of US-95 in McDermit.		70	100	90	120	80	80	100	120	70	80
0130117	Cordero Mine Rd, to the Cordero Mine at the bridge over McDermit Creek.		15	20	30	30*	20	10	10*	10	20	20
0130118	SR293, Kings River Vy Rd, 4 mi W of US-95 at Orovada.		120	120	120*	140	160	170	170*	130	150	140
0130121	SR140, Denio-Adel Oregon Rd, 40 mi W of US-95.		250	290	330	280	280	280	300	300	310	330
0130122	SR292, Denio Rd, 2.75 mi S of the NV-OR Stateline & .2 mi N of SR-140.		120	150	140	130	130*	120	130	110	120	170
0130123	SR140, Denio-Adel Oregon Rd, 2.5 mi W of SR-292 (Denio Rd).		170	240	240	230	220	240	250	250*	260*	300

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name HUMBOLDT

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0130128	SR795, Reinhart Ln, 359' W of SR-289 & 174' W of the RxR Tracks.		540	1,080	700	740	990	1,050	1,150	1,250	1,350	1,200
0130129	Shelton Ln, .1 mi E of SR-290 (Paradise Vy Rd).			60	70	90	70	70*	50	50	70	70
0130131	SR290, Paradise Vy Rd, .6 mi S of SR-791 in Paradise Vy.		200	290	230	260	250	290	370	250	260	270
0130132	Paradise Vy Rd Spur, .25 mi E of SR-290.		180	170	190	150	170	160	160*	150	160	150
0130133	Paradise Vy Rd Spur, .2 mi W of the E end of pavement & 2.7 mi E of SR-290.		130	120	150	110	130	100	180	90	100	110
0130135	Paradise Vy Rd, sayee alias, .2 mi N of Old SR-791 E.		50	75	80	80	90	90	100	90*	80*	100
0130139	Desert Gem Rd, .2 mi S of Jungo Rd 130' N of RxR 2.95 mi W of Melarkey St.		30	30	50	50*	20	30	30*	20	20	10
0130144	Frontage Rd, SR 289, 1.5 mi E of Airport Rd.		1,350	1,400	1,250	1,300	1,300	1,350	1,300	1,400	1,350	1,400*
0130147	Road to Valmy Rest Area, 232' E of County Rd to Marigold Mine.		550*	560	530	530*	640	640*	640*	490	500	500*
0130148	IR80, E/B off-ramp of the Winnemucca Bl W Intch 'Exit 176'		1,950	1,760	1,570	1,850	1,900	1,800	2,000	2,000	2,050	2,000*
0130149	Winnemucca Bl, 350' W of Potato Rd.		7,800	6,900	7,050	7,050*	8,000	8,200	8,450	9,200*	9,250*	9,200*
0130150	IR80, E/B on-ramp of the Winnemucca Bl W Intch 'Exit 176'		980	730	780	940	910	920	990	1,000	1,050	1,000*
0130151	IR80, W/B off-ramp of the Winnemucca Bl W Intch 'Exit 176'		900	700	780	770	890	930	960	1,000	1,050	1,000*
0130153	IR80, W/B on-ramp of the Winnemucca Bl W Intch 'Exit 176'		2,165	1,760	1,630*	1,600*	1,850	1,850*	1,950	2,000	2,050	2,000*
0130155	IR80, .7 mi E of the Winnemucca Bl W Intch 'Exit 176'.		5,025	5,160	5,230	5,180*	5,420	6,200	6,300	6,300	6,450	6,200
0130156	IR80, E/B off-ramp of the Winnemucca E Intch 'Exit 178'		265	310	380*	350	400	410	460	420	410	400*
0130157	SR289, Weso Rd, 150' S of the Winnemucca E Intch 'Exit 178'.		4,000	4,600	4,600*	4,600*	3,900	4,000*	4,100	4,300	4,200	4,300*
0130158	IR80, E/B on-ramp of the Winnemucca E Intch 'Exit 178'		1,050	1,040	1,080	1,000	1,000	1,000*	1,350	1,400	1,550	1,400*

* Data Adjusted or Estimated

Page 5

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name HUMBOLDT


Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT									
0130159	IR80, W/B off-ramp of the Winnemucca E Intch 'Exit 178'		1,160	1,040	900	900*	915	1,050	1,000	1,100	1,250	1,200*
0130162	IR80, W/B on-ramp of the Winnemucca E Intch 'Exit 178'		250	300	260	290*	480	460	450	470	460	440*
0130163	IR80, .2 mi E of the E/B on-ramp at Winnemucca Downtown Intch 'Exit 176'.		6,720	6,630	6,570	6,440*	6,455	7,400*	7,400	7,600	7,650	7,300
0130164	IR80, E/B off-ramp of the E Winnemucca Intch 'Exit 180'		260	180	220	110	100	110	120	120	120	120
0130165	SR794, 3rd St, .2 mi S of the E/B ramps.		1,500	1,700	1,700*	1,100	1,250	1,250*	1,200	1,300	1,200	1,200
0130166	IR80, E/B on-ramp of the E Winnemucca Intch 'Exit 180'		515	480	500	350	350	360	380	440	410	410
0130167	IR80, W/B off-ramp of the E Winnemucca Intch 'Exit 180'		710	610	580	490	515	580	590	650	600	600*
0130170	IR80, W/B on-ramp of the E Winnemucca Intch 'Exit 180'		170	120	200	150	150	160	170	180	160	160*
0130172	SR294, Grass Valley Rd, .2 mi S of SR-787 (Hanson St).		13,500	12,200	12,100	11,700	10,800	10,700	11,100	11,400	12,000	12,000
0130173	SR294, Grass Valley Rd, 285' N of Hanson St.		6,250	6,600	6,300	5,900	5,900*	5,900*	5,800	6,050	5,950	6,300
0130174	SR794, 3rd St, .1 mi W of Haskell St.		5,050	4,850	4,850*	4,850*	4,500	4,200	4,150	4,300	4,350	4,500*
0130175	Hanson St, 100' W of Weso St in Winnemucca.		8,600	7,800	7,800*	6,200	6,350	5,800	6,900	7,600*	6,950*	7,400
0130176	IR80, 2.4 miles E of the cross traffic rd at mp HU 26.		7,605	7,360	7,220	7,000	7,070	7,550*	7,850	7,900*	8,150*	8,200
0130177	IR80, .3 mi E of W/B off-ramp at Golconda Intch 'Exit 194'.		6,920	6,600	6,550	6,770	6,620	7,050	7,350	7,500*	7,550*	7,800*
0130178	IR80, 2.87 mi E of the Golconda Summit Intch EB on-ramp.		6,910	6,570	6,430*	6,270*	6,590*	7,050*	7,400*	7,500*	7,550*	7,800*
0130179	IR80, 1.04 mi W of the Pumpernickle Intch.		6,395	6,570	6,430*	6,270*	6,590*	7,050*	7,400*	7,500*	7,550*	7,800*
0130180	IR80, 3.2 mi E of E/B on-ramp of the Pumpernickel Intch 'Exit 205' .		6,355	6,570	6,430*	6,270*	6,590	7,050	7,000	7,100*	7,650*	7,800
0130181	IR80, 2 mi E of the the Stonehouse Intch 'Exit 212' .		6,225	6,810	6,800*	6,670*	6,630	6,950	7,000	7,200	7,300	7,600
0130182	IR80, 2.5 mi E of the Valmy Intch 'Exit 216'.		6,115	6,840	6,800	6,660	6,650	7,000*	7,050	7,250	6,250	7,600*

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name HUMBOLDT

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0130184	Hanson St, 200' W of Mc Arthur Av.		4,600	4,500	4,500	4,500*	4,500*	3,750	4,450	4,500*	4,600*	4,900
0130185	SR294, Grass Valley Rd, .1 mi S of SR-794 (E Winnemucca Bl).		3,600	4,300	3,280*	3,300	3,300*	3,300*	3,600	3,800	3,850	4,100
0130186	US95, Maine St, 3.1 mi S of SR-290 to Paradise Vy.		2,300	2,150	2,100	2,100*	2,100*	2,100	2,200*	2,250	2,450	2,500
0130187	Water Canyon Rd, 1.3 mi SE of Highland Dr.		130	130	120	200	160	130	140	150	160	170
0130188	Minor St, 100' N of Bridge St.		780	850	850*	850*	760	780	740	700*	710*	840
0130190	Valley Rd, .4 mi N of SR-140 (Denio-Adel Oregon Rd).		40	30	30	30*	30	40	40*	30	50	50
0130191	SR795, Reinhart Ln, 625' E of US-95.			1,050	750	890	890	1,150	1,100	1,100*	1,250*	1,100
0130192	National Av, 300' W of US-95.						1,100	1,100	1,150	1,250	1,150	1,100
0130194	US95, Maine St, 1.5 mi N of SR-140 (Old Orovada ATR).		1,400	1,450	1,450	1,480*	1,480*	1,450	1,500*	1,600	1,600	1,800
0130195	SR294, Grass Valley Rd, .2 mi S of Thomas Canyon Rd.			3,350	3,350*	3,300	3,250	3,300	3,300	3,400	3,450	3,700
0130196	SR294, Grass Valley Rd, .15 mi N of HU-PE Co Line.		1,800	1,700	1,700*	1,500	1,450	1,450	1,450	1,500	1,450	1,700
0130197	South Road (McDermitt) Tribal Offices Rd, .1 mi E of US-95.			250	280	270	220	220	240	280	270	240
0130198	4th St, 222' N of Hanson St.			3,200	2,800	2,700	2,250	2,400	2,500	2,600	2,500	2,700
0130199	National Av, 150' E of US-95.						610	600	610	620	640	630*
0131110	IR80, 800' E of SR-794 (E Winnemucca Intch)		7,515	7,420	7,230	7,020	7,065	7,135	7,489	7,700	7,750	7,400
0131120	SR294, Grass Valley Rd, 0.4 mi W of SR-787 (Hanson St.)		10,200	9,200	9,100	8,700	8,585	8,575	8,687	8,700	8,850	9,000
0132120	US95, 0.2 mi N of SR-293 (Kings River Valley Rd)		1,305	1,395	1,335	1,365	1,445	1,485	1,500	1,550	1,600	1,500
0132130	IR80, 7.6 mi W of SR-305					6,510	6,785	6,780	6,953	7,150	7,150	7,200
0132140	SR140, 2.4 mi West of US-95.		310	330	340	350	340	325	324	310	300	310

*015




BATTLE MOUNTAIN




INTERSTATE ⁸⁰ INTERCHANGES

015


WEST BATTLE
MOUNTAIN 229




DOWNTOWN
BATTLE MOUNTAIN 231



EAST BATTLE
MOUNTAIN 233



ARGENTA 244



**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name LANDER			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0150002	SR305, Austin-Battle Mountain Rd, 450' S of SR-304 (Front St).		4,200	3,650	3,700	3,700*	3,700*	3,200	3,850	4,050	4,350	4,800
0150004	SR806, Reese St, 50' N of SR-304 (Front St) at the RxR crossing.		3,000	2,650	2,650*	2,700	2,350	2,250	2,700	2,700	3,000	2,900
0150005	SR806, North Battle Mountain Rd, .5 mi N of N Front St & 20' N of cattle guard.		350	350	440	440*	320	250	260	280	390	340
0150006	SR304, Front St, 300' E of SR-806 (Reese St).		4,800	4,400	4,300	4,700	4,700*	3,400	3,850	3,950	4,250	4,100*
0150007	IR80, .2 mi E of the E/B on-ramp of the E Battle Mtn Intch 'Exit 233'.		5,480	6,590	6,520	6,440*	6,600	6,350	6,800	6,750	7,400	7,800
0150008	IR80, E/B off-ramp of the Argenta Intch 'Exit 244'		50	50	50	50	40	30	50	40	80	40
0150010	IR80, E/B on-ramp of the Argenta Intch 'Exit 244'		75	90	70	40	40	40	90	50	80	90
0150011	Old 8A (Jenkins Rd), 6.5 miles E of SR-305.				50	50*	50*	40	20	40	50	50*
0150012	IR80, W/B off-ramp of the Argenta Intch 'Exit 244'		55	70	70	40*	40	50	50	50	80	50*
0150013	Old US-40 (FRLA02), 1000' E of the Argenta Intch 'Exit 244' cross traffic rd.				240	120	120	180	230	230*	200*	260
0150015	IR80, W/B on-ramp of the Argenta Intch 'Exit 244'		40	50	60	40	40*	40	40	30	60	30*
0150016	SR305, Austin-Battle Mountain Rd, 1.25 mi S of SR-304 (Front St) & .4 mi S of EB I-80 off-ramp.		2,350	2,300	2,300	2,100	2,100*	1,850	2,100	2,100	2,250	2,500*
0150017	SR305, Austin-Battle Mountain Rd, 10.5 mi S of SR-304 (Front St).		850	800	890	760	760*	670*	650	650*	630*	740
0150019	County Rd to Copper Canyon, 450' W of SR-305 (Broad St).				30	30*	30	30	50	50*	60*	50*
0150023	SR305, Austin-Battle Mountain Rd, 7.5 mi S of the County Rd to Copper Cy.		720	690	770*	620	620*	620*	640	650	640	670
0150025	SR306, Gold Acres Rd, 500' S of the EU-LA County Line S of Crescent Vy.		290	320	280	310	320*	380	460	400	470	440
0150027	SR722, Carroll Summit Rd, at the bridge over the Reese River W of Austin.		50	55	50	70	50	50	50*	80	70	60
0150029	County Rd to lone, .1 mi S of SR-722.				30	30	40	40	40*	40	40	40
0150032	SR305, Austin-Battle Mountain Rd, to Battle Mtn .7 mi N of US-50.		350	290	290	310	310*	320*	270	330	250	230

* Data Adjusted or Estimated

Page 1

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name LANDER

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0150033	US50, Aultman St, 0.5 mi E of SR-305.	940	990	1,100	910	1,100	980	1,100	1,300	1,100	1,000
0150034	US50, Aultman St, 350' E of Virginia St & 40' W of the Austin Fire Station.	1,250	1,100	1,200	1,200	1,300	1,270*	1,350	1,400	1,350	1,200
0150038	US50, Aultman St, .1 mi E of SR-376 (Tonopah-Austin Rd).	640	620	550	580	600	540	590	730	550	540
0150040	SR376, Tonopah-Austin Rd, at the LA-NY County Line.	330	370	450	400	400	400*	380	380*	360*	390
0150041	IR80, W/B on-ramp of the W Battle Mtn Intch 'Exit 229'	490	570	540	470	430	460	430	500	490	490*
0150042	IR80, E/B off-ramp of the W Battle Mtn Intch 'Exit 229'	510	560	500*	470*	480	480	490	530	520	530
0150043	IR80, E/B on-ramp of the W Battle Mtn Intch 'Exit 229'	250	360	300	270	290	290	300	300	360	330
0150044	IR80, W/B off-ramp of the W Battle Mtn Intch 'Exit 229'	260	260	270	250	290	260	280	290	330	330*
0150045	FRLA03, SR-304, .3 mi E of the W Battle Mountain Intch 'Exit 229'.	2,100	1,800	3,250	2,900	2,700*	2,950	2,700*	2,400	2,500	2,400*
0150047	Sixth St, 100' W of Galena St & W of Alyenburg Av.			390	190	330	350	330	330	340	310
0150048	IR80, .5 mi E of the W/B off-ramp of the W Battle Mtn Intch.	5,580	6,360	6,350	6,240	6,320	6,650	6,700	6,800	7,000	7,400
0150049	IR80, W/B on-ramp of the E Battle Mtn Intch 'Exit 233'	390	410	350	240	220	210	220	260	360	260*
0150050	IR80, E/B off-ramp of the E Battle Mtn Intch 'Exit 233'	405	400	390	260	230	230*	200	250	350	250
0150051	IR80, E/B on-ramp of the E Battle Mtn Intch 'Exit 233'	360	470	390*	330	250	250	230	250	350	250*
0150052	IR80, W/B off-ramp of the E Battle Mtn Intch 'Exit 233'	380	470	440	330	320	320	300	300	420	300*
0150053	FRLA03, SR-304, .1 mi W of Muleshoe Rd.	2,100	1,900	2,300	2,200	2,200*	1,800	2,050	1,950	2,050	2,800
0150057	Muleshoe Rd, 95' N of FR-02 & 145' S of RxR tracks.	370	310	250	200	250	250	250	410	500	500*
0150060	Kingston Creek Rd, 3.2 miles W of SR-376	35	35	50	40	50	50	50*	50*	80*	50


* Data Adjusted or Estimated

Page 2


**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name LANDER			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT									
0150062	IR80, W/B on-ramp of the Central Battle Mtn 'Exit 231'		555	480	480	460	500*	560	640	570	610	530*
0150063	IR80, W/B off-ramp of the Central Battle Mtn Intch 'Exit 231'		510	520	460	460	580	520	590	640	730	780*
0150064	IR80, E/B on-ramp of the Central Battle Mtn Intch 'Exit 231'		500	530	530	470	580	520*	570	580	660	710
0150065	IR80, E/B off-ramp of the Central Battle Mtn Intch 'Exit 231'		500	470	430	430	500	510	550	610	650	580
0150066	IR80, .6 mi E of the Central Battle Mtn Intch 'Exit 231'		5,535	6,460	6,430	6,280	6,480	6,500	6,700	6,700	7,300	7,500
0150067	North 2nd St, 125' N of Front St.			620	750	860	540	810	1,000	980	990	880

*017



*017



CALIENTE - PIOCHE

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name LINCOLN			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0170001	US93, at mp LN-25 S of Alamo.		1,800	2,100	2,250	1,600	1,550	1,600	1,600*	1,500	1,550	1,700
0170004	US93, .6 mi S of SR-318 near Crystal Springs.		1,700	1,850	2,000	1,700	1,500	1,650	1,650*	1,750	1,800	1,800*
0170005	US93, .1 mi N of SR-375.		750	560	820	610	600	600	630	570	580	700
0170006	SR318, Sunnyside Cut-off Rd, .1 mi W of US-93 near Crystal Springs.		1,600	1,550	1,600	1,400	1,300	1,350	1,400	1,450	1,500	1,300*
0170007	SR318, Sunnyside Cut-off Rd, 1.6 mi N of SR-375.		1,100	1,000	1,150	1,100	1,200	1,250*	1,200	1,300	1,300	1,300*
0170009	SR375, Warm Springs Rd, 1.0 mi W of SR-318 at Crystal Springs.		220	200	230	280	280	210	230	210	220	240
0170013	SR317, Rainbow Cy Rd, S of Caliente 6.3 mi S of US-93.		100	95	120	120	140	90	90	140	150	130
0170014	SR317, Rainbow Cy Rd, S of Caliente 0.1 mi S of US-93.		375	270	280	320	320*	230	260	300	310	290
0170015	US93, .5 mi S of SR-317 in Caliente.		700	570	700	620	670	680	750	610	620	770
0170016	Park Rd to Kershaw-Ryan Rec Area, .7 mi E of SR-317 (Rainbow Cyn Rd).		80	85	80	120	90	50	30	40	40	40
0170018	US93, in Caliente 100' N of Front St.		2,200*	2,000	2,350	2,200	2,350	2,300	2,150	1,950	2,000	2,000*
0170019	US93, near the N City Limits of Caliente .1 mi N of mp 95.		1,400	1,250	1,450	1,400	1,370*	1,450	1,350	1,300	1,350	1,400*
0170020	County Rd to Beaver Dam State Park, N of Caliente .1 mi E of US-93.			70	100	90	130	90	90*	80	90	90*
0170021	SR319, Panaca-Modena Rd, to Panaca .1 mi E of US-93.		1,200	1,250	1,300	1,300	1,450	1,500	1,400	1,450	1,500	1,500*
0170023	SR319, Panaca-Modena Rd, 4.5 mi E of US-93 & 1.0 mi W of the County Rd to the Delmue Ranch.		550	450	550	590	580	610	540	550	560	580
0170024	1st South, .1 mi W of US- 93.					220	260	330	320	310	310	330
0170025	SR319, Panaca-Modena Rd, .4 mi E of the County Rd to Crestline.		480	390	480	530	540	560	490	500	510	570
0170026	US93, .1 mi S of the County Rd to Cathedral Gorge.		1,150	1,020	1,050	1,200	1,200*	1,150	1,100	1,000	1,050	1,300
0170027	State Park Rd to Cathedral Gorge, .1 mi W of US-93.		100	65	70	80	80	120	90	70	80	150

* Data Adjusted or Estimated

Page 1

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**


County Name LINCOLN

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0170028	SR320, Caselton Mine Loop, to Caselton .1 mi W of US-93.		45	35	50	50*	50*	40	40*	40	50	40
0170029	US93, .3 mi S of SR-321.		1,000	1,050	1,050	1,050*	1,300	1,150	940	920	930	1,200
0170030	SR321, La Cour St, .1 mi N of US-93.		260	245	300	310	290	240	250	230	240	240
0170031	US93, 1 mi N of SR-321.		760	800	850	850	1,000	920	750	720	710	960
0170032	SR322, Ursine Rd, 2.1 mi E of US-93 at Pioche.		210	220	230	230*	230*	280	230	240	260	300
0170033	SR322, Ursine Rd, 12.9 mi E of US-93 at Pioche.		150	140	140	170	170*	190	150	150	160	190
0170035	SR322, Main St, 30' S of Cedar St in Pioche.		1,080	970	1,100	640	670	510	480	480*	490*	460
0170036	SR321, La Cour St, 300' W of SR-322 (Main St) in Pioche.		1,100	820	980	980*	640	590	580	560	560	560*
0170038	SR321, La Cour St, .2 mi S of US-93 N of Pioche.		140	130	140	150	140	120	120	110	120	110
0170039	US93, .5 mi N of SR-322 (Main St) in Pioche.		400	420	400	490	490*	450*	460	470	490	560
0170040	Groom Lake Rd, .1 mi S of SR-375.					30	30*	20	20*	20	30	20
0170041	Seaman Wash Rd, 100' W of SR-318.						10	10	10*	10*	30*	20*
0170042	US93, .1 mi S of SR-320 to Caselton N of Pioche.		480	500	500	570	770	540	440	460	470	550
0170043	SR320, Caselton Mine Rd, to Caselton 300' W of US-93 N of Pioche.		65	65	80	50	70	70	60	60	70	50
0170045	Bristol Pass Rd, 50' W of US-93.					10	10	10	10*	10*	20*	10
0170046	US93, 25' N of the County Rd to the Bristol Silver mine.		390	420	420	420*	570	430	430	430	440	540
0170047	Atlanta Rd, .1 mi E of US-93 (25.4 mi N of SR-320)					40	40*	110	110*	130	140	70
0170048	Bennett Pass Rd (Pan American Rd), 50' W of SR-320.					10	10*	10	10*	10*	20*	10*
0170052	County Rd to Echo Canyon State Recreation Area, 100' S of SR-322 to Ursine.		90	65	90	90*	100	90	90	90	100	130*
0170053	SR816, Lincoln Co Airport Rd , Lincoln Co Airport 200' W of US-93 near Panaca.		40	55	40	40*	50	20	20*	50*	60*	60*
0170054	Beaver Dam State Park Rd, 2.7 mi SE of US-93.		20	30	40	40*	20	20	20*	20	30	30
0170055	Carp Rd, S of the Southern terminus of SR-317 3.2 mi S of the entrance rd to Elgin.		20	10	30	30*	30	20	20*	20*	30*	30*


**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name LINCOLN			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT							
0170056	Spring St, S of US-93 in Caliente.		2,300	1,500	1,700	1,600	1,650	1,550	1,600	1,600*	1,650*	1,600
0172110	US93, 1 mi S of SR-319		1,195	1,250	1,270	1,265	1,340	1,305	1,335	1,350	1,400	1,400
0173110	SR318, Sunnyside Cut-off Rd, 4.5 mi N of SR-375		895	875	890	920	980	1,005	1,070	1,050	1,100	1,100


*019



WADSWORTH-FERNLEY 46 EAST FERNLEY 48




*019




NORTHERN LYON
COUNTY

*019





Wadsworth-Fernley
Enlarged Area

*019



YERINGTON



YERINGTON AREA

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name LYON			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0190001	US50, .6 mi W of SR-341 (Virginia City Rd).		17,100	18,500	18,200	18,600*	21,900	25,400*	23,200	25,000	25,900	25,000
0190002	US50, Aultman St, .2 mi E of SR-341(Virginia City Rd).		14,200	15,900	15,600*	15,900*	18,600	21,600*	19,900	22,000	22,200	22,000
0190003	SR341, Virginia City Rd, 200' N of US-50.		2,800	3,100	2,950	2,700	2,700	3,100	3,350	3,750	3,750	3,700
0190007	Fifth St, .7 mi E of US-95A in Silver Springs at the RxR tracks.					510	660	640		790	780	790
0190009	Pike St, 200' N of Main St in Dayton.			590	550	510	600	530	530	520	640	640*
0190010	Dayton Vy Rd, .1 mi E of US-50 in Dayton.		6,300	6,300*	6,500	6,900	6,900*	9,100	9,500	9,500*	10,800*	11,000
0190011	Churchill Cy-Thomas Smelter Rd, 2.2 mi W of US-95A N of Wasbuska at US-95A Jct.					20	10	20		30	20	10
0190012	US50, .2 mi W of the entrance to the Dayton State Park.		11,600	14,400	14,400	14,400*	16,700	17,500	20,400	20,400	21,600	22,000
0190013	US50, 0.4 mi E of Graves Dr and 0.6 mi W of Occidental Dr.		8,900	10,200	10,200	9,900	12,300	12,800	13,700	15,400	15,900	16,000
0190014	Fort Churchill Rd, 1.9 mi E of US-50.						80	50	50*	130	150	120
0190015	Six Mile Cy Rd, 1.1 mi W of US-50.			1,400	1,450	1,500	1,500*	1,700*	2,250	2,600	2,550	2,600
0190016	US50, Aultman St, .1 mi E of Chavez Rd.		5,400	6,050	6,000	5,600	6,400*	6,850	7,050	7,650	7,850	7,900
0190017	US50, .1 mi E of Cheyenne Rd (in Stage Coach) & 8.2 mi W of US-95A.		4,800*	5,000*	5,000*	4,900	5,500	5,600	5,800	6,250	6,400	6,400
0190018	US50, Aultman St, .7 mi W of US-95A at Silver Springs.		3,700	3,850*	3,850*	3,400	4,000	4,200	4,100	4,500	4,600	4,400
0190019	US95A, Goldfield Av, .1 miles S of US-50.		5,100	5,300*	5,200	5,200	5,700	5,350	5,400*	5,900	5,950	5,900*
0190020	US50, Aultman St, 1.5 mi E of US-95A.		2,100	2,000	2,000*	1,800	1,950	2,000*	2,050	2,200	2,300	2,200
0190021	US95A, 270' N of US-50.		4,300	4,600	4,500	4,900	4,900*	5,350	5,300	5,650	5,850	5,800*
0190022	US95A, 320' S of US-95A Spur in Fernley.		6,100	6,400	6,700	6,600	7,600	8,100	9,050	9,100*	9,650*	10,000
0190023	US95A, Goldfield Av, 275' E of US-95A Spur.		9,400	9,750	10,200	10,400*	10,600*	11,200*	12,000*	13,000*	11,400*	12,000
0190024	SR427, Main St, 0.3 mi W of US-95A.		9,600	10,200	10,200*	11,000	11,400	11,300*	11,900	12,900	12,000	12,000
0190025	SR427, Main St, 20' S of the RxR underpass btwn Fernley & Wadsworth.		9,200	9,550	9,400	9,600*	10,900	10,800	11,000	12,000*	11,500*	11,000

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name LYON			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0190026	IR80, E/B on-ramp of the Wadsworth-W Fernley Intch 'Exit 46'.		1,225	1,160	1,100	1,000	900	990	1,200	1,250	1,450	1,700
0190027	East Newlands Dr, .1 mile E of Lyon Dr at the RxR crossing.					1,600	1,500	1,400		1,500	1,300	1,700
0190028	IR80, W/B off-ramp of the Wadsworth-W Fernley Intch 'Exit 46'.		1,195	1,130	1,200	1,100	900	1,000	1,450	1,400	1,100	1,700
0190029	Whitacre St, .1 mile N of Commercial Av.			85	90	90	80	90	90*	80*	100*	100*
0190030	IR80, W/B on-ramp of the Wadsworth-W Fernley Intch 'Exit 46'		3,115	2,970	3,600	3,050	3,440	3,400	3,750	4,000	4,600	4,400
0190031	IR80, E/B off-ramp of the Wadsworth-W Fernley Intch 'Exit 46'		3,170	3,170	3,780	3,400	3,650	3,650*	4,150	4,400	5,600	4,600
0190032	US95A, Goldfield Av, .3 mi W of US-50A to Hazen W of the Fernley overpass.		10,200	10,700	11,000	11,200*	11,400*	13,300	13,900	14,500*	15,800*	16,000*
0190033	SR828, Fernley Farm District Rd, .25 mi S of US-50A.		3,600	3,800	4,050	4,700	5,550	5,700	6,500	6,500*	6,850*	8,900
0190034	US50A, 2.6 mi E of SR-828.		7,400*	7,450*	7,200	7,900	8,100	8,700	10,400	10,800	10,400	11,000*
0190035	SR828, Fernley Farm District Rd, .17 mi W of US-50A.		270	340	330	380	510	430	530	660	840	560
0190036	US95A, Goldfield Av, to IR-80 at the N end of guardrail of RxR overpass.		13,800	15,600	15,600*	16,000	18,100	19,700	21,700	22,000*	23,400*	25,000
0190037	IR80, E/B on-ramp of the E Fernley Intch 'Exit 48' .2 mi from cross traffic rd.		725	780	700	640	640	690	620	530	540	520
0190038	Salvador Dr, E of Lyon Dr at the RxR crossing (Fernley area).						390	480		440	330	460
0190039	IR80, W/B off-ramp of the E Fernley Intch 'Exit 48'		810	890	790	750	690	790	720	620	640	590
0190040	IR80, W/B on-ramp of the E Fernley Intch 'Exit 48'.		4,995	5,250	4,670	4,900	4,910	5,100	5,650	5,750	6,400	6,700
0190041	IR80, E/B off-ramp of the E Fernley Intch 'Exit 48'		4,865	4,980	4,270	4,600	4,600	4,650	5,300	5,100	5,600	6,300
0190042	IR80, .6 mi. E of E/B on-ramp of the E fernley Intch		7,380	6,950	6,950	7,090	7,410	7,800*	8,000*	7,600*	7,550*	7,400
0190045	Fort Churchill Rd, .2 mi W of US-95A.		235	190	210	230	180	190	190	230	210	230
0190048	US95A, .6 mi S of the RxR crossing at Wabuska.		2,650	3,000	3,000	2,800	3,000*	2,970*	2,850	2,850	3,000	3,100
0190049	US95A, .5 mi N of the County Rd to Weed Heights.		4,100	4,400	4,400	4,300	4,500*	4,450*	4,800	4,700*	5,050*	5,200*

* Data Adjusted or Estimated

Page 2

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name LYON

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0190051	US95A, Goldfield Av, 300' N of US-95A (Goldfield Av).		5,100	5,400	5,300	5,100	5,450	5,600	5,600	5,500*	5,700*	5,900*
0190052	US95A, Goldfield Av, .1 mi E of SR-339.		4,700	5,000	4,800	4,800	5,050	4,900	4,900	4,800	4,950	5,500
0190053	US95A, Goldfield Av, 2 Blocks W of SR-208 (Main St.).		4,000	4,250	4,250*	4,100	4,200*	4,100*	5,450	5,450	5,650	5,900
0190054	SR208, Main St, 200' S of US-95A (Goldfield Av).		5,700	6,100	6,100*	5,800	6,300	6,000	6,150	6,600	6,000	6,000
0190055	US95A, .2 mi E of Oregon St & .6 mi E of SR-208.		3,600	3,600	3,600	3,600	3,900	3,800	3,700	4,000	4,000	3,700
0190056	SR208, Main St, 150' N of SR-340 (Bridge St.).		5,400	5,600	5,750	5,300	5,600	5,400	5,700	5,800	5,500	5,600
0190058	SR340, Bridge St, .1 mi W of SR-208 (Main St.).		4,300	4,400	4,600*	3,900	3,900*	3,800*	4,250	4,350	4,100	4,400
0190059	SR208, Main St, .1 mile S of SR-340 (Bridge St.).		4,100	4,250	4,250*	3,900	4,150	3,800	3,800*	4,400	4,250	4,300*
0190061	SR340, Bridge St, .2 mi E of SR-339.		3,050	3,000	3,150	2,700	3,000	2,900	3,050	3,350	3,100	3,200
0190063	SR339, Nordyke Rd, .2 mi N of SR-827 (Mason Rd.).		3,000	3,000	3,000	2,700	3,200	3,300	3,150	3,250	3,200	3,400
0190064	SR339, Nordyke Rd, 1 mile S of SR-827 in Mason.		1,550	1,600	1,530	1,500	1,750	1,950	1,850	1,950	1,850	1,800
0190065	SR827, Mason Rd, 400' W of SR-208 (Topaz-Yerington Rd).		800	800	830	770	1,050	990	980	930	1,050	1,100
0190066	SR208, Topaz-Yerington Rd, 1.4 mi N of SR-827 (Mason Rd.).		2,650	2,600	2,600	2,400	2,750	2,900	2,850	3,000	2,850	2,800
0190067	SR827, Cremetti Ln, .25 mi E of SR-208.		195	300	280	240	240*	340	360	380	340	430
0190072	Pursel Ln, 2.3 mi E of SR-827 (McKenzie Ln).		45	40	40	40	40*	30	30*	40	50	50
0190075	SR208, Topaz-Yerington Rd, .6 mi N of MacKenzie Ln & .1 mi S of Fridhoff Ln.		475	570	510	470	610	600	580	570	600	590
0190080	SR208, Topaz-Yerington Rd, 100' N of Pine Grove Rd.		420	470	450	410	540	510	520	500	560	550
0190086	SR208, Topaz-Yerington Rd, .3 mi E of leg of Wye to SR-824 in Smith.		1,650	1,600	1,650	1,600	1,750	1,850	1,950	1,850	1,850	1,800
0190087	SR824, Day Lane, 155' N of E leg of Wye to SR-208 & 293' S of SR-825.		970	1,050	980	840	1,000	1,050	1,100	1,050	1,050	970
0190089	SR825, Gage Rd, in Smith .1 mi W of SR-824 (Day Ln).		220	175	170	160	180	160	180	170	160	130
0190090	SR208, Topaz-Yerington Rd, .2 mi N of SR-338 S of Smith.		1,400*	1,475	1,400	1,400	1,650	1,650	1,850	1,700	1,650	1,600

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name LYON			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0190091	SR208, Main St, .2 mi W of SR-338 S of Smith.		1,350	1,200	1,200*	1,200	1,350	1,350	1,450	1,350	1,350	1,400*
0190092	SR338, Sweetwater Rd, .1 mi S of SR-208 S of Smith.		410	400	390	420	420	460	460	440	410	350*
0190094	SR208, Topaz-Yerington Rd, .5 mi E of SR-823 to Colony District.		1,850	1,900	1,500	1,500	2,050	2,000	2,100	2,000	2,350	1,900
0190095	SR823, Colony District Rd, Lower Colony Rd .2 mi N of SR-208.		680	700	600*	590	720	760	790	840	870	780
0190096	SR823, Artesia Rd, .1 mi W of jct of SR-823 (Hunewell Ln) N of SR-824.		170	290	200	160	220	200	210	210	220	200
0190097	SR824, Day Lane, .2 mi E of SR-823 (Colony District Rd).		240	380	320	260	260*	320	360	330	290	310
0190098	SR824, Day Ln, 1.5 mi N of SR-825 (Gage Rd) in Smith.		690	820	760*	760	790	790	850	800	810	750*
0190099	SR829, Wellington Rd, 1.2 mi E of SR-208 (Topaz-Yerington Rd) S of Wellington.		380	360	280*	260	410	380	420	380	410	390
0190100	SR338, Sweetwater Rd, .1 mi N of SR-829 (Wellington Rd).		225	260	230	240	340	310	340	260	340	270
0190101	SR338, Sweetwater Rd, .15 mi S of SR-829 (Wellington Rd).		420	420	400	390	550*	500	560	540	610	490
0190103	SR338, Sweetwater Rd, 3.9 mi S of the County Rd at mp 9.7.		280	275	260*	260*	310	290	310	290	390	260
0190108	SR208, Topaz-Yerington Rd, 300' S of SR-827 (Mason Rd).		1,350	1,350	1,250	1,200	1,390*	1,500	1,400	1,450	1,400	1,500
0190109	Ninth St, .2 mi E of US-95A.						1,300	1,200	1,250	1,300	1,300	1,200
0190110	County Rd (Old US-95A), Pete Hendricks Rd., to Mason Vt Wildlife Mgt Area .2 mi N of US-95A.			250	200	190	360	310	370	370*	360*	370
0190111	US95A, .45 mi E of Pete Hendricks Rd.		2,500	2,500	2,300	2,600	2,450	2,650	2,600	2,650	2,750	2,600
0190112	US95A, .1 mi E of Miley Rd & .1 mi E of mp 7.		1,650	1,650	1,600	1,800	1,850	1,900	1,850	1,800	1,950	1,800
0190114	IR80, at mp LY 2.66		15,705	15,510	14,400	15,200*	15,590	15,900	18,000*	17,000*	18,100*	20,000
0190115	US95A, Goldfield Av, btwn Miller Ln & Campbell Ln.		3,500	3,650	3,500	3,600	3,900	3,850	3,800*	3,700*	4,000*	3,900

* Data Adjusted or Estimated


Page 4

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name LYON

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0190116	Weed Heights Rd, 1 mi W of US-95A.		1,000	900	930	930*	860	900	800*	660	820	810
0190117	Pine Grove (Bodie Rd), .2 mi S of SR-208.		70	70	50	80	110	60	60*	70	40	60
0190118	Gallagher Pass Rd (Campbell Ln), 5.1 mi W of US-95A.		40*	40*	30	30	10	50	50*	50	70	60
0190119	Hardy Ln, .3 mi N of Cottonwood Ln.		840	850	1,300	1,300*	1,400	1,100	1,300	1,450	1,550	1,300
0190121	Fort Churchill Rd, .2 mi S of US-50 E of Dayton.		100	110	120	140	140*	140*	160*	230	250	200*
0190122	Bridge St, .1 mi E of Charlotte Av in Yerington.		720	770	700	680	600	600*	720	720	730	750
0190123	Orchard St, E of S. Whitaker St. in Yerington.		40	40	40	40	50	50*	40	40	30	
0190124	Pearl St, 117' W of Oregon St in Yerington.		1,000	1,000*	1,100	1,250	1,250*	1,300*	1,600	1,250	1,300	
0190125	Fir St, in Silver Springs 365' E of US-95A.		830	800	920	940	850	980	960	960	960	880
0190126	Weeks-Ramsey Cutoff Rd, .1 mi S of US-50.		1,800	1,750	1,800	1,800*	1,900	2,300	2,200	2,200	2,200	
0190127	Truckee Ln, .1 miles W of US-95A Spur in Fernley.		820	700	810	820	820*	780	800	710	660	
0190128	Miller Ln, .1 mi E of US-95A.						620	640	570	630	590	650
0193110	SR208, Topaz-Yerington Rd, 200' W of SR-339 (Nordyke Rd).		1,335	1,320	1,325	1,325	1,430	1,435	1,500	1,500	1,500	1,500
0193120	SR339, Nordyke Rd, 200' N of SR-208 (Yerington Rd).		1,100	1,085	1,080	1,120	1,125	1,155	1,208	1,250	1,230	1,200
0193130	SR208, Topaz-Yerington Rd, 200' E of SR-339 (Nordyke Rd).		365	360	370	390	435	405	433	410	410	410

*021



**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name MINERAL			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0210001	US95A, 1.8 mi E of MI-LY County Line & 9 mi W of US-95.		1,000	910	1,200	1,200*	1,200*	1,350	1,300	1,250	1,400	1,400*
0210002	US95, 200' N of RxR Grade Crossing in Schurz.		2,000	1,950	2,000	2,200	2,170*	2,500	2,600	2,550	2,400	2,600
0210003	Vista Dr, 303' W of West Loop rd at the RxR Tracks.				150	150*	130		130	130	130	130
0210004	US95, .2 mi N of US-95A.		2,300	2,650	2,650*	3,000	3,000*	2,500	2,550	2,500	2,400	2,600
0210005	US95, Maine St, .4 mi S of US-95A S of Schurz.		2,800	3,450	3,500	3,500*	3,500*	3,450	3,500	3,350	3,350	3,600
0210006	Farm Rd, .4 mi E of Hospital rd at RxR tracks.				320	320*	350		350	390	380	
0210007	Mesquite Rd%, 150' E of Hospital rd at the RxR tracks.				80	80*	50		30	60	50*	
0210009	US95, .5 mi N of the US Army Depot Entrance Rd at Babbitt.		3,250	3,200	3,400	3,000	3,000*	3,000*	3,300	3,050	3,100	3,700
0210010	US95, Maine St, at Babbitt .4 mi S of the US Army Depot Entrance Rd.		4,100	4,500	4,300	4,700	4,630*	2,450	4,050	4,000	3,950	4,200
0210011	US95, 235' N of 'C' St.		4,700	5,500	5,900	5,900*	5,900*	5,050	5,150	5,200	5,700	5,700*
0210012	Double Springs Rd, 247' N of Pasture Rd at the RxR tracks.				250	250*	190		230	210	170	
0210013	US95, 200' N of SR-359 (Pole Line Rd).		5,400	5,900	6,300	6,300*	6,300*	5,600	5,600*	4,950	4,850	5,200*
0210014	SR359, Pole Line Rd, .1 mi S of US-95.		2,600	2,400	2,500	2,500*	2,500*	2,300*	2,200	2,350	2,250	2,200
0210015	US95, 200' S of SR-359.		5,100	4,900	5,100	5,100*	5,100*	4,500	4,250	4,100	4,150	5,100
0210016	US95, Maine St, .25 mi S of SR-362 (Hawthorne Truck By-pass Rd).		2,600	2,600*	2,700	2,700*	2,700*	2,800	2,800	2,850	2,800	2,900
0210017	Thorne Rd, 900' N of US-95.							500	380	370	360	430
0210018	First St, 180' E of 'B' St.							1,400	1,300	1,250	1,200	1,800
0210019	Fifth St, 200' E of 'A' St.							1,700	1,650	1,650	1,700	2,300
0210020	Lucky Boy Pass, 280' W of SR-359 (Pole Line Rd).								60	80	60	60
0210021	Thorne Rd, 5.4 miles NE of Hawthorne at the RxR tracks.							40	40	30	40	70
0210022	SR359, Pole Line Rd, .65 miles S of US-95 in Hawthorne.		480	630	500	500	500*	600	460	530	580	570


* Data Adjusted or Estimated

Page 1


**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name MINERAL			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0210023	SR359, Pole Line Rd, .1 mi S of the County Rd to Bodie via Lucky Boy Grade.		170	225	210	210	210	210*	140	130	230	210
0210024	Bonanza Rd, 330' S of Thorne Rd at the RxR crossing (Hawthorne area)							320		280	310	310
0210025	N 3rd Av, 250' S of Thorne Rd at the RxR crossing (Hawthorne area)							470		440	400	420
0210027	US95, .25 mi N of SR-361 to Gabbs.		2,400	2,300	2,250	2,400*	2,200	2,350	2,500	2,300	2,350	2,300
0210028	SR361, Gabbs Valley Rd, .2 mi N of US-95 in Luning.		100	150	130	200	120	100	120	120	130	110
0210030	US95, 4.1 mi N of Mina.		2,100	2,050	2,200	2,400	2,250	2,400	2,500	2,300	2,350	2,400
0210033	SR360, Mina-Basalt Cutoff Rd, .25 mi W of US-95 S of Sodaville.		370	360	380	440	490	500	540	690	550	560
0210035	US6, 3.8 mi E of the NV-CA Stateline.		790	770	1,000	1,200	1,200	1,300	1,250	800	900	930
0210036	US6, .2 mi E of SR-360.		450	440	500	530	340	310	450	360	390	410
0210037	SR362, Hawthorne Truck By-Pass Rd, .3 mi N of US-95		800	1,300	1,050	1,050*	1,050*	1,150	1,200*	1,450	1,500	1,600
0210038	US95, 800' N of SR-362 (Truck Bypass).		1,700	1,450	1,500*	1,200	1,200*	1,200	1,200	1,100	1,100	1,200
0210040	'A' St, 125' N of W Seventh St.		900	900	900*	900*	900*	730	600	560	520	680
0210042	L St, 220' N of 1st St.							140	110	110	110	120
0210043	Lake Pasture Rd, 160' E of US-95 in Schurz.							500	490	540	520	440
0210044	10th St, 20' W of Essex Av.							240	230	240	250	260*
0210046	Weber Reservoir Rd, .2 miles E of US-95A.							20	10	20	30	30*


*023



*023



TONOPAH



BEATTY



State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name	NYE		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
Station	Route / Location											
0230001	SR160, Pahrump Valley Rd, in Pahrump Valley .6 mi E of the CL-NY County Line.		5,400	6,050	6,400	6,400*	6,500	7,780*	8,600*	9,800	10,100	10,000*
0230002	Ash Meadows-Bell Vista Rd, 2.3 mi W of SR 160.				2,400	2,500	2,600	2,500	2,500	2,700	2,700	2,600
0230003	Belmont Rd, 1000' E of SR-376.				30	30*	70	40	40*	50	60	40
0230004	Devils Hole Rd (Crystal Rd), .2 mi W of SR-160.				200	200	180	190	190	200	170	200
0230005	SR160, Pahrump Valley Rd, 200' W of SR-372 (Charles Brown Hw).		16,100	16,100*	16,400	16,400*	16,600*	18,600	18,900	23,000	22,300	21,000
0230006	SR372, Charles Brown Hw, .8 mi W of SR-160 & 50' E of mp 7.		8,350	9,450	9,800	9,800	9,800*	10,000*	11,000*	13,000*	12,600*	12,000
0230007	SR372, Charles Brown Hw, .1 miles E of NV-CA Stateline.		600	830	780	1,000	800	810	860	860*	870*	900
0230008	SR160, Pahrump Vy Rd, .1 mi E of SR-372 (Charle Brown Hw).		13,800	14,400	15,000	15,000*	17,400	19,200	18,500*	24,000	24,800	23,000
0230009	SR160, Pahrump Valley Rd, 7.7 mi E of SR-372 (Charles Brown Hw) 265 feet W of Blagg Rd.		1,200	1,350	1,300	1,400	1,400*	1,400*	1,450	1,550	1,650	1,800*
0230010	Haffen Ranch Rd (Caas St), .7 mi S of SR-160.				2,150	2,100	2,350	2,600	3,050	730	1,350	1,100
0230011	SR160, Pahrump Valley Rd, .1 mi W of US-95.		730	820	800	910	920	910	900	990	1,150	1,200
0230012	US95, Maine St, 4 mi N of the Mercury Intch.		2,940	2,960	2,980	3,110	2,800	2,800*	3,000	3,150	3,050	3,100
0230013	US95, S/B off-ramp of the Mercury Intch 200' E of US-95.		85	110	100	120	130	160	140	170	170	180
0230014	US95, S/B on-ramp of the Mercury Intch .25 mi S of the cross traffic rd.		410	375	460	460	460	530	480	550	490	510
0230016	US95, Maine St, N/B off-ramp of the Mercury Intch.		315	375	460	460	450	490	440	520	460	480
0230017	D.O.E Rd to Mercury Test Site, .2 mi N of the Mercury Intch.		850	855	1,000	960	960	960*	1,250	1,350	1,250	1,100
0230018	US95, Maine St, N/B on-ramp of the Mercury Intch.		100	110	100	110	130	140	120	160	150	170
0230019	US95, Maine St, 1.5 mi S of SR-373 (Death Vy Jct Rd).		2,700	2,850	2,700	2,900	2,800*	2,800	3,200	2,850	2,900	2,800
0230020	SR373, Death Vy Jct Rd, .5 mi S of US-95.		700	660	650	650*	570	570*	760	560	560	560*
0230021	US95, Maine St, .2 mi N of SR-373.		2,400	2,580	2,450	2,500	2,600	2,500	2,500*	2,600	2,550	2,600
0230022	US95, Maine St, .1 mi S of SR-374 (Death Vy Rd).		4,800	4,900	3,500*	3,400	3,500*	3,500	3,500*	3,400*	3,350*	3,400

* Data Adjusted or Estimated

Page 1

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name NYE			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0230024	SR374, Death Vy Rd, .6 mi W of US-95.		850	650	530	530	460	370	370*	540	530	390
0230026	SR374, Death Vy Rd, 4.2 mi W of US-95 in Beatty .2 mi W of the county rd to Rhyolite.		360	400	280	280*	290	220	220*	310	310	250
0230028	US95, Maine St, 1 mi N of SR-374 (Death Vy Rd).		2,600*	2,700	2,700*	2,500	2,650	2,450	2,550	2,400	2,400	2,500
0230029	US95, 7 mi N of Springdale Rest Stop at mp 77.		2,000	2,300	2,150	2,200	2,200*	2,250	2,350	2,200	2,200	2,300
0230030	SR267, Scotty's Castle Rd, .3 mi W of US-95.		60	60	60	70	50	50	50*	50*	60*	50
0230031	US95, Maine St, .2 mi S of US-6 in Tonopah across from the Sierra Pacific Power Company.		5,800	6,600	6,150	5,800	5,600	5,650*	5,700*	5,550	5,550	5,400
0230033	US95, in Tonopah 100' S of Bryan Av.		9,000	9,500	9,500*	7,800	7,050	7,250	7,000	6,800	6,750	6,900
0230034	US95, 500' N of Cemetery Rd N of Tonopah at mp 0.		4,400	4,700	4,500	4,100	4,150	4,300	4,300	4,100	4,050	4,500
0230036	County Rd, 17.4 mi E of Poleline Rd (off US 95N), then 9.6 mi N on Gabbs Rd.						20	20*	20	20*	20*	10
0230037	Pole line County Rd, .9 mi E of SR-361 S of Gabbs.						20	20	20	10	30	10
0230038	SR361, Gabbs Vy Rd, 200' N of 3rd St.		270	320	230	250	240	260	250	250*	270*	260
0230039	County Rd, to the Basic Refractories Plant in Gabbs .15 mi E of SR-361.						210	190	170	150	180	200
0230040	SR361, Gabbs Vy Rd, .2 mi N of SR-844 (Ione Rd).		180	220	160	170	170*	190	260	230	260	230
0230041	SR844, Ione Rd, .2 mi E of SR-361 (Gabbs Vy Rd).		70	110	50	50*	100	90	90*	110	110	120
0230049	US6, .25 mi E of US-95 in Tonopah.		2,050	2,200	2,300	1,900	1,600*	1,800	1,800	1,750	1,550	1,800
0230050	US6, .2 mi W of SR-376.		1,250	1,300	1,500	1,100	1,030*	1,050	1,150	1,050	900	1,100
0230055	SR377, Manhattan Rd, to Manhattan 400' E of SR-376.		120	65	90	80	90	80	80	110	120	140
0230059	SR376, Tonopah-Austin Rd, 2.4 mi S of Carvers Rest Area.		1,140	1,200	1,200	1,200	1,200	1,200	1,100	1,150	1,250	1,200
0230060	US6, Mill St, .2 mi E of SR-376 (Tonopah-Austin Rd).		650	670	670*	600	560	620	690	590	590	590*
0230064	US6, Mill St, 200' W of SR-375 (Warm Springs Rd).		280	290	340	290	290*	310	300	290	300	300*
0230065	SR375, Warm Springs Rd, 200' S of US-006.		120	150	200	140	140*	100	130	150	150	150
0230066	US6, Mill St, .3 mi E of SR-375 (Warm Springs Rd).		200	150	210	180	210	220*	210	210*	220*	220*
0230069	US6, .6 mi W of SR-379 (Duck Water Rd).		270	250	250	250*	220	230	210	220	220	220*
0230070	SR379, Duckwater Rd, .1 mi N of US-006.		140	100	100	100	120	110	90	100	110	110*



* Data Adjusted or Estimated

Page 2


**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name NYE			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0230072	SR379, Duckwater Rd, 19.2 mi N of US-006 & 150' S of the N end of oiled pavement.		75	90	130	70	70	70*	70	90	80	80*
0230074	SR318, Sunnyside Rd, drop box W at NY-WP County Line.		925	1,000	1,000	910	1,050	1,050	1,050	1,050	1,150	1,200*
0230078	Valley View Rd, .1 mi W of US-95.		135	120	100	100*	90	110	140	140	160	150
0233110	SR376, Tonopah-Austin Rd, 0.4 mi N. of US-6		460	490	650	510	510	505	500	490	500	510

*027




LOVELOCK AREA



LOVELOCK

INTERSTATE 80 INTERCHANGES

027



State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name PERSHING			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0270001	IR80, E/B off-ramp of the Toulon Intch 'Exit 93'.		105	100	90	90	90*	90	80	80*	90*	80
0270002	Westfall Rd, .1 mi E of Lower Valley Rd S of Lovelock at the RxR tracks.						170	150		190	190	200
0270003	Meadow Rd, .2 mi E of Lower Valley Rd S of Lovelock at the RxR tracks.						20	20		10	10	20
0270004	IR80, E/B on-ramp of the Toulon Intch 'Exit 93'		75	80	100	50	50	50*	40	50	50	40
0270005	Industrial Area Rd, 178' E of Cornell Av.							630		330	690	620*
0270006	IR80, W/B off-ramp of the Toulon Intch 'Exit 93'		120	110	120	120	80	80	80	80	80	70*
0270007	Eighth St, 620' S of Broadway Av.						260	300		360	400	350
0270008	IR80, W/B on-ramp of the Toulon Intch 'Exit 93'		170	160	140	140	100	100	100	100	100	80*
0270009	Rogers Rd, E of SR-396 at the RxR tracks (Lovelock Area).						310	310		330	300	330
0270010	Lower Valley Rd, at mp PE 11.1 2.2 mi E of the rd to Derby Airport SW of Lovelock.			50	40	40	40	50	50*	60	60	60
0270011	Irish American Rd, E of I-80 at the RxR crossing.									380	350	290
0270013	SR396, Cornell Av, 100' W of Bowean St.		2,200	2,250	2,400	2,700	2,700*	2,100	2,000*	2,100*	2,150*	2,400
0270014	SR396, Cornell Av, 150' W of SR-398 (Main St).		3,900	2,700	2,800	2,800*	2,550	2,550	2,450	2,500*	2,350*	2,700
0270015	SR398, Central Av, 200' S of SR-396 (Cornell Av).		1,850	1,750	2,000	2,100	1,950	2,050	1,900	2,150	2,050	2,000
0270016	SR396, Cornell Av, 100' E of SR-398 (Main St).		4,850	3,400	3,450	4,000	4,000*	3,250	3,200	3,300*	3,050*	3,700
0270017	SR398, Central Av, 100' S of Dartmouth Av.		2,450	1,700	1,700*	2,700	2,600	2,400	2,400	2,500	2,350	2,300
0270020	SR856, Airport Rd, .1 mi S of the E/B on-ramp at the E Lovelock Intch 'Exit 107'.		1,000	825	890	890*	840	770	810	830	830	870
0270021	SR396, Cornell Av, .1 mi S of Loorz Rd.		1,450	1,230	1,250	1,400	1,250	1,150*	1,200	1,250	1,200	1,200
0270023	SR396, Upper Valley Rd, 1 mi N of Loorz Rd.		950	810	810	950	890	830	810	860	820	810
0270025	SR396, Upper Valley Rd, .2 mi W of cross traffic rd of the Coal Canyon Intch 'Exit 112'.		420	390	390	460	460*	370	350	380	400	400*
0270027	IR80, E/B off-ramp of the Oreana Intch 'Exit 119'		140	205	190	170	150	150	160	160*	180*	130
0270030	SR858, Oreana Rd, .7 mi S of the E/B ramps of the Oreana Intch 'Exit 119'.		280	270	260	250	270	260	250	250	250	170
0270031	IR80, E/B on-ramp of the Oreana Intch 'Exit 119'		120	90	60	70	70	50	50	50	60	40

* Data Adjusted or Estimated

Page 1

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name PERSHING

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT									
0270033	IR80, W/B off-ramp of the Oreana Intch 'Exit 119'	70	65	60	60	50	50	50	60	50	30*
0270034	IR80, W/B on-ramp of the Oreana Intch 'Exit 119'	150	165	180	150	130	140	150	150	160	110*
0270035	IR80, E/B off-ramp of the Rye Patch Intch 'Exit 129'.	385	490	390	350	440	310	300	300	300	210
0270037	IR80, E/B on-ramp of the Rye Patch Intch 'Exit 129'.	495	520	380	330	350	320	300	350	330	270
0270039	IR80, W/B off-ramp of the Rye Patch Intch 'Exit 129'.	350	290	200	220	240	210	210	220	200	180*
0270040	SR401, Rye Patch Dam Rd, .4 mi N of the W/B ramps at the Rye Patch Intch 'Exit 129'.	245	120	160	150	210	210*	220	300	350	320*
0270042	IR80, W/B on-ramp of the Rye Patch Intch 'Exit 129'.	360	320	300	220	220*	200	210	190	190	170*
0270043	IR80, E/B off-ramp of the Humboldt Intch 'Exit 138'	95	55	70	60	60	50	60	60	60	70
0270046	IR80, E/B on-ramp of the Humboldt Intch 'Exit 138'	145	115	100*	110	120	110*	130	100	110	120
0270048	IR80, W/B off-ramp of the Humboldt Intch 'Exit 138'	145	120	100	100*	90	110	110	90	110	110*
0270051	IR80, W/B on-ramp of the Humboldt Intch 'Exit 138'	95	60	70	70*	50	40	50	50	50	50*
0270052	IR80, E/B off-ramp of the Imlay Intch 'Exit 145'	75	70	70	70*	70*	80	80	80	90	80
0270053	IR80, E/B on-ramp of the Imlay Intch 'Exit 145'	105	100	60	90	60	70	70	70	80	70
0270055	IR80, W/B off-ramp of the Imlay Intch 'Exit 145'	65	60	40	80	50	50	60	50	60	50*
0270056	Imlay Rd, 70' N of the Frontage Rd.	300	250	300	270	220	230	220	230	240	220*
0270057	IR80, W/B on-ramp of the Imlay Intch 'Exit 145'	75	100	100	100*	70	70	70	70	60	50*
0270058	Imlay Rd, 150' S of Nevada Av.	150	120	130	100	100	110	100	110	110	110*
0270059	IR80, E/B off-ramp of the Mill City Intch 'Exit 149'	320	330	250	210	310	340	340	380	360	330
0270060	IR80, E/B on-ramp of the Mill City Intch 'Exit 149'	80	90	100	90	90	100	90	110	130	110
0270061	JungoORSulphur Rd, at the RxR in Imlay.								70	70	90
0270063	IR80, W/B off-ramp of the Mill City Intch 'Exit 145'	60	60	60	60	50	40	40	40	50	30*
0270066	IR80, W/B on-ramp of the Mill City Intch 'Exit 149'	590	530	550	550*	600	580	560	660	620	570*
0270067	IR80, E/B on-ramp of the Dun Glen Intch 'Exit 151'	475	450	340	340	450	560	450	550	580	540
0270069	IR80, W/B off-ramp of the Dun Glen Intch 'Exit 151'	540	470	500	500	540	520	490	550	570	530*
0270071	IR80, E/B off-ramp of the Cosgrave Intch 'Exit 158'	275	350	350	360	320	330	280	350	360	330
0270073	IR80, E/B on-ramp of the Cosgrave Intch 'Exit 158'	325	360	400	270	300	290	260	290	300	290
0270075	IR80, W/B off-ramp of the Cosgrave Intch 'Exit 158'	285	275	230	180	180*	210	190	210	210	200*
0270077	IR80, W/B on-ramp of the Cosgrave Intch 'Exit 158'	145	275	240	300	210	210	210*	210	210	190*

* Data Adjusted or Estimated

Page 2

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name PERSHING			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0270078	SR400, Unionville Rd, .2 mi N of the Dunn Glen/Mill City Int (Exit 149)		85	95	80	80*	110	80	80	90	90	90*
0270087	Reservation Rd, .375 mi E of Westfall Rd.			65	60	70	60	50	50*	70	60	50
0270088	Westfall Rd, .1 mi S of Reservation Rd.			130	120	160	110	110	110	150	160	160
0270097	SR397, S Meridian Rd, .1 mi S of Reservation Rd.		165	150	140	160	150	130	110	150	130	160
0270098	SR397, S Meridian Rd, .2 mi N of Reservation Rd.		300	270	270	300	250	200	180	290	240	250
0270100	Carpenter Rd, .175 mi S of Reservation Rd.			90	80	80	90	80	80*	80	100	80
0270102	SR397, Amherst Av, 150' S of 9th St.		410	490	620	580	480	510	470	600	520	570
0270103	SR398, Central Av, 371' N of Main St.		1,500	1,350	1,450	1,400	1,300	1,300*	1,200	1,350	1,250	1,200
0270104	SR398, Central Av, .4 mi N of 16th St.		620	620	630	580	520	530	520	580	500	500
0270105	SR854, NS section of Lone Mtn Rd, 75' E of Elmhurst Av.		2,020	2,020*	1,800	1,700	1,700	1,700*	1,800	1,850	1,850	1,800
0270106	SR854, Western Av, 297' W of Jamestown Av.		575	575*	600	600*	660	600*	650	720	640	640
0270107	SR854, NS section of Lone Mtn Rd, 250' N of Western Av.		95	100	80	120	120*	110	90	90	100	110
0270108	SR399, Pitt Rd, .3 mi W of SR-854 (Lone Mtn Rd).		260	240	230	180	180	260	190	280	230	200
0270109	SR399, Pitt Rd, to Eagle Picher Mine.		140	205	190	150	150	150*	150	210	190	180
0270111	SR399, Pitt Rd, .1 mi W of SR-398 (N Meridian Rd).		350	345	330	260	260	340	280	370	310	280
0270113	SR398, N Meridian Rd, .1 mi S of SR-398 (Fairview Rd).		470	425	400	370	370*	320	290	310	370	280
0270114	SR398, Fairview Rd, .1 mi E of Meridian Rd.		320	260	240	220	220	200	180	180	180	170
0270115	SR398, Central Av, .2 mi E of Loorz Rd.		290	225	200	220	320*	200	160	170	180	160
0270119	SR397, Amherst Av, under E/B lanes of IR-80.		600	430	510	520	470	450	440	540	500	520
0270120	IR80, .9 mi E of the Humboldt Intch 'Exit 138'.		7,245	7,280	6,900*	7,080*	7,410	8,100	8,300	8,150	7,900	7,500
0270122	IR80, E/B off-ramp of the W Lovelock Intch 'Exit 105'		730	635	550	440	450	410	470	420	510	390
0270125	Franklin St, 50' S of 14th St.			500	500*	540	470	470*	480	550	460	490
0270126	IR80, W/B on-ramp of the W Lovelock Intch 'Exit 105'		725	490	430	460*	360	290	320	290*	370*	420*
0270127	14th St, 120' E of Franklin St.			730	880	840	840*	670	720	920	760	810

* Data Adjusted or Estimated

Page 3

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name PERSHING

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0270129	IR80, W/B on-ramp of the Main St Intch 'Exit 106'	270	445	400	400*	630*	730	600	660	670	580*
0270130	IR80, E/B off-ramp of the Main St Intch 'Exit 106'	275	270	290	330	540	605*	680	740*	760*	660*
0270131	IR80, E/B on-ramp of the Main St Intch 'Exit 106'	375	490	430	460	630	760	800	690	710	610
0270132	IR80, W/B off-ramp of the Main St Intch 'Exit 106'.	360	465	430	420	640	640	530	600	630	550*
0270136	IR80, 0.4 mi E of the bridge at the Main St Intch 'Exit 106'.	6,085	6,795	6,780*	6,830*	7,170	7,450*	7,500	7,600	7,300	7,300*
0270137	IR80, E/B on-ramp of the E Lovelock Intch 'Exit 107'	640	440	360	300	300	280	320	260	230	270
0270138	IR80, W/B off-ramp of the E Lovelock Intch 'Exit 107'.	525	425	360	300	300*	320	320	280	260	300*
0270139	SR856, Airport Rd, .3 mi N of the W/B off-ramp of the E Lovelock Intch 'Exit 107'.	1,940	1,500	1,850	1,600	1,350	1,300	1,300	1,350	1,400	1,400
0270141	IR80, .4 mi E of the E Lovelock Intch 'Exit 107'.	7,250	7,660	7,500*	7,430*	7,770*	8,150	7,850	7,800*	7,850*	7,900
0270142	IR80, .7 mi E of the Coal Canyon Intch 'Exit 112'.	7,095	7,375	7,200*	7,200*	7,540*	7,850	8,200	8,200	7,850	7,700
0270143	IR80, W/B on-ramp of the Coal Canyon Intch 'Exit 112'	225	220	230	230*	230*	230*	180	170	180	140*
0270144	IR80, E/B off-ramp of the Coal Canyon Intch 'Exit 112'.	250	265	260	180	180*	180	190	180	190	150
0270145	IR80, E/B on-ramp of the Coal Canyon Intch 'Exit 112'	165	100	90	90	90*	90*	110	100*	110*	100
0270146	IR80, W/B off-ramp of the Coal Canyon Intch 'Exit 112'	155	100	100	90	90*	90	100	90	90	80*
0270147	Coal Canyon Rd, 80' N of the W/B on-ramps of the Coal Canyon Intch 'Exit 112'.	350	290	290*	290*	280	270	250	260	280	250*
0270149	IR80, .3 mi W of the bridge at the Main St Intch 'Exit 106'.	5,895	6,540	6,610	6,690	7,070	7,400*	7,600	7,700	7,350	7,300
0270150	SR860, Derby Field Rd, .1 mi S of Old US-40.	45	70	40	30	50	40	40*	70	80	60
0270151	SR860, Derby Field Rd, .2 mi S of Westergard Rd.	15	15	10	10	10	10	10*	20	30	10
0270152	SR397, Westergard Rd, .1 mi W of Westfall Rd.	90	60	60	60*	50	60	60*	60	50	70
0270153	SR397, Westergard Rd, .3 mi W of S Meridian Rd.	60	40	40	60*	40	40	40*	50	60	50
0270154	IR80, 8.2 mi E of the Oreana Intch 'Exit 119'.	7,045	7,160	6,950*	7,020*	7,380	7,900	8,300	8,000	7,600	7,500

* Data Adjusted or Estimated


Page 4

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name PERSHING

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0270155	IR80, .7 mi W of the Humboldt Intch 'Exit 138'.	7,145	7,160	6,840*	7,000*	7,310	8,000	8,300	8,100	7,700	7,400
0270156	IR80, 2.2 mi E of the Imlay Intch 'Exit 145'.	7,275	7,270	6,830*	7,080*	7,390	8,050	8,300	8,100	7,900	7,400
0270157	IR80, .4 mi W of the E/B off-ramp of Cosgrave Intch 'Exit 158'.	7,340	7,260	6,810*	7,170*	7,460*	8,100	8,200	8,300	8,400	8,400
0270158	IR80, .1 miles W of E/B off-ramp of the Dunn Glen Intch 'Exit 151'.	6,505	6,560	6,190*	6,470*	6,610	7,350	7,500	7,400*	7,350*	7,600
0270159	IR80, E/B off-ramp of the Dun Glen Intch 'Exit 151'	180	220	220*	140	140*	290	190	240	260	210
0270160	Loorz Rd, .2 mi N of SR-398 (Fairview Rd).	145	75	80	100	70	90	90*	60	100	90*
0270161	Peterson Rd, .2 mi W of Carpenter Rd.	20	20	20	20	20	20	20*	30	40	40
0270162	Coal Canyon Rd, cross traffic rd 200' S of E/B ramps of Coal Canyon Intch 'Exit 112'.	440	425	450	340	370	350	320	340*	350*	300*
0270163	6th St, 100' W of Franklin St.			880	1,500	1,150	900*	940	1,000	1,200	1,200*
0270164	Coal Canyon Rd, .1 mi N of Prison Rd.			70	40	40*	40	40	40*	60	40
0270166	Oreana-Rochester Rd, .3 miles S of the E/B ramps of IR-80.					300	310	340	330	320	250
0271130	IR80, 0.8 mi W of SR-369 the W Lovelock Intch	7,350	7,665	7,590	7,590	7,885	7,755	7,910	7,950	8,050	8,200

*029




State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations


County Name STOREY			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0290001	SR342, Silver City-Gold Hill Rd, .2 mi S of SR-341 (Virginia City Rd).		2,200	1,800*	1,950	2,400	2,200	2,200	2,200	2,200	2,200	2,200*
0290002	SR341, Virginia City Rd, .1 mi S of SR-342.		400	400	500	690	590	630	560	650	640	620
0290004	'F' St, .1 mi S of Washington St N of RxR tracks.		200	245*	250	270	270*	260*	250	260	340	290
0290005	SR341, 'C St', 120' S of Six Mile Canyon Rd (Mill St).		2,400	2,100*	2,250	2,250*	2,500	2,500	2,500	2,550	2,450	2,400
0290007	SR341, 'C St', 83' N of powerpole at Mill St.		2,600	2,360*	2,600	3,100	3,100*	2,750	2,700	2,900	2,600	2,800
0290010	Six Mile Canyon Rd, 2.3 mi W of US-50 E of Dayton.			490	650	780	780*	900	860	1,250	1,100	1,100
0290013	'D' St, 175' N of Union St.		640	640	650	620	600	600*	530	640	540	610
0290014	Six Mile Canyon Rd, E of 'D' St.		700	790*	780	890	930	970	1,100	1,350	1,200	1,300
0290015	Cartwright Rd, .1 mi S of Buckeye Rd. (Virginia City Highlands)			1,000	1,000	1,100	1,050	1,100	1,300	1,350	1,300	1,300
0290016	'B' St, 100' N of Union Ln.							580	460	470	520	400
0291110	SR341, Virginia City Rd, 0.2 mi N of 'B' St.					2,540	2,675	2,745	2,949	3,000	2,600	2,800

*031



OREGON



*031



RENO URBAN AREA




FEDERAL AID HIGHWAY SYSTEM OF
NEVADA

PREPARED BY THE NEVADA DEPARTMENT OF TRANSPORTATION


*31

382




CENTRAL RENO

*31



SPARKS AREA


*031



VERDI


INTERSTATE 80 INTERCHANGES







031




031

I-80/US-395 Reno
I-80/US Intch to 4th St. Intch




PATRICK 28**TRACY-CLARK 32****THISBE-DERBY DAM 36****ORCHARD 38****PAINTED ROCK 40****WADSWORTH PYRAMID LAKE 43**





LAKEVIEW 42




BELLEVUE 44




MOUNT ROSE 56

SOUTH VIRGINIA ST
SOUTH 57DAMONTE RANCH
PKWY 59SOUTH MEADOWS
PARKWAY 60


SOUTH VIRGINIA 61




NEIL RD 62




FIRE CREEK 63




MOANA 64




PLUMB-VILLANOVA 65




MILL 66





GLENDALE 67





I - 80




ODDIE BLVD 69

US-395 CLEAR ACRE LN
McCARRAN BLVD


PARR BLVD 72

NORTH VIRGINIA ST &
PANTHER 72 A


GOLDEN VALLEY 73




LEMON VALLEY 74




STEAD 76




RED ROCK 78



COLD SPRINGS VALLEY 80



BORDER TOWN 83



State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310001	IR80, W/B on-ramp of the W Verdi Intch 'Exit 2' 100' N of W/B IR-80.		1,715	1,570	2,140	2,300	2,550	2,400	2,550	2,150	2,100	2,200
0310002	IR80, W/B off-ramp of the W Verdi Intch 'Exit 1'.		60	60	65	65	60	60	80	60	70	50
0310003	SR425, .1 mi E of the W/B off-ramp 'Exit 2'		2,050	2,000	2,550	3,200	3,500	3,500*	3,150	3,100	2,850	3,000
0310004	IR80, W/B off-ramp of the W Verdi Intch 'Exit 2'.		1,335	1,570	2,140*	2,300*	2,450	2,280*	3,350	2,800	2,500	2,800
0310007	SR425, .2 mi W of Tenaya Ln		790	800	1,100	1,200	1,400	1,300	1,400	1,500	1,550	1,400
0310008	US395, S/B off-ramp at S Virginia St Intch 'Exit 57B' 200' N of S/B lanes of SR-430.		15,215	16,300	16,260*	16,100	16,200	16,300	16,800	16,900	18,200	20,000
0310009	IR80, E/B on-ramp of the W Verdi Intch 'Exit 2' 50' S of E/B lanes of IR-80.		665	1,050	1,050*	1,500	1,300	1,300*	1,250	1,200	1,050	1,200
0310010	IR80, E/B off-ramp of the W Verdi Intch 'Exit 2' at the end of off-ramp.		850	680	765	860	920	890	930	790	810	900*
0310011	IR80, W/B off-ramp of the Verdi Intch 'Exit 3' .		185	160	170	170	270	240	220	330	300	300
0310012	SR425, .2 mi W of Bridge St		1,200	1,150	1,400	1,500	1,750	1,650	1,700	1,750	1,900	1,700
0310013	US395, .2 mi S of the S/B off-ramp at S Virginia Intch 'Exit 57B'.		15,160	16,770	16,670*	16,240*	16,130*	16,480*	15,900	17,000	18,300	18,000*
0310014	US395, S/B off-ramp of the Mt Rose Intch 'Exit 56' (to W/B SR-431) .2 mi N of SR-431.		7,270	7,350	7,950	7,600	7,650	7,600	8,050	8,050	8,800	8,400
0310015	US395, S/B off-ramp of the Mt Rose Intch 'Exit 56' (to E/B SR-431) .2 mi N of SR-431.		640	650	750	670	590	620	1,250	580	790	800
0310016	IR80, E/B on-ramp of the Verdi Intch 'Exit 3' 200' E of IR-80.		160	150	155	160	210	210	200	310	290	300*
0310017	IR80, E/B off-ramp of the Garson Intch 'Exit 4'.		1,280	1,170	1,300	1,300	1,250	1,300*	1,000	1,150	1,150	760
0310018	IR80, E/B on-ramp of the Garson Intch 'Exit 4' 300' W of E/B IR-80.		2,545	2,260	2,280*	2,500	2,600	2,300	2,300	2,300	2,350	2,200*
0310019	SR431, Mt Rose Hw, .3 mi W of S/B off-ramp at IR-580-Mt Rose Intch 'Exit 56'.		16,100	16,500	16,800*	17,600*	17,600*	16,400	16,000*	15,600	17,100	17,000
0310020	IR80, W/B off-ramp of the Garson Intch 'Exit 4' 550' W of the cross traffic rd.		3,480	2,700	3,200	3,200	3,050	2,800	2,950	3,100	3,050	2,800
0310021	IR80, W/B on-ramp of the Garson Intch 'Exit 4' 015 mi. W of the cross traffic rd.		1,855	2,400	2,100	2,200	2,500	2,400*	1,700	1,750	1,750	1,300

* Data Adjusted or Estimated

Page 1

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310022	IR80, W/B off-ramp of the E Verdi Intch 'Exit 5' 50' W of IR-80.		1,805	2,100	2,000	2,100*	2,300	2,200	2,200	1,850	1,900	1,800
0310023	SR425, 0.4 mi W of W/B off-ramp of the E Verdi Intch 'Exit 5'.		4,550	4,250	4,000	4,270	4,600*	4,400*	4,400*	3,350	3,350	3,300
0310024	IR80, E/B on-ramp of the E Verdi Intch 'Exit 5' 50' W of IR-80.		1,760	2,110	1,900	2,170*	2,300	2,200	2,200	1,850	2,000	1,900
0310025	US395, N/B on-ramp of Mt Rose Intch 'Exit 56'		7,075	8,550	7,750	7,890	7,800	8,250	9,050	8,750	8,700	8,700
0310026	US395, N/B on-ramp at Mt Rose Intch 'Exit 56' .1 mi N of W/B SR-431.		175	220	270*	80	90	80	70	120	490	1,800
0310027	IR80, E/B off-ramp of the Mogul Intch 'Exit 7'.		250	250	250	250*	270	250	280	290	300	260
0310028	US395, N/B on-ramp of S Virginia St Intch 'Exit 57' .25 mi N of N/B lanes of S Virginia St.		18,220	19,000	19,455*	18,500	18,400	19,200	18,800	20,100	21,200	22,000
0310029	IR80, E/B on-ramp of the Mogul Intch 'Exit 7' 200' E of the cross traffic rd.		1,300	1,380	1,380	1,390*	1,450	1,350	1,450	1,350	1,350	1,300
0310030	US395, S/B off-ramp of the S Virginia St Intch 'Exit 57A' .2 mi S of S/B lanes of US-395.		305	390	390*	130	200	190	210	230	280	370
0310031	IR80, W/B off-ramp of the Mogul Intch 'Exit 7' 300' NW of IR-80.		1,320	1,340	1,380*	1,300	1,400	1,300	1,400	1,250	1,300	1,200
0310032	US395, 1.4 mi N of N/B on-ramp at Damonte Ranch Intch 'Exit 59'.		48,900	52,460	52,775*	58,800*	65,210	66,500	68,500	69,500	76,500	77,000*
0310033	IR80, W/B on-ramp of the Mogul Intch 'Exit 7' 50' E of IR-80.		220	200	200	240	250	220	250	290	310	260
0310034	IR80, E/B off-ramp of the W 4th St Intch 'Exit 8'.		1,100	900	1,050	1,200	1,300	1,200	1,450	1,300	1,400	1,300
0310035	IR80, W/B on-ramp of the W 4th St Intch 'Exit 8' 200' W of the Ranch Rd.		1,045	1,020	1,200*	1,200	1,200	1,250	1,550	1,350	1,450	1,300
0310036	IR80, E/B off-ramp of the Keystone Intch 'Exit 12' 120' W of 'Exit 12' sign.		2,845	3,200	3,200	3,000	3,400	3,600	3,600	3,300	3,600	3,600
0310037	IR80, W/B on-ramp of the Keystone Intch 'Exit 12' .3 mi W of Keystone Av.		2,895	3,250	3,500	3,500*	3,600	17,500	4,150	3,250	3,950	4,100
0310038	US395, N/B off-ramp of the S Meadows Pk Intch 'Exit 60' .1 mi N of N/B Ins of US-395.		860	1,070	1,500*	1,800	1,800	1,800	2,050	2,150	2,450	2,800

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310039	US395, N/B on-ramp of the S Meadows Pk Intch 'Exit 60' 200' N of S Meadows Pk.		5,100	5,550	7,200*	7,400*	8,750*	11,000	10,400	10,800	11,100	11,000
0310040	IR80, E/B on-ramp of the E McCarran Intch 'Exit 19' 240' from end of on-ramp.		4,000	3,450	2,675	2,600*	3,050	3,550	3,500	3,500	4,600	4,000
0310041	US395, S/B off-ramp of the S Meadows Pk Intch 'Exit 60' .1 mi S of S/B lanes of US-395.		4,000	5,520	7,100	7,400	8,750	9,650	9,950	10,600	11,300	11,000
0310042	IR80, W/B off-ramp of the E McCarran Intch 'Exit 19'.		4,660	3,610	3,000	3,100	3,075	3,750	3,750	3,550	4,100	4,300
0310043	US395, S/B on-ramp of the S Meadows Pk Intch 'Exit 60' .2 mi S of cross traffic rd.		640	800	1,500	1,600	1,800*	1,550	1,750	1,900*	2,200*	2,400
0310044	IR80, E/B off-ramp of the Vista Intch 'Exit 21'.		6,375	7,000	7,700	7,800	8,900	9,350	9,200	6,800	9,000	9,900
0310046	Greg St, .1 mi S of the E/B on-ramp of the Vista Intch 'Exit 21'.		9,800	11,700	12,500	13,000	13,000*	13,600	15,400	15,100	12,000	12,000*
0310047	IR80, E/B on-ramp of the Vista Intch 'Exit 21' .1 mi E of Vista Bl.		2,175	1,870	1,900	2,115*	2,470	2,850	3,150	2,650	3,550	3,600
0310048	IR80, W/B off-ramp of the Pyramid Intch 'Exit 18'.				1,200	1,400	1,505	1,500*	1,700	1,850	1,700	1,800
0310049	IR80, W/B off-ramp of the Vista Intch 'Exit 21' 220' E of the cross traffic rd.		1,860	1,870	1,900	2,200	2,650	3,000*	2,550	2,250	2,900	2,900
0310050	Vista Bl, 100' N of the W/B off-ramp of Vista Intch 'Exit 21'.		20,600	20,500	19,600	22,000	22,000*	26,000	25,000	26,300	27,200	28,000
0310051	US395, Fire Creek Intch 'Exit 63' off-ramp from IR-580 to Kietzke Ln.		4,635	4,840	5,300	5,400	6,200	6,700	7,050	6,850	6,850	6,800*
0310052	IR80, W/B on-ramp of the Vista Intch 'Exit 21' 200' from the end of the ramp.		6,185	7,020	7,700	8,000	9,100	9,550*	9,250	7,100	9,700	11,000
0310053	Sunset Mountain Rd, 250' S of old US-395 (N Virginia St).		350	400	400	400*	400*	400	440	440	380	390
0310054	IR80, E/B off-ramp of the Lockwood Intch 'Exit 22' 175' W of cross traffic rd.		1,595	1,500	1,600	1,700	1,420	1,875*	1,750*	1,100*	2,100*	1,300*
0310055	IR80, E/B on-ramp of the Pyramid Intch 'Exit 18' 610' W of Pyramid Wy.				1,200*	1,500	1,350	1,800	1,700	1,600	1,950	2,000
0310056	IR80, E/B on-ramp of the Lockwood Intch 'Exit 22' 150' E of cross traffic rd.		225	150	110	110*	130	130	180	130	180	180

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310057	Link Ln, 195' N of Newport Ln.								140	160	150	240
0310058	IR80, W/B off-ramp of the Lockwood Intch 'Exit 22' 50' E of the cross traffic rd.		220	120	110	90	110	110	140	90	160	170
0310060	IR80, W/B on-ramp of the Lockwood Intch 'Exit 22' 75' W of cross traffic rd.		1,495	1,510	1,595	2,000	1,715	2,090*	1,750*	1,100	2,950	1,600
0310061	IR80, E/B off-ramp of the Mustang Intch 'Exit 23' 250' W of IR-80 cross over.		725	780	770*	430	470*	520	680*	340*	1,150*	1,300
0310062	FRWA12, S Frontage Rd, .1 mi E of the cross traffic rd of the Mustang Intch 'Exit 23'.		1,075	1,020	820	820	810	980	980*	1,200*	2,000*	2,100
0310063	IR80, E/B on-ramp of the Mustang Intch 'Exit 23' 75' W of cross traffic rd.		115	90	90	80	100	110	150*	160*	530*	570*
0310064	Ranger Rd, 186' S of Panther Dr.					3,800	3,800*	3,800		4,200	4,500	4,800
0310065	IR80, W/B off-ramp of the Mustang Intch 'Exit 23' 50' W of the N frontage rd.		110	100	80	80	100	110*	150	160	210	250
0310066	Parr Cr, 180' S of Parr Bl.					210	740	1,050		1,000	1,250	1,400
0310067	FRWA10, N Frontage Rd, 200' E of the underpass of the Mustang Intch 'Exit 23'.		630	480	480*	370	430	490	660	440	510	550*
0310069	IR80, W/B on-ramp of the Mustang Intch 'Exit 23' 50' W of W/B lanes of IR-80.		680	780	650	430	470	500	680	570	730	1,100
0310070	IR80, .2 mi E of the Lockwood Intch 'Exit 22'.		22,240	22,060	22,310*	22,380*	23,715*	24,100*	26,700	28,000*	32,500*	32,000
0310071	IR80, .5 miles E of Mustang Intch 'Exit 23'.		21,060	20,690	21,060*	21,680*	22,975	23,200*	26,200	26,000*	32,500*	31,000
0310072	Comstock Dr, 1881ft E of N Virginia St (US-395) at the RxR tracks N of McCarran Bl.								1,700	1,900	1,050	1,200
0310073	IR80, E/B off-ramp of the Patrick Intch 'Exit 28' .1 mi W of cross traffic rd.		425	380	350	600	530	780	980	820	970	1,100
0310074	FRWA14, McCarran Ranch Rd, 400' W of the cross traffic rd of the Patrick Intch 'Exit 28'.		340	60	40	50	60	50	50*	50*	40*	50*
0310075	IR80, E/B on-ramp of the Patrick Intch 'Exit 28' 290' E of cross traffic rd.		85	70	70	120	120	130	170	160	170	200
0310076	IR80, W/B off-ramp of the Patrick Intch 'Exit 28' 120' W of FR13 WA at mp 4.		110	220	70*	110	110	120	150	140	140	180

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name WASHOE

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT							
0310077	IR80, W/B on-ramp of the Patrick Intch 'Exit 28' 120' W of FR13 WA at mp 4.		380	360	350	600	550	650	810	630	770	840
0310078	IR80, 2 mi E of the Patrick Intch 'Exit 28'.		20,450	20,240	20,500	20,710	22,025	22,100	24,600	25,000*	32,500*	29,000
0310079	IR80, E/B off-ramp of the Tracy-Clark Intch 'Exit 32' 100' E of E/B lanes of IR-80.		235	200	180	180	190	180	180*	300	700	1,300
0310081	FRWA15, Eagle Pitcher Rd 450' W of the cross traffic rd of the Tracy-Clark Intch 'Exit 32'.		320	300	300	300*	270	250	260	390	770	1,500
0310082	IR80, E/B on-ramp of the Tracy-Clark Intch 'Exit 32' 700' E of FR-15WA to Clark Station.		110	90	100	110	100	110	100	160	280	500
0310083	IR80, W/B off-ramp of the Tracy-Clark Intch 'Exit 32' .2 mi W of the structure.		90	80	90	90	90	90	90	140	250	500
0310084	IR80, W/B on-ramp of the Tracy-Clark Intch 'Exit 32' .2 mi W of the structure.		215	180	190	170	170	180*	180	300	680	1,400
0310085	FRWA16, Clark Rd, 100' S of the E/B on-ramp of the Tracy-Clark Intch 'Exit 32'.				240	200	250	230	230*	230*	1,500*	2,800
0310087	IR80, E/B off-ramp of the Thisbe-Derby Dam Intch 'Exit 36' .1 mi E of IR-80.		50	60	80	60	60*	70	60	60	70	80
0310088	Jodi Av, 118' E of Evans Av (U.N.R. Area-off Bartlet St).								1,300	1,350	1,250	1,500
0310089	Highland Av, Hiagh trail, 201' E of Evans Av (U.N.R. Area).								2,500	2,850	2,350	2,700
0310090	IR80, E/B on-ramp of the Thisbe-Derby Dam Intch 'Exit 36' .1 mi E of the overpass.		55	60	60	40	60	60	50	50	60	60
0310091	Ninth St, 364' E of Evans Av (U.N.R Area).								1,100	1,350	1,100	1,300
0310092	IR80, W/B off-ramp of the Thisbe-Derby Dam Intch 'Exit 36' 100' W of the overpass.		60	65	60	20	40	40	40	40	50	40
0310093	IR80, W/B on-ramp of the Thisbe-Derby Dam Intch 'Exit 36' 125' W of the overpass.		55	65	90	40	55	50	50	50	60	70
0310094	IR80, E/B off-ramp of the Orchard Intch 'Exit 38' 500' W of the underpass.		25	25	20	10	20	20	20	20	20	20
0310095	Eighth St, E of Evans Av 100' W of Tracks.(U.N.R. Area).					380	380*	440		410	440	360

* Data Adjusted or Estimated

Page 5

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310096	IR80, E/B on-ramp of the Orchard Intch 'Exit 38'.	45	45	20	20	20	20	20	10	20	20
0310097	SR443, Clear Acre Ln, 100' N of McCarran Bl.						8,500	7,650	6,950	6,950	8,000
0310098	IR80, W/B off-ramp of the Orchard Intch 'Exit 38' 100' W of exit from IR-80.	50	50	20*	10	20	20	10	10	20	20
0310099	IR80, W/B on-ramp of the Orchard Intch 'Exit 38' 250' W of the cross traffic lanes of IR-80.	25	25	20	20*	20	20	10	20	20	20
0310100	IR80, E/B off-ramp of the Painted Rock Intch 'Exit 40' 275' E of IR-80.	60	60	50	50	50	50	40	40	60	50
0310101	Seventh St, E of Evans Av 200' W of Tracks. (U.N.R.Area).				480	780	460		450	410	440
0310102	IR80, E/B on-ramp of the Painted Rock Intch 'Exit 40' 350' E of S cross traffic rd.	65	65	70	50	60	50*	50	50	50	50
0310103	Echo St, 300' W of Mt. Anderson St.					530	530*		600	1,300	1,200
0310104	IR80, W/B off-ramp of the Painted Rock Intch 'Exit 40' 25' W of IR-80.	90	90	90	50	60	50	50	50	50	50
0310105	IR80, W/B on-ramp of the Painted Rock Intch 'Exit 40' 300' W of the cross traffis rd.	65	65	60	50*	50	40	40	40	60	50
0310106	N Virginia St, 750' N of Security Circle (N Junction).				5,700	5,700*	5,100		5,500	5,500	5,700
0310107	Crystal Peak Rd, 40' E of Quilici Ranch Rd.				270	250	240		270	250	210
0310108	IR80, 1 mi W of the W Wadsworth Intch 'Exit 43'.	20,300	20,110	20,320	20,520	21,860	21,700*	23,800	23,400	26,600	27,000
0310109	IR80, E/B off-ramp of the W Wadsworth Intch 'Exit 43' .1 mi from W end of ramp.	650	700	720	735*	730	590	590	560	620	540
0310110	Bridge St, 125' N of S Verdi Rd at the RxR tracks.				540	590	470		690	470	570
0310111	Mogul Rd, 12' S of the Mogul Intch (Exit 7) at the RxR tracks.				120	150	150*		60	60	30
0310112	IR80, E/B on-ramp of the W Wadsworth Intch 'Exit 43' .1 mi E of the cross traffic rd.	305	320	300	250	260	270	240	190	220	220
0310113	Woodland Av, .1 mile S of (Old US-40) W of Reno at the RxR tracks.							3,900	3,800	4,650	4,400
0310114	IR80, W/B off-ramp of the W Wadsworth Intch 'Exit 43'.	310	330	300	280	270	290	260	200	210	210

* Data Adjusted or Estimated

Page 6

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name **WASHOE**

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310115	IR80, W/B on-ramp of the W Wadsworth Intch 'Exit 43' .2 mi W of the cross traffic rd.		695	700	720*	765	780	660	680	590	720	560
0310116	IR80, E of the W Wadsworth Intch 'Exit 43' .9 mi E of exit 43.		19,480	19,360	19,480	19,560*	20,880	21,700	23,000*	22,700	27,100	26,000
0310117	SR427, Wadsworth Rd, .3 mi W of SR-447.		1,920	1,900	1,700	1,700	1,800	1,500	1,500*	1,600	1,850	1,400
0310118	US395, S/B off-ramp of the Eastlake Bl. 'Exit 44'		200	240	200	210	210	230	240	220	220	210
0310119	Del Curto Dr, .1 mile S of (Old US-40) W of Reno at the N side of the RxR tracks.								190	210	200	280
0310121	US395, S/B on-ramp of the Lakeview Intch 'Exit 44' 200' S of the cattle guard.		2,350	2,100	2,200	2,000	2,050	2,110*	2,450	2,150	2,100	2,300
0310122	West St, 75' S of 3rd St at the RxR tracks.								6,000	5,950	6,000	3,400
0310123	US395, N/B off-ramp of the Eastlake Bl. 'Exit 44', 15' N of the 'Exit 42' sign.		1,965	1,780	1,750	1,700	1,500	2,105*	2,000	1,750	1,800	2,000*
0310124	US395, N/B on-ramp of the Eastlake Bl. 'Exit 44'		205	250	220	220	240	220	280	240	240	240*
0310126	SR429, Bowers Rd, On Washoe County line.		1,800	1,700	1,950	1,600	1,700	1,700*	2,000	1,750	1,400	1,900
0310127	SR877, Franktown Rd, .1 mi N of the jct with SR-429 (Bowers Rd).		530	570	540	470	560	540	560	540	650	510
0310128	SR429, Bowers Rd, .475 mi N of SR-877 (Franktown Rd) at mp 2.		1,400	1,300	1,600	1,300	1,350	1,550	1,600*	1,450	1,700	1,500
0310129	SR877, Franktown Rd, .2 mi S of SR-429 (Bowers Rd).		440	420	410	340	380	390	400	360	390	380
0310130	SR429, Bowers Rd, .6 mi N of SR-877 (Franktown Rd).		1,300	1,300	1,400	1,200	1,200	1,500	1,450	1,200	1,200	1,300
0310131	Sage St, S of 4th, 30' N of Tracks.					2,300	2,450	2,450*		2,800	2,550	2,400
0310132	SR430, Carson-Reno Hw, .7 mi S of E Lake Bl at Washoe Hill.		30,800	31,000	32,500	32,000	33,000	33,500	33,000	33,000	34,500	33,000
0310133	Eastlake Bl, .9 mi S of US-395.		4,350	4,450	4,500	4,400	4,250	4,350	4,450	4,350	4,650	4,500
0310135	SR430, Carson-Reno Hw, 1.0 mi S of SR-431 (Mt Rose Hw).		35,700	38,000	38,000	39,500	40,000	41,000	41,000*	41,000	42,500	42,000
0310136	SR431, Mt Rose Hw, .2 mi W of US-395.		5,900	6,200	6,200	6,600	6,600*	5,750	5,750	5,800*	6,950*	8,900
0310137	SR341, 'C St', .4 mi E of US-395-SR-430.		11,900	11,500	11,500*	12,800	13,400*	12,500	13,700	15,300	16,100	16,000

* Data Adjusted or Estimated

Page 7

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310139	SR430, Carson-Reno Hw, .3 mi N of Foothill Rd & S Meadows Pk.		19,500	19,500	22,200	22,200*	25,500	27,200	27,000	27,000	29,100	29,000*
0310140	SR671, Holcomb Ln, .1 mi W of SR-430 (S Virginia St).		2,650	2,450	2,850	3,100	3,050	3,250	3,650	3,850	3,750	3,600
0310141	SR671, W Holcomb Ln, .1 mi W of Thomas Creek Rd.		1,700*	1,650	2,150	2,100	2,250	2,450	2,400	2,650	2,750	2,600
0310142	SR430, S Virginia St, .3 mi S of Longley Ln.		22,600*	23,700	24,000*	24,400*	25,500*	34,000	31,500	32,000	33,000	31,000
0310143	Longley Ln, .2 mi E of SR-430 (S Virginia St).		12,300	9,750	13,100	14,000	13,900*	16,300	13,300	13,000	12,900	13,000
0310144	Galletti Wy, .1 mi S of 4th St.						4,400	5,300		5,800*	5,100*	4,500
0310145	SR671, Lakeside Dr, .2 mi S of SR-671 (Huffaker Ln).		2,500	3,500	2,950	2,700	2,700	2,900	3,150	3,150	3,150	3,200
0310146	SR430, S Virginia St, .1 mi N of Longley Ln.		23,100	24,000	24,600*	25,000*	25,000*	23,000	27,600*	28,000*	21,200*	19,000
0310147	SR430, S Virginia St, 500' N of Neil Rd.		25,100	26,000	25,800*	26,300*	27,300	27,600	27,600	28,500	28,100	26,000
0310148	McCarran Bl, 250' E of Kietzke Ln.		24,000	27,000	27,000*	27,000*	27,000*	32,000	27,600	29,200	26,100	24,000*
0310149	SR430, N Virginia St, 400' S of Sierra St		9,700	11,000	11,000*	11,000*	11,000*	10,900	11,100	12,800	11,200	13,000
0310150	SR660, N Sierra St, .25 mi S of SR-430 (N Virginia St).		7,950	8,550	8,800	8,800*	8,500	8,500*	8,750	8,700*	9,050*	10,000
0310152	SR430, Carson-Reno Hw, .1 mi S of Panther Dr & Virginia St.		13,300	14,500	14,300	14,000	14,000*	14,800	17,100	20,600	18,500	17,000
0310153	Coney Island Dr, E of Marietta Way at the RxR tracks.									560	680	590
0310154	US395, .1 mi N of the N/B on-ramp of the Golden Valley Intch 'Exit 73'.		45,025	45,875	47,700	50,785*	54,150	57,400*	59,000	60,000	62,500	66,000*
0310155	US395, .55 mi S of the N/B off-ramp of the Stead Intch 'Exit 76'.		34,520	35,515	36,000*	37,985*	40,090*	43,500*	45,800*	45,000*	43,000*	50,000
0310156	US395, .15 mi N of the RxR underpass N of Stead Intch 'Exit 76'.		20,180	21,170	21,450	23,360*	24,240*	27,000	27,600*	27,000*	26,400*	30,000
0310157	US395, N/B off-ramp of the Stead Bl Intch 'Exit 76' 30' N of 'Exit' sign.		7,600	7,685	7,820*	8,060*	8,550	9,030*	9,550	9,250	9,100	9,700
0310158	Purina Wy, 500' S of Greg St.								1,100	1,150	2,000	1,300

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name **WASHOE**

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310160	Waltham Wy, S of the Patrick Rd Intch at the RxR tracks.					930	930	1,350		1,600*	1,950*	2,000
0310161	US395, S/B on-ramp of the Stead Bl Intch 'Exit 76' .1 mi S of the cross traffic rd.		7,710	7,290	7,580*	7,585*	8,460	8,750*	9,950	9,800	9,650	10,000
0310162	SR651, McCarran Bl, 0.1 mi E of Talbot Ln.		22,800	23,600	27,700	27,700*	27,700*	34,000	32,500	34,500	34,000	32,000
0310164	Longley Ln, 175' N of Peckham Ln.		13,200	12,000	14,000	15,000	15,900	18,200*	18,000*	18,600	17,300	18,000
0310165	Canal Rd-Painted Rock Rd, S of the Painted Rock Intch at the RxR tracks.					130	150	150		110	140	130
0310166	Peckham Ln, .2 mi E of Persimmon Rd.		12,400	13,100	14,200	14,200*	14,800	14,100	15,000	15,300	13,900	12,000
0310167	SR430, S Virginia St, 350' S of SR-667 (Kietzke Ln).		25,400	26,400*	27,500	28,000	28,000*	27,700*	28,300	27,100	25,100	24,000
0310168	SR430, S Virginia St, 255' N of Redfield Pk.		22,600	30,500	33,000	33,000*	26,200	26,000	27,700	26,600	24,600	23,000
0310169	SR667, Kietzke Ln, 150' S of Peckham Ln at S end of divider.		14,200	15,500*	16,600*	20,300	20,300	21,900*	22,000*	17,700	17,000	16,000
0310170	Peckham Ln, .2 mi E of Kietzke Ln under the IR-580 overpass.		17,900	17,800	18,900	18,000	21,000	18,900	20,600	20,700	19,900	17,000
0310171	SR667, Kietzke Ln, .1 mi N of Peckham Ln.		24,000	19,100	20,500*	24,000	24,000	26,000	26,000	24,900	24,100	23,000
0310172	Peckham Ln, 100' E of SR-430 (S Virginia St).		13,800	12,600	13,500	12,000	12,500*	12,500*	14,900	13,600	12,100	12,000
0310173	SR430, Carson-Reno Hw, 314' N of Peckham Ln.		27,900	30,000	30,500	32,000	32,000*	31,700*	32,000*	29,300	27,000	25,000
0310176	Plumas St, 100' S of Moana Ln.		8,300	9,100	9,450	8,600	7,900	9,450	9,450	10,300	10,100	9,400
0310177	Plumas St, .1 mi N of Moana Ln.		14,300	16,300	16,800	16,000	16,900	18,000	18,500	18,600	16,800	18,000
0310178	SR430, Carson-Reno Hw, 300' S of Gentry Wy.		32,300	30,500	31,000	30,000	30,000*	29,100*	34,000	34,500	32,000	32,000*
0310185	SR653, E Plumb Ln, .1 mi E of SR-430 (S Virginia St) & 150' W of Locust St.		22,300	22,500	22,100	22,100*	23,400	22,400	24,900	26,000	24,000	24,000
0310188	Wells Av, .2 mi N of SR-430 (S Virginia St) & 50' S of Colorado St.		10,000	9,900	11,300	10,300	10,000	10,500	9,850	9,150	9,300	9,100
0310189	S Virginia St, 500' S of Vassar St.		18,700	20,000	21,300	20,000	20,400	20,400*	21,000	20,900	19,700	19,000
0310190	SR653, Plumb Ln, 705' W of SR-667 (Kietzke Ln).		27,300	27,700	27,100	27,100	28,300	28,300	29,800	31,500	31,500	31,000*
0310191	SR667, Kietzke Ln, 300' S of SR-653 (E Plumb Ln).		25,700	27,000	27,500	27,500*	25,700	26,700	27,200	27,000*	26,600*	26,000
0310192	SR653, E Plumb Ln, 590' E of SR-667 (Kietzke Ln).		29,000	31,800	31,800*	31,800*	30,500	31,100	33,000	33,500	33,500	33,000*
0310193	SR653, E Plumb Ln, 250' W of Terminal Wy.		16,200	17,500	17,500*	18,000	18,000*	18,000*	17,700	18,400	17,100	15,000

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310194	SR667, Kietzke Ln, 400' N of SR-653 (E Plumb Ln).	24,100	24,150	24,500	24,500*	24,800	25,000	26,400	26,000*	25,700*	25,000
0310196	Plumas St, .1 mile N of SR-653 (W Plumb Ln).					8,500	9,600	9,300	9,550	8,700	8,800
0310197	Plumb Ln, .1 mi E of Arlington Av & 100' W of Lander St.	17,500	18,600	19,100	18,000	18,800	18,700	20,000	20,600	18,900	18,000
0310203	Arlington Av, 250' S of SR-653 (W Plumb Ln).	7,950	7,950	8,600	9,100	9,400	9,550	9,800	10,300	10,100	9,300
0310204	Skyline Bl, 75' W of Sharon Wy.	4,000	3,800	4,550	4,400	4,300	5,200	4,450	4,200	4,000	4,500
0310205	Skyline Bl, 275' S of Cashill Bl.	3,600	3,300	3,950*	3,900	4,000	3,950	3,850	3,700	3,700	4,100
0310207	Arlington Av, 150' N of SR-653 (W Plumb Ln).				11,000	10,200	10,600	10,400	11,000	11,800	10,000
0310208	Plumb Ln, 300' E of Hunter Lake Dr.	12,800	14,400	14,800	15,000	15,200	16,600	16,200	16,100	16,100	15,000*
0310209	Plumb Ln, 150' W of Hunter Lake Dr.	8,100	9,300	9,400	9,300	9,550	10,500	10,600	10,300	10,100	9,600
0310210	SR667, Kietzke Ln, 0.15 mi S of Galletti Wy.	6,200	7,100	7,400	7,400	7,600	7,150	8,500	8,450	17,100	8,000*
0310211	Mayberry Dr, .9 mi E of the bridge over the Truckee River & .1 mi W of Fenno Rd.	3,000	3,150	3,050	3,050*	4,000	4,200	4,050	4,500	4,750	5,000
0310213	SR647, 4th St, .2 mi W of Mayberry Dr.	5,500	5,900	5,900	6,600	6,700	7,000	7,000*	7,900	9,450	8,800
0310214	SR647, 4th St, .4 mi E of Mayberry Dr.	4,550	4,750	4,600	4,600*	5,100	5,400	5,150	6,050	7,150	6,600
0310215	Plumas St, 50' S of California Av.	8,200	8,750	8,650	8,600	8,450	8,450*	7,950	8,500	7,750	7,400
0310218	S Virginia St, 100' N of Stewart St.	18,300	18,500	19,000	17,000*	18,300	18,500	21,300	21,000*	20,300*	19,000
0310223	Wells Av, 70' S of Stewart St.	17,100	18,000	18,000*	18,000*	18,000*	17,700	17,700*	18,000*	17,600*	18,000
0310224	SR667, Kietzke Ln, 150' S of Mill St & 30' N of Stewart St.	26,800	26,850	28,000	28,000*	28,900	25,500	27,800	27,500	28,100	26,000
0310225	SR647, 4th St, .15 mi W of Stoker Av.	10,600	10,200	10,200*	10,200*	11,200	10,500	10,200	10,400	10,600	9,800
0310227	SR647, W 4th St, .35 mi E of Stoker Av	7,300	9,650	9,650*	9,650	9,450	9,900*	11,800	12,000*	12,500*	12,000*
0310231	W 2nd St, 200' E of Ralston St.	6,700	7,350	7,350*	6,400	6,400*	6,700*	8,000	8,000*	8,100*	5,600
0310232	W 2nd St, 200' W of SR-660 (Sierra St).	8,600	8,650	8,650*	8,500	8,500*	9,000	9,000*	9,000*	8,700*	5,900
0310233	N Sierra St, 75' S of SR-648 (W 2nd St).	7,700	8,500	8,500*	8,300	8,750	8,500	11,500	11,000*	11,100*	10,000*
0310236	N Virginia St, 300' N of SR-648 (W 2nd St).	14,900	13,500	13,900	13,900*	13,900*	13,900*	14,400	14,200	12,100	11,000*
0310237	E 2nd St, 150' W of Center St.	9,600	9,650	9,400	9,400*	8,200	8,200	8,200*	8,550	11,200	8,000
0310239	E 2nd St, East of Lake St and 30' W of 1st St.	7,700	7,600	7,350*	7,350*	7,850	7,850*	7,900*	7,600*	7,500*	8,100*

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310240	E 2nd St, 250' E of Nevinn St at the west end of the Truckee River Bridge.		5,050	5,250	4,750	5,100	5,100*	4,700	5,250	5,000*	4,500*	4,200*
0310242	Wells Av, 100' S of SR-648 (E 2nd St).		20,600	19,500	20,900	20,000	20,000*	20,200	20,200*	20,000*	20,700*	21,000
0310244	Kuenzli Ln, 25' E of Park St.		7,600	7,500	7,250*	7,250*	7,250*	6,400	5,750	5,600*	5,200*	4,700
0310245	Kuenzli Ln, 250' E of SR-663 (Wells Av).		6,100	6,000	5,800	5,800	5,650	6,150	6,350	6,150	5,000	4,500
0310249	E 2nd St, 300' W of SR-667 (Kietzke Ln).		15,000	16,000	14,500	14,000	15,000	15,000	16,100	16,200	17,600	18,000
0310250	SR667, Kietzke Ln, .2 mi S of SR-648 (E 2nd St).		18,900	20,700	20,000	19,000	20,700	18,200	21,100	21,000*	20,900*	21,000
0310251	SR648, E 2nd St, .1 mi E of SR-667 (Kietzke Ln).		17,700	17,300	16,900	16,900*	16,700	17,500	16,500	17,000*	16,700*	16,000
0310253	SR648, Glendale Av, .1 mi W of SR-650 (McCarran Bl).		14,500	13,600	13,500*	13,500*	15,900	12,200*	12,900	12,000*	12,600*	12,000
0310254	SR650, McCarran Bl, .1 mi N of SR-648 (Glendale Av).		29,300	32,000	32,000*	32,000*	32,900	36,000	37,000*	38,000	37,000	35,000
0310255	SR650, McCarran Bl, .1 mi S of SR-648 (Glendale Av).		20,600	21,400	21,400*	21,400*	22,900	26,200	27,000	28,000*	27,100*	26,000
0310256	East Greg St, E of McCarran Bl / 300' W of Spice Island.		17,100	19,700	22,000	22,000*	17,800	20,400	20,500*	22,900	20,700	20,000
0310257	SR650, McCarran Bl, .1 mi S of Gregg St.		24,300	25,700	25,700*	25,700*	25,800	28,900	29,800	31,000	31,500	31,000*
0310258	SR650, McCarran Bl, .1 mi S of Mill St.		19,600	20,900	20,900*	20,000	20,000*	24,900	27,600	27,500	26,700	24,000*
0310259	Keystone Av, .1 mi S of IR-80 & 100' N of 5th St.		32,000	33,500	31,500	31,500*	34,000	32,700*	33,000*	35,500	31,500	29,000
0310260	SR647, W 4th St, 295' E of SR-657 (Keystone Av).		11,800	13,300	12,900	12,900*	12,200	13,800	14,000*	14,000*	11,800*	11,000
0310262	Ralston St, 200' S of 3rd St on the side of RxR Tracks.					2,500	2,550	3,400	3,050	3,550	3,950	3,200
0310264	SR647, W 4th St, 130' E of Ralston St.		14,100	14,100*	14,200	14,200*	14,200*	16,000	16,000*	15,000	15,400	15,000
0310267	N Sierra St, 75' S of W 5th St.		10,000	11,400	11,700	11,700*	12,100	11,300	11,900	11,800	12,100	9,900
0310268	SR647, W 4th St, 60' E of Sierra St.		15,800	16,400	16,400*	16,400*	16,700*	15,700	16,000*	10,700	15,500	14,000
0310269	N Virginia St, 300' N of SR-647 (4th St).		12,700	10,500	10,400*	14,800	14,800*	13,800*	13,800*	14,000*	14,500*	13,000
0310270	SR647, E 4th St, 150' E of SR-430 (N Virginia St).		14,100	13,500	13,500*	13,500*	13,500*	13,900*	13,000*	12,000*	12,100*	11,000*
0310273	SR660, N Sierra St, 150' S of Imperial Wy.		8,600	9,200	9,500*	9,500*	9,100	9,100*	9,100*	9,100*	9,250*	11,000
0310274	SR647, E 4th St, 200' W of SR-663 (Wells Av).		13,600	13,300	13,300	13,300*	13,300*	13,700	12,900	14,000*	12,100*	11,000

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT									
0310279	SR663, Oddie Bl, 100' N of 6th St for S/B & 110' N of 6th St for N/B.		28,300*	29,000	28,200	28,200*	29,300*	33,500	32,500	31,500	31,000	30,000
0310280	SR647, E 4th St, 150' W of Tacchino St.		14,000	14,000*	13,700	13,700*	13,700*	14,200	15,200	15,000*	13,800*	13,000
0310282	IR80, E/B off-ramp of the Fourth St Intch 'Exit 16' 400' W of 'Victorian Av'.		5,570	4,780	4,550	4,580	4,800	4,250	4,600	4,600	5,150	4,300
0310283	IR80, E/B on-ramp of the Fourth St Intch 'Exit 16' at IR-80.		2,660	2,800	2,650	2,700	2,900	2,800	2,800*	2,000	2,700	2,700
0310284	IR80, W/B off-ramp of the Fourth St Intch 'Exit 16' at IR-80.		3,640	2,800	2,650*	2,650*	2,850	2,850*	2,800*	2,000*	2,100*	2,300
0310285	IR80, W/B on-ramp of the Fourth St Intch 'Exit 16' .15 mi W of 'B' St.		4,500	4,200	4,000*	5,000	5,750	6,050	6,000*	6,900*	1,900*	1,900
0310288	Prater Wy, 100' E of SR-647 (Victorian Av).		10,900	12,000	10,900	10,000	10,800	11,500	11,500*	13,000*	12,100*	9,000
0310289	Prater Wy, 150' W of 22nd St.		14,000	13,900	13,900	14,000	14,900*	15,500	15,500*	18,000*	17,100*	15,000*
0310290	EI Rancho Dr, 150' N of Prater Wy.		16,900	19,000	18,200	17,000	17,000*	17,000*	17,000*	22,000	22,000	19,000
0310293	IR80, W/B off-ramp of the Rock Bl Intch 'Exit 17'.		3,495	3,490	3,400	3,900	3,850	3,300	4,650	5,100*	3,350*	3,400
0310294	IR80, W/B on-ramp of the Rock Bl Intch 'Exit 17'.		8,785	8,330	8,220	8,800	8,600	6,400	6,850	8,200*	8,200*	8,300
0310295	IR80, E/B off-ramp of the Rock Bl Intch 'Exit 17'.		6,975	6,530	6,450	6,600	6,900	3,100	3,900	4,100	6,650	6,700*
0310296	IR80, E/B on-ramp of the Rock Bl Intch 'Exit 17'.		3,310	3,480	3,750	3,900	4,350	3,500	4,200	3,000*	3,050*	3,400
0310298	SR668, Rock Bl, 200' N of SR-648 (Glendale Av) & 50' S of Shaber Av.		25,100	25,900	25,500	25,000	25,400	27,600	27,600*	32,000*	25,200*	25,000
0310299	Victorian Av, 250' W of SR-668 (Rock Bl).		9,500	9,000	9,150	8,900	8,850	8,400*	8,400*	10,000	9,500	8,400
0310300	Victorian Av, 100' E of SR-668 (Rock Bl).		10,500	10,100	10,400	8,900	8,950	8,950*	9,000*	12,000	9,850	9,000*
0310304	IR80, W/B on-ramp of the Pyramid Intch 'Exit 18'.		10,450	11,130	10,905*	10,900*	10,800	11,100	10,600	10,000*	8,050*	12,000
0310306	IR80, E/B off-ramp of the Pyramid Intch 'Exit 18' 30' E of E/B IR-80.		9,955	11,000	11,545*	11,300	11,400	10,700	10,200	9,400	7,800	13,000
0310310	IR80, E/B off-ramp of the E McCarran Intch 'Exit 19'.		8,380	11,580	11,935	12,100	11,800	11,900*	12,650*	12,000*	9,750*	11,000
0310311	IR80, W/B on-ramp of the E McCarran Intch 'Exit 19'.		7,605	8,810	7,975	8,600	7,700	7,850	7,750	8,000*	9,800*	8,500
0310312	SR647, Victorian Av, 250' W of Stanford Wy & 50' E of First St.		8,900	7,600	7,350	6,900	7,150	7,400	7,500	7,950	7,400	6,700

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310314	Prater Wy, 150' E of SR-650 (McCarran Bl).		20,900	21,200	21,200*	20,000	19,600	21,000*	21,400	22,500	22,400	21,000
0310316	SR650, McCarran Bl, 150' W of York Wy.		17,900	17,200	16,500	17,000	17,900	19,700	19,500	20,200	20,800	20,000*
0310317	SR667, Kietzke Ln, 1000' N. of Galletti.		14,700	15,500	15,200	15,000	16,300	15,400	15,000*	15,000*	18,000*	17,000
0310318	SR663, Wells Av, 200' N of Sadlier Wy.		11,200	11,800	11,600	10,000	11,000	12,900	13,000	13,000*	13,000*	13,000
0310319	Sutro St, 418' N of Oddie Bl.		13,700	16,400	15,700	15,000	15,000*	16,000*	17,200	18,700	17,800	17,000
0310321	SR663, Oddie Bl, 250' W of the S/B off-ramp to US-395.		15,700	15,900	17,000	15,000	16,500	18,000	17,100	15,000*	17,100*	15,000
0310322	US395, S/B off-ramp of the Oddie Bl Intch 'Exit 69'		2,125	2,400	2,400	2,400*	2,700	2,650	2,650*	2,800*	2,750*	2,900
0310323	US395, S/B loop on-ramp of the Oddie Bl Intch 'Exit 69'.		5,685	6,450	6,450*	6,450*	5,650	6,150	7,950		5,800	6,300
0310324	US395, N/B on-ramp of the Oddie Bl Intch 'Exit 69' .1 mi N of Oddie Bl.		2,250	2,600	2,150	2,670	2,800	2,800*	2,800*	2,900*	2,900*	3,200
0310325	US395, N/B off-ramp of the Oddie Bl Intch 'Exit 69' 200' N of US-395.		8,290	8,770	8,000	7,800	7,930*	8,800	9,050	9,000*	5,950*	6,800
0310328	SR663, Oddie Bl, .1 mi W of Silverada Bl.		27,300	27,500	27,100	26,000	26,500	29,000	31,000	28,000*	24,800*	26,000
0310329	SR663, Oddie Bl, 240' E of Mall Dr.		20,900	20,400	19,900	20,000	20,000*	23,500*	24,000*	21,000	19,800	19,000*
0310331	SR663, Oddie Bl, .1 mi E of El Rancho Dr.		17,800	18,600	18,200*	18,200*	17,400	20,900	21,700	20,000	19,100	19,000*
0310334	SR445, Pyramid Wy, 210' N of E St.		15,800	17,900	18,700	19,000	20,300	20,100	20,400	18,000	23,500	24,000
0310336	SR445, Pyramid Wy, 100' S of 'J' St.		20,900	21,700	23,000	23,000*	23,000*	25,800	25,300	23,000	30,500	31,000*
0310337	SR445, 250' S of Roberta Wy.		15,200	17,800	16,600	18,000	17,700*	19,300	22,700	24,900	27,000	29,000*
0310338	SR445, Pyramid Wy, 220' N of Emerson Wy.		24,800	23,500	26,000	26,000	27,400	27,400	32,500	33,000	36,500	40,000
0310340	SR445, Pyramid Hw, .8 mi N of Queens Wy.		24,000	22,700	23,400	24,300	25,700	25,700*	28,800	35,000	39,000	44,000
0310341	SR880, Wedekind Rd, .15 mi W of SR-445 (Pyramid Wy).		1,050	1,280	1,280*	1,200	1,200	1,200	1,600	1,800	2,500	2,700
0310344	SR443, Clear Acre Ln, 420' S of El Rancho Dr.		21,100	23,300	22,500	22,000	23,700	24,300	23,300	22,000*	20,200*	20,000*
0310345	SR443, Sun Valley Dr, .1 mi N of El Rancho Dr.		32,000	33,600	32,500	32,700	35,200*	33,500	33,500	33,500	33,000	33,000
0310346	SR443, Sun Valley Dr, 405' S of 7th Av.		15,800	17,500	17,700*	16,000	17,100	18,100	16,700	17,900	17,500	18,000
0310348	SR445, Pyramid Rd, 1.2 mi S of SR-446 to Nixon & .1 mi N of mp-31.		1,150	1,050	1,050*	1,050*	930	930*	1,300	1,150	890	1,000
0310349	SR446, .4 mi E of SR-445 (Pyramid Rd).		480	460	520	540	640	640*	810	740	600	620

* Data Adjusted or Estimated

Page 13

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310350	SR445, Sutcliffe Rd, 1.1 mi N of SR-446 to Nixon.		930	860	1,120	1,100	1,000	1,000*	1,100	970	630	890
0310351	SR445, Sutcliffe Rd, .2 mi N of mp 36.		540	560	370	460	390	390*	560	540	400	500
0310352	SR447, Nixon Rd, 8.7 mi N of Freemont St in Nixon & .4 mi S of mp 25.		640	670	520	530	690	690*	700*	760	660	630
0310353	SR447, Nixon Rd, .2 mi N of SR-446 to Sutcliffe.		1,400	1,300	1,250	1,250	1,550	1,600	1,650	1,650	1,500	1,300
0310355	SR447, Gerlach Rd, 1.1 mi N of SR-427 in Wadsworth.		1,200	1,100	1,400	1,200	1,600	1,650	1,800	1,700	1,450	1,800
0310356	US395, btwn the Oddie Bl Intch 'Exit 69' and the McCarran Bl Intch 'Exit 70'		81,285	80,980	82,050*	83,985*	88,100*	90,600*	91,000*	92,000*	92,000	93,000*
0310357	US395, S/B on-ramp of the Parr Bl Intch 'Exit 72' .2 mi S of the cross traffic rd.		4,330	4,460	3,850*	3,700	4,400	4,850	5,150	5,800*	5,300*	5,700
0310358	US395, N/B off-ramp of the Parr Bl Intch 'Exit 72' at the W end of guardrail.		4,825	4,980	4,210*	4,200	4,350	4,680	5,350	6,000*	4,550*	5,000
0310359	Dandini Bl, 219' E of the N/B ramps of the Parr Intch 'Exit 72'.		7,150*	6,600	6,600*	6,000	6,800	7,050	7,100*	9,600	8,650	9,000*
0310360	US395, N/B on-ramp of the Parr Bl Intch 'Exit 72' 300' N of the cross traffic rd.		875	1,000	1,000	1,140	1,200	1,250	1,550	1,800	2,150	1,600
0310361	US395, S/B off-ramp of the Parr Bl Intch 'Exit 72' .2 mi N of cross traffic rd.		840	1,030	900	1,140	1,200	1,300	1,650	1,800	1,800	1,600
0310362	Parr Bl, 100' W of the S/B ramps of the Parr Bl Intch 'Exit 72'.		7,750	9,700	9,000	8,700	8,700*	8,500	10,300	12,300	11,600	13,000
0310364	US395, S/B off-ramp of the Panther Valley Intch 'Exit 72 A' .2 mi W of the N/B US-395.		4,600	4,710	4,400	4,600	5,050	5,050*	6,400	7,200	7,100	6,200
0310365	US395, S/B on-ramp of the Panther Valley Intch 'Exit 72A' .2 mi W of US-395.		1,730	1,770	1,720*	1,800	1,850	1,850*	1,850	1,650	1,950	2,200
0310366	US395, N/B off-ramp of the Panther Valley Intch 'Exit 72A' 300' W of the US-395 overpass.		1,585	1,700	1,600	1,780	1,850	1,800	1,800	1,650	1,900	2,100
0310367	US395, N/B on-ramp of the Panther Valley Intch 'Exit 72A' 300' W of the US-395 overpass.		4,735	4,750	4,440*	5,830	5,930*	6,300	6,950	7,900	8,500	7,100
0310368	SR431, Mt Rose Hw, .1 mi E of Joy Lake Rd.		6,200	6,300	6,300	6,500	6,800*	7,000*	8,150	8,200	9,350	8,000*
0310369	SR431, Mt Rose Hw, .1 mi E of New Sky Tavern Ski Area.		5,850	5,950	5,950	5,700	5,800	6,000*	5,700	5,850	6,350	5,500*

* Data Adjusted or Estimated

Page 14

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310370	SR878, .3 mi E of Mt Rose Hw. (road to MT. Rose, slide side)		90	80	90	90	80	80	100	80	130	80
0310372	SR431, Mt Rose Hw, 100' E of SR-28 (Tahoe Bl).		5,800	5,900	5,850	5,600	5,300	5,650	5,450	5,000*	5,050*	5,400
0310373	SR28, North Shore Rd, .1 mi E of SR-431 (Mt Rose Hw).		11,500	12,200	11,800	11,800*	12,100	13,100	12,000	10,900	9,700	12,000
0310374	SR28, North Shore Rd, 450' W of SR-431 (Mt Rose Hw).		12,100	12,100	12,100	12,000	11,800*	14,000	12,300	11,500	10,500	13,000
0310375	IR80, W/B on-ramp of Kietzke Ln to US-395 north and southbound										3,100	2,600
0310379	SR28, Tahoe Bl, 200' E of Village Bl.		11,900	11,900	11,900	12,000	12,100	12,700	11,800	10,900	11,100	12,000
0310380	SR28, Tahoe Bl, .2 mi W of the E end of Lakeshore Bl.		5,450	6,200	5,800	6,200	5,750*	5,950	5,750	5,050	5,050	6,200
0310381	Lakeshore Bl, .1 mi W of SR-28 (Tahoe Bl).		1,850	1,850	1,850	1,700	1,560*	1,500	1,700	1,800	2,300	1,800
0310382	SR28, Tahoe Bl, 200' E of the E end of Lakeshore Bl.		6,000	7,300	6,700	7,300	6,600	6,800*	6,950	6,250	5,900	7,700
0310385	County Rd to Vya, 1.4 mi N of SR-447.				120	150	150*	150*	150*	250	380	270
0310388	SR447, Gerlach Rd, .1 mi N of Flanigan Rd.		215	220	180	180	300	230	350	350	450	360
0310401	IR80, .8 mi W of the Garson Rd Intch 'Exit 4'.		25,275	28,050	29,060*	29,260	30,030	29,100	30,000	28,900	29,100	32,000
0310402	US395, .5 mi S of the Bellevue Rd 'Exit 46'.		27,285	28,860	28,825	29,380	30,600*	31,000	32,000*	32,000	30,500	31,000
0310404	SR429, Bowers Rd, .2 mi S of US-395.		1,600	1,600	1,700	1,300	1,450	1,150	1,650	1,400	1,600	1,600
0310409	US395, N/B off-ramp of the McCarran Intch 'Exit 70' 500' N of the N/B lanes.		17,595	18,500	18,400*	18,000	18,500*	19,600	18,800	21,000*	20,000*	11,000
0310410	US395, S/B on-ramp of the McCarran Bl Intch 'Exit 70'.		19,535	18,500	18,400	18,000	21,000	20,500	20,500*	21,000*	20,000*	11,000
0310411	US395, S/B off-ramp of the McCarran Bl Intch 'Exit 70' 200' N of McCarran Bl.		4,685	5,050	5,050*	5,200	5,550	6,050	6,000*	6,600*	6,400*	5,500
0310412	US395, N/B on-ramp of the McCarran Intch 'Exit 70' 300' N of McCarran Bl.		4,350	5,000	5,000*	6,600	6,700	7,300	7,300*	8,000*	7,700*	5,900
0310414	SR650, McCarran Bl, .1 mi E of US-395.		30,500	32,000	31,700	31,700*	31,700	39,700	39,700*	41,000*	38,500*	39,000
0310416	SR651, N McCarran Bl, .1 mi W of Clear Acre Ln East of Hug High School.		22,500	24,700	22,200	22,200*	22,200*	25,100	23,000	24,500	22,100	23,000

* Data Adjusted or Estimated

Page 15

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310417	SR430, Carson-Reno Hw, .2 mi N of Panther Valley & Virginia St.		14,530	12,930	13,800	13,000	13,500	14,300	15,800	18,900	17,600	17,000
0310418	US395, .4 mi N of the N/B on-ramp of the Parr Intch 'Exit 71'.		45,750	46,620	49,140	51,435*	54,500*	56,900*	56,500	62,000	60,500	65,000
0310419	US395, N/B off-ramp of the Bellevue Intch 'Exit 46' North of N/B US-395.		160	200	180	180	190	220	260	190	200	190
0310420	US395, N/B on-ramp of the Bellevue Intch 'Exit 44' 300' S of cross traffic rd.		200	220	190	170	210	210	240	210	220	210
0310423	US395, S/B off-ramp of the Bellevue Intch 'Exit 44'		200	170	150	150	160	210	210	200	200	190
0310425	US395, S/B on-ramp of the Bellevue Intch 'Exit 44'		120	150	130	130*	140	180	250	150	150	140
0310426	SR447, Gerlach Rd, 200' S of the RxR crossing .1 mi E of Gerlach.		700	730	600	550	760	630	760	570	710	700
0310427	SR663, Oddie Bl, 275' E of 12th St.		10,000	9,800	9,600*	9,900	9,600	11,100	11,400	11,000*	11,600*	11,000
0310428	IR80, E/B on-ramp of the Keystone Av Intch 'Exit 12' 350' E of Keystone Av.		18,075	18,200	17,900*	17,000	17,410	17,500	17,300	15,400	16,000	16,000
0310430	IR80, W/B off-ramp of the Keystone Av Intch 'Exit 12' 500' E of the cross traffic rd.		16,825	17,000	16,730*	16,000	17,000	16,200	16,100	14,200	14,800	14,000
0310431	IR80, .5 miles W of the Keystone Av Intch 'Exit 12'.		55,895	59,290	64,250	64,820*	67,050	67,000*	71,500*	69,000*	76,000*	73,000
0310432	IR80, E of the Keystone Ave Intch 'Exit 12'.		85,055	88,040	92,180	91,320*	94,460	94,000	97,000	91,000*	99,500*	97,000
0310433	IR80, E/B off-ramp of the Virginia St Intch 'Exit 13' 200' W of Sierra St.		5,530	5,670	6,580	6,000*	6,000	6,000*	6,900	6,400*	5,850*	6,100
0310434	IR80, E/B on-ramp of the Virginia St Intch 'Exit 13' 300' E of Center St.		15,280	15,620	16,855	16,500	15,900	16,000*	17,200	16,000	15,400	15,000
0310435	IR80, W/B off-ramp of the Virginia St Intch 'Exit 13' 200' W of W/B I-80.		14,755	15,910	15,585	16,000	15,100	14,800*	15,000	14,000*	15,100*	14,000
0310436	IR80, W/B on-ramp of the Virginia St Intch 'Exit 13' 200' W of Sierra St.		5,730	5,810	6,450	6,390	6,255	6,000*	7,300	6,050	5,850	5,900
0310438	University Terrace, 380' E of Washington St.			3,950	4,500	4,500	3,850	3,950	3,750	4,200	4,300	4,200
0310439	IR80, E of the Virginia St Intch 'Exit 13'.		103,830	108,090	109,760*	111,430	113,205*	112,400*	114,000*	109,000*	118,000*	115,000*
0310440	IR80, E/B off-ramp of the Wells Av Intch 'Exit 14'.		5,110	5,470	5,860	5,800*	6,100	6,400	7,900*	7,300	6,300	5,700

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310441	IR80, E/B on-ramp of the Wells Av Intch 'Exit 14' 120' W of IR-80.		9,825	8,820	9,200	9,000*	9,300	9,400	9,900	9,600	9,600	9,000
0310443	IR80, W/B off-ramp of the Wells Av Intch 'Exit 14' 50' W of IR-80.		8,955	8,940	9,200	9,000	9,250	9,350	9,900*	9,750	8,850	8,700
0310444	IR80, W/B on-ramp of the Wells Av Intch 'Exit 14' 35' E of IR-80.		5,540	5,910	5,770	5,800	6,450	6,700	7,900	7,600	7,200	5,900
0310445	SR663, Wells Av, 150' N of the W/B ramps of the Wells Av Intch 'Exit 14'.		17,800	19,000	19,100	19,000*	16,300	22,300*	19,300	19,000*	19,300*	19,000
0310447	IR80, E/B off-ramp to N/B 395 'Exit 15'.		8,995	7,460	8,000*	9,600	10,300	10,200	10,200*	10,000*	8,850*	9,400
0310448	IR80, E/B off-ramp to S/B 395 'Exit 68'.		24,840	20,300	24,850	24,000	25,000	26,100	26,100*	22,000*	23,000*	23,000
0310450	IR80, W/B on-ramp from N/B US-395 'Exit 68'.		22,095	21,500	22,500	22,000	23,500	23,100	23,100*	21,000*	18,600*	23,000
0310451	IR80, E/B on-ramp from US-395 N/B 'Exit 68'.		16,355	13,500	18,650	19,000	19,800	18,300*	18,200*	17,000*	20,900*	20,000
0310453	IR80, W/B off-ramp to S/B US-395 at 'Exit 68'.		15,255	17,760	18,020*	19,000	20,010	20,000*	20,000*	17,000*	24,100*	22,000
0310454	IR80, W/B off-ramp to N/B 395 'Exit 68'.		8,330	8,850	8,400*	8,400	9,350	8,250	8,250*	8,000*	8,950*	9,900
0310456	IR80, E/B on-ramp from S/B 395 'Exit 68'.		8,525	8,700	8,650	8,650*	8,900	8,900*	8,900*	7,000*	9,150*	10,000
0310457	IR80, W/B on-ramp from S/B 395 'Exit 68'.		9,160	7,800	8,100	8,355*	9,400	9,400*	9,400*	9,000*	7,850*	9,500
0310458	IR80, 200' E of the E/B on-ramp of US-395 'Exit 15'.		95,335	106,220	106,800*	108,925*	109,060*	105,100*	104,500*	100,000*	103,000*	109,000
0310459	US395, N/B on-ramp of the Glendale Av Intch 'Exit 67' 50' E of the N/B IR-580.		5,000	4,850	5,750	5,500	5,450	6,050	6,050	5,900	5,000	5,300
0310460	US395, S/B off-ramp of the Glendale Av Intch 'Exit 67'.		5,725	6,000	6,700	6,300	6,155	6,650	6,650	6,850	5,450	6,000
0310461	IR580, N of the Glendale Av Intch 'Exit 67' .2 mi N of Glendale Av.		136,515	133,750	145,120*	144,290*	148,735*	153,100*	153,000*	146,000*	150,000*	159,000
0310462	US395, 200' N of the IR-80 Intch 'Exit 68' (add 31-0325 N/B, 31-0326 S/B).		92,980	93,500	94,250*	95,295*	98,380*	101,900*	102,500*	103,000*	98,500*	95,000
0310464	SR651, N McCarran Bl, .1 mi E of N Virginia St.		17,000	17,800	17,500	17,500*	17,800*	17,800*	19,700	21,100	19,300	20,000
0310466	SR650, N McCarran Bl, 250' W of Probasco Wy.		20,400	17,800	17,600	17,600*	19,600	22,100	22,000	21,600	20,000	18,000
0310467	SR650, McCarran Bl, 300' E of SR-445 (Pyramid Wy).		22,900	20,000	20,100	21,000	21,500	24,900	23,800	24,800	21,400	19,000
0310468	US395, btwn McCarran Intch 'Exit 70' & Parr Intch 'Exit 71'		53,190	54,030	55,300	57,585	60,850	63,800*	64,500*	65,000*	67,500*	73,000

* Data Adjusted or Estimated

Page 17

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name **WASHOE**

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310469	IR80, W/B loop on-ramp of the E McCarran Av Intch 'Exit 19' 275' E of McCarran Bl.		3,015	3,450	3,450	3,400	3,400	3,450*	3,400	3,500*	3,550*	3,800
0310470	US395, N/B off-ramp of the Red Rock Intch 'Exit 78'.1 mi S of the cross traffic rd.		3,310	3,455	3,600	3,800	3,900*	4,200	4,400	4,600	4,650	5,000*
0310472	Silver Lake Rd, Red Rock Intch 'Exit 78' 450' S of the Red Rock Rd.		2,800	2,900	3,150	3,300	3,200	3,200*	4,600	4,400	4,450	4,400
0310473	Red Rock Rd, .1 mi E of Moya Bl.		4,100	4,150	4,100	4,100*	4,100*	4,250	4,600	4,500	4,350	4,500
0310474	US395, N/B on-ramp of the Red Rock Intch 'Exit 78'.		505	595	600*	650	790	920	1,050	1,050	930	990
0310476	US395, S/B off-ramp of the Red Rock Intch 'Exit 78'.1 mi N of the cross traffic rd.		500	600	600	720	700	730	860	880	830	900
0310477	US395, S/B on-ramp of the Red Rock Intch 'Exit 78'.		3,215	3,437	3,500	3,730	3,800	4,100	4,250	4,450	4,500	4,900
0310480	FRWA23, 100' S of the cross traffic rd of the Red Rock Rd Intch 'Exit 78'.		520	520*	530	630	630*	700	780	930	990	1,000
0310481	US395, 1.14 mi N of the Red Rock Intch		14,660	15,473	15,600	17,200*	18,030*	18,800	21,300	21,000	19,000	22,000
0310485	W 7th St, 50' W of Wyoming Av.		8,000	8,400	9,350	9,350*	9,600	9,900	10,100	10,500	10,500	10,000*
0310487	W 7th St, 300' W of Keystone Av.		13,100	13,000	13,000*	12,000	13,100	13,500	13,600	13,500	14,100	14,000
0310488	W 5th St, 200' W of Vine St.		8,600	8,800	8,650	7,800	8,850	9,150	10,600	8,150	7,850	7,400
0310490	W 6th St, 150' W of SR-430 (N Virginia St).		10,100	11,700	11,000	11,000*	11,700	10,400	10,400	8,000	9,200	9,500
0310491	E 6th St, 75' E of SR-430 (N Virginia St).		8,600	8,600*	8,500	7,600	7,600	9,450	9,500*	7,600*	8,750*	8,900*
0310492	E 6th St, 200' W of SR-663 (S Wells Av).		9,250	9,150	9,150*	8,900	8,650	8,450	8,450	9,800	8,650	8,200
0310493	E 6th St, btwn Morrill Av & Spokane St.		8,400	9,400	9,400	10,000	10,000*	8,300	9,100	9,350	8,050	8,300
0310494	E 6th St, .15 mi E of Sutro St btwn Toano St & Montello St.		3,800	5,000	4,400	3,600	3,250	3,250*	3,300*	3,400*	6,100*	4,200
0310495	Prater Wy, btwn 18th St & 19th St.		12,800	12,600	12,000	12,000	12,400	13,600*	14,200	16,000*	16,100*	13,000
0310496	Prater Wy, btwn SR-668 (Rock Bl) & 16th St.		11,900	11,900	12,700	12,200*	11,900	12,800	13,100	15,000*	15,100*	14,000
0310497	Prater Wy, 100' E of SR-445 (Pyramid Wy).		17,900	17,300	17,400	17,400*	17,200	18,800	18,800*	20,200	18,600	18,000*
0310500	SR646, E Prater Wy, 150' W of SR-650 (N McCarran Bl).		22,600	21,800	21,000	21,000	20,100*	22,300	22,000*	24,000	23,200	22,000
0310504	Mayberry Dr, 500' W of Hunter Lake Dr.		8,950	9,550	8,550*	8,700	10,400	11,100	11,700	11,400	11,100	11,000
0310508	California Av, 300' W of Arlington Av.		12,500	12,500	12,500*	12,500*	11,400	12,200	12,500	14,000*	16,500*	12,000

* Data Adjusted or Estimated

Page 18

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310509	W Liberty St, 100' E of Arlington Av.	5,800	5,400	5,800	6,650	6,650*	5,900	5,450	7,200	6,650	5,300
0310511	E Liberty St, 175' E of S Center St.	11,100	10,600	10,500	10,500*	10,500*	11,200	12,900	13,000*	11,100*	12,000
0310513	Ryland St, 100' W of Locust St.	10,300	11,100	11,200	10,500	11,100*	11,000	11,400	10,900	9,700	11,000
0310515	Mill St, 100' E of Ryland St.							23,400	23,500	19,600	20,000
0310516	Mill St, 250' E of Kietzke Ln.	25,500	26,400	26,500	26,500*	26,500*	27,500	26,300	27,800	24,800	23,000
0310517	SR650, McCarran Bl, .2 mi S of SR-646 (E Prater Wy).	29,800	28,000	26,800	26,000	28,700	31,000	30,500	32,000	31,500	30,000
0310518	Vassar St, 50' E of SR-430 (S Virginia St.).	3,200	3,350	3,450	3,400	3,100	2,950	3,500	4,850	4,000	3,300
0310520	Vassar St, 150' E of Kirman Av.	6,350	6,050	6,550	6,550*	6,300	6,700	6,400	6,950	6,500	6,500
0310522	Vassar St, 300' E of SR-667 (Kietzke Ln).	11,200	11,600	12,100	12,000	11,800	11,800	11,800*	12,800	12,600	12,000
0310523	Vassar St, 250' W of Terminal Wy.	6,950	7,500	7,600	8,100	8,100*	7,750	7,800*	8,350	8,550	8,000*
0310525	W Moana Ln, 50' E of Skyline Bl.	4,000	3,650	3,650*	4,300	4,850	4,300	4,400	4,200	4,200	4,400
0310527	E Moana Ln, 450' W of SR-667 (Kietzke Ln).	24,400	24,200	24,000	25,000	25,000*	24,800*	25,700	27,000*	33,500*	28,000
0310528	Neil Rd, 238' S of Mauldin Ln.	13,800	14,600	16,400	16,400*	15,000	14,900	14,700	14,100	12,700	9,100
0310529	Neil Rd, 200' S of E Peckham Ln.	5,400	5,650	6,150	5,700	6,900	7,100	7,000*	6,800	6,050	5,300
0310534	Hunter Lake Dr, 100' S of Mayberry Dr.		9,700	9,700*	9,100	9,700	9,450	9,900	8,550	8,650	8,000*
0310535	Keystone Av, 100' S of Jones St.	13,500	15,600	14,500*	13,500	13,600	13,500	14,000*	13,400	16,000	12,000
0310537	Keystone Av, 300' S of SR-647 (W 4th St.).	22,300	25,500	24,000	24,000	21,900	25,000	25,000*	24,900	26,100	22,000
0310538	Keystone Av, 120' S of 7th St.	29,200	29,500	30,000	30,000*	30,000*	30,000*	30,000*	32,000*	28,000*	28,000*
0310539	Keystone Av, 200' N of W 7th St.	16,900	15,500	17,200	16,000	16,500	16,500*	16,200	17,100	16,600	15,000
0310541	Keystone Av, 300' N of Coleman Dr.	4,250	4,250*	4,250	3,900	3,900*	4,100	4,250	4,300	4,150	3,400
0310543	Arlington Av, 25' N of Marsh Av.	11,800	11,800	12,300	12,000	12,100	12,500	13,200	14,000	15,100	12,000
0310544	Arlington Av, 125' N of W Liberty St.	14,700	13,600	13,400	14,000	15,300	14,200	13,800	13,000*	9,700*	13,000
0310546	Arlington Av, 100' N of SR-648 (W 2nd St.).	10,300	10,400	10,800	10,800*	12,000	11,000	12,800	12,000*	10,000*	9,800
0310547	US395, N/B off-ramp of the Cold Springs Valley Intch 'Exit 80'.	2,375	2,500	2,600	3,350	3,400	3,550	3,800	4,000	3,850	4,000
0310548	Cold Springs Valley Rd, 325' E of the N/B ramps of the Cold Springs Valley Intch 'Exit 80'.			5,000	5,000	6,500	6,500	7,150	7,300	7,050	7,300

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310549	US395, S/B on-ramp of the Cold Springs Valley Intch 'Exit 80'.25 mi S of the cross rd.		2,275	2,500	2,550	3,280	3,300	3,400	3,700	4,000	3,600	3,700
0310555	S Center St, 100' S of E Liberty St.		3,800	4,400	4,750*	4,750*	4,750*	4,700	4,350	3,950	3,150	3,500
0310556	S Center St, 100' N of E Liberty St.		5,550	5,650	6,100	5,700	5,700*	6,100	5,800	5,300*	4,200*	5,600
0310557	S Center St, 100' N of First St.		8,200	9,150	9,650*	10,700	10,500	10,500*	11,000*	10,000*	7,600*	9,400
0310558	S Center St, 200' N of SR-648 (E 2nd St).		10,000	11,100	11,700	11,000	11,100	11,400	11,400*	12,000*	8,450*	10,000*
0310560	N Center St, 100' N of E 6th St.		9,600*	9,200	9,550	9,800	9,800*	9,600	8,650	8,950	6,150	9,200
0310564	Locust St, 110' N of SR-653 (E Plumb Ln).		6,450	5,550	5,550*	5,000	4,900	4,900*	4,700	5,300*	4,050*	3,900
0310567	Locust St, 300' S of Ryland St.		2,600	2,400	2,500*	2,600	2,700	2,700*	2,900	3,200*	2,650*	2,700
0310568	Locust St, 25' N of Ryland St.		1,200	1,300	1,200	1,300	1,300*	1,100	1,400	1,550	1,050	940
0310572	Kirman Av, 100' S of Vassar St.		2,600	2,650	2,850*	2,500	2,900	2,900*	2,900*	3,300	3,000	2,800
0310574	Kirman Av, 125' S of Ryland St.		3,350	2,550	3,150	3,150*	3,450	3,250	2,800	3,500	3,450	3,400
0310575	Kirman Av, 75' N of Willow St.		4,700	4,300	4,200	4,900	4,900*	5,050	5,100*	5,800*	5,350*	5,100
0310577	Kirman Av, 100' N of SR-648 (E 2nd St).		8,100	8,250	8,250	11,000	9,800	9,800*	9,800*	11,000*	11,300*	11,000
0310578	Coleman Dr, 525' N of Keystone Av								2,700	2,700	2,700	2,400
0310579	Sutro St, 313' S of E 9th St.		12,200	13,000	12,300	12,000	12,800	13,500	12,900	13,800	12,500	12,000
0310581	Sutro St, 150' N of Wedekind Rd.		9,600	11,000	11,100	9,600	10,300	11,100	11,500	13,400	11,800	11,000
0310582	Sutro St, 300' S of SR-651 (N McCarran Bl).		7,300	8,200	8,300*	7,100	7,600	8,150	8,400	10,000	8,200	8,400
0310583	SR667, Kietzke Ln, 300' S of Gentry Wy.		28,900	28,200	29,700*	28,000	28,000*	27,000	30,500	30,000*	28,800*	28,000*
0310584	S Rock Bl, 400' N of Mill St South of the Truckee River Bridge.		10,100	11,000	11,500	11,000	11,200	11,200*	11,300	11,800	11,000	11,000
0310585	S Rock Bl, 150' S of Freeport Bl.		19,200	19,000	20,400	20,400*	20,400*	18,000	19,000	21,700	21,800	19,000
0310586	Rock Bl, 75' N of 'D' St.		16,600	16,400	16,500	16,500*	14,700	14,000*	16,500	21,700	20,100	16,000
0310587	Probasco Wy, 60' N of 'J' St.		3,250	3,050	2,800	2,700	2,700	2,950	2,950	2,950	3,000	2,800
0310588	Probasco Wy, 125' N of Quail St.		2,400	2,650	2,600	2,300	2,500	2,650	2,850	2,550	2,650	2,600
0310589	Probasco Wy, btwn Gault Wy & N McCarran Bl.		2,100	2,350	2,250	2,000	2,100	2,100*	2,450	2,250	2,250	2,200
0310590	Arrow Creek Pk, 375' W of SR-430 (S Virginia St).			8,900	12,700	14,000	15,000	17,500	19,100	18,700	18,900	18,000
0310591	Zolezzi Ln, 250' W of Oak Glen Rd East of Thomas Creek Rd.		4,600	5,500	5,500*	5,900*	6,300*	7,300*	4,700	4,100	4,100	3,900

* Data Adjusted or Estimated

Page 20

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name **WASHOE**

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310593	SR668, S Rock Bl, .2 mi S of Mill St.	14,900	16,000	17,100	17,000	16,600*	16,100	16,000*	17,900	17,900	17,000
0310594	Mill St, .3 mi W of SR-668 (S Rock Bl).	15,300	18,800	16,700	18,000	18,800	19,800	20,300	20,500	19,100	18,000
0310595	Mill St, 300' W. of N. Edison.	9,000	10,900	10,000	10,000	10,500	11,800	12,000	11,800	10,200	10,000
0310596	SR648, Glendale Av, 100' E of the E entrance to the Hilton.	18,900	20,300	19,500*	19,500*	19,500*	21,200	21,200*	19,700	16,600	16,000
0310597	Eastlake Bl, .2 mile S of the Jumbo Grade Rd.	2,200	2,100	2,150	2,100	2,150	1,800	1,800*	1,750	1,800	1,700
0310598	Eastlake Bl, 200' N of Coyote Dr.	3,900	3,250	3,150	3,100	3,150	3,100	3,150	3,150	3,300	3,100
0310599	EI Rancho Dr, 100' SE of Clinton Ct.	12,800	11,900	11,900	11,000	11,100	12,300	14,500	17,500	15,300	15,000
0310600	SR443, Clear Acre Ln, .1 mi N of Gepford Pk.	25,300	25,500	25,800	25,000	27,800*	27,100	27,500	26,800	26,000	26,000
0310602	SR427, Wadsworth Rd, .2 mi E of the Truckee River.	2,550	2,300	2,150	2,150*	2,150*	2,400	2,350	2,400	2,350	2,400
0310604	US395, N/B on-ramp of the Cold Springs Valley Intch 'Exit 80' 600' N of the cross rd.	25	12	15	10	20	20*	20	20	30	20
0310605	US395, S/B off-ramp of the Cold Springs Valley Intch 'Exit 80' .2 mi N of the cross rd.	25	15	15*	20	20	20*	30	30	30	30
0310607	US395, btwn the Cold Springs Vly Intch 'Exit 80'. (.840 miles north of the Cold Springs Int)	10,060	10,500	10,480*	10,600*	11,370	11,900	13,500*	13,500*	12,600*	15,000
0310608	US395, N/B off-ramp of the Bordertown Intch 'Exit 83'.	900	1,200	1,220*	1,300	1,300*	1,430*	2,650	2,500	2,550	3,200*
0310609	US395, N/B on-ramp of the Bordertown Intch 'Exit 83' .2 mi N of the cross traffic rd.	250	260	300	360	300*	290	390	310	240	320
0310611	US395, S/B off-ramp of the Bordertown Intch 'Exit 83' 300' S of US-395.	250	260	200	200*	200*	210	270	230	180	230
0310612	US395, S/B on-ramp of the Bordertown Intch 'Exit 83' 865' S of the cattle guard.	1,000	1,200	1,245*	1,200	1,400	1,750*	2,450*	2,550	2,700	3,400
0310615	FRWA23, 100' south of Stateline.	475	350	430	390	440	440*	440*	610	620	710
0310617	Rock Bl, 150' S of SR-663 (Oddie Bl).	14,400	13,900	12,700	14,000	12,700	13,700	14,400	18,000	16,100	14,000
0310619	Rock Bl, N of Vance Wy.	8,300	8,300	8,300*	8,100	8,100*	8,500*	8,850	10,000	9,250	9,000
0310620	IR80, 500' W of the Vista Bl Intch 'Exit 21'.	33,410	35,080	36,885*	37,365*	39,390*	40,700*	42,700*	39,000*	48,500*	49,000*
0310621	SR648, E 2nd St, .1 mi W of Industrial Wy.	16,200	17,300	17,200	17,200*	17,200*	15,100	17,100	16,000*	15,900*	14,000

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310622	Kuenzli St, 100' W of SR-667 (Kietzke Ln).		3,200	3,350	3,500	3,500*	3,300	3,650	3,050	3,400	3,000	2,900
0310623	Rock Bl, 550' W of Longley Ln.		14,600	15,700	15,800	16,000	16,500	15,900	17,800	17,700	17,100	17,000
0310624	El Rancho Dr, .2 mi N of SR-663 (Oddie Bl).		13,200	12,200	11,800	14,000	12,700	14,300	15,300	17,400	15,700	14,000
0310625	Kuenzli St, 200' E of Kirman Av.		7,700	8,200	7,600	7,600*	7,500	8,250	7,850	7,600*	5,500*	4,600
0310626	El Rancho Dr, 450' N of Wedekind Rd.		5,800	6,500	6,250	6,250*	6,850	6,850*	8,800	11,000	9,300	8,200
0310627	US395, S/B on-ramp of the Glendale Av Intch 'Exit 67'.		4,185	4,900	4,880	4,500	4,500*	4,300	4,750	4,800*	5,000*	4,700
0310628	US395, N/B off-ramp of the Glendale Av Intch 'Exit 67'.		4,000	4,200	4,450	4,450*	4,550*	4,300*	4,250	4,300	4,450	4,200*
0310629	IR580, btwn the Mill St Intch & Glendale Av Intch (add 31-0627 S/B & 31-0628 N/B).		133,975	132,000	142,000	141,440*	146,180	149,000*	149,500*	142,000*	149,000*	145,000
0310630	US395, S/B off-ramp of the Mill St Intch 'Exit 66'.		9,385	8,600	9,100	9,700	10,500	10,400	9,700	10,200*	9,050*	9,700
0310631	US395, S/B on-ramp of the Mill St Intch 'Exit 66'.		5,490	6,500	5,900*	6,700	7,100	7,550	7,300	10,600	7,650	7,300
0310632	US395, N/B on-ramp of the Mill St Intch 'Exit 66'.		8,000	6,470	8,300	8,300*	8,250	8,500	8,000	7,600	7,550	8,700*
0310633	US395, N/B off-ramp of the Mill St Intch 'Exit 66'.		6,000	6,870	5,750	7,170	8,250	8,300	8,600	8,550	8,100	7,800
0310634	IR580, btwn the Plumb-Villanova Intch 'Exit 65' & Mill St Intch 'Exit 66'.		128,080	130,300	136,250*	137,310*	142,680*	145,900*	147,500*	144,000*	148,000*	145,000*
0310635	Mill St, btwn Matley Ln & Terminal Wy.		25,800	28,400	27,700	26,000	25,500	26,300*	27,300	27,400	26,300	25,000
0310636	US395, S/B off-ramp of the Plumb-Villanova Intch 'Exit 65'.		11,950	12,390	13,000	16,000	12,900	12,900*	11,800	11,600	11,600	12,000
0310638	W Frontage Rd (one-way S/B), 400' S of Villanova.		11,100	10,330	10,900	10,900*	10,500	10,300	10,500	11,000	11,000	10,000
0310639	US395, S/B on-ramp of the Plumb-Villanova Intch 300' N of S/B lanes 'Exit 65A'.		8,175	8,470	8,950*	9,100	9,650	9,650*	9,900	11,200	11,000	11,000
0310640	US395, N/B off-ramp of the Plumb-Villanova Intch 'Exit 65' 250' N of the N/B lanes.		7,625	7,600	9,000	8,700	9,350	9,300	9,550	10,400	11,100	11,000*
0310641	E Frontage Rd (N/B One-Way), btwn Villanova & Plumb Ln of the Plumb-Villanova Intch 'Exit 65'.		13,100	13,100	11,000	11,000*	11,000*	10,200	10,900	10,500	10,100	11,000
0310643	US395, N/B on-ramp of the Plumb-Villanova Intch 'Exit 65' 200' S of the N/B lanes.		13,400	13,000	13,000	13,000*	13,000	12,200	12,700	11,900	12,300	12,000
0310644	IR580, btwn the Moana Ln Intch 'Exit 64' & the Plumb-Villanova Intch 'Exit 65'.		112,545	114,840	122,150*	120,210*	130,730*	134,800*	136,500*	133,000*	139,000*	143,000

* Data Adjusted or Estimated

Page 22

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310645	US395, S/B off-ramp of the Moana Ln Intch 'Exit 64' .1 mi S of the S/B lanes of 'Exit 64'.		15,275	13,910	15,150	15,000	15,200	14,700	14,100	13,600	13,400	15,000
0310646	Moana Ln, 300' W of the S/B ramps of IR-580.		27,600	31,200	31,200*	31,200*	34,300*	34,000	33,000	33,500	33,000	34,000*
0310647	US395, S/B on-ramp of the Moana Ln Intch 'Exit 64' .1 mi S of Moana Ln.		3,205	3,280	3,450	3,700	3,600	4,000	3,900	4,750	4,850	4,500
0310648	US395, N/B off-ramp of the Moana Ln Intch 'Exit 64'.		3,325	3,000	3,150*	3,800	4,250	4,250*	4,500	4,950	5,250	4,600
0310649	Moana Ln, 250' W of Neil Rd.		15,500*	15,500*	15,200	15,200*	15,100	15,100	14,300	13,100	13,600	15,000*
0310650	US395, N/B on-ramp of the Moana Intch 'Exit 64' 100' S of the N/B Lanes.		15,230	14,500	15,100*	15,000	15,000*	15,700	15,300	13,700	13,700	15,000
0310651	IR580, 291' S of Moana Ln btwn S/B off & on-ramps of Moana Intch 'Exit 64'		88,570	92,710	98,500	97,710	108,380*	112,700*	116,000*	115,000*	122,000*	122,000
0310652	S McCarran Bl, .1 mi E Neil Rd.		15,800	15,600	15,500	17,000	16,700*	17,200	18,200	19,100	18,100	16,000*
0310653	S McCarran Bl, .1 mi W of Neil Rd.		19,000	18,800	18,800	19,000	18,800*	20,600	21,200	21,900	20,700	19,000
0310654	S McCarran Bl, E of S Virginia St./300' W of Smithridge Dr.		35,500	40,900	40,900*	29,000	29,000*	30,000	27,700	29,700	27,600	25,000
0310656	SR651, S McCarran Bl, 335' S of E/B off-ramp at W McCarran Bl Intch 'Exit 10'.		23,800	26,300	35,000	35,000*	33,000	41,000	44,000	40,000	41,500	40,000
0310657	IR80, E/B off-ramp of the W McCarran Bl Intch 'Exit 10'.		2,710	2,680	3,230*	3,300	4,000	4,050	5,050	5,150	5,100	4,800
0310658	IR80, E/B on-ramp of the W McCarran Bl Intch 'Exit 10'.		11,785	12,270	13,480*	13,000	14,300	13,800	14,300	14,000*	13,400*	14,000
0310660	IR80, W/B on-ramp of the W McCarran Bl Intch 'Exit 10'.		2,845	2,860	3,250*	3,400	4,000	4,050*	4,750	4,950	5,050	4,900
0310661	IR80, W/B off-ramp of the W McCarran Bl Intch 'Exit 10'.		11,295	11,050	13,780*	13,000	14,000	14,000	15,200	13,000*	13,100*	15,000
0310662	SR651, N McCarran Bl, 545' N of IR-80 W/B ramps of the W McCarran Intch 'Exit 10'.		28,100	31,000	36,000	37,000	34,800*	36,000	41,000	41,000*	39,500*	41,000
0310663	SR651, McCarran Bl, 364' N of W 7th St.		16,800	17,700	20,800	20,000	21,400	20,900	22,000*	22,000*	21,100*	21,000*
0310664	SR651, McCarran Bl, 638' W of SR-430 (N Virginia St.).		14,900	16,100	18,000	18,000	19,200	19,600	22,600	23,300	22,100	23,000*
0310666	S McCarran Bl, .1 mi N of Rio Poco Rd.		17,500	17,000	17,900	19,000	19,600	23,600	25,000*	24,800	23,600	22,000

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT									
0310671	IR80, Between the East Verdi Int (Exit 5) and the Mogul Int (Exit 7)		31,730	33,650	35,040*	35,730	36,530	34,800*	37,000	35,500	37,000	39,000
0310672	SR430, S Virginia St, 200' N of McCarran Bl (add 31-0774 to N/B).		30,800	32,000	35,000	35,800	48,000	52,000	48,500	43,000	41,500	39,000*
0310673	US395, .6 mi N of the Bellevue Intch 'Exit 44'.		27,405	28,900	28,855	29,390	30,640	31,000	30,500	31,000	30,500	31,000
0310674	SR650, N McCarran Bl, .3 mi E of El Rancho Dr.		27,000	24,200	26,400	26,000	27,200	27,200*	31,000	32,000*	28,100*	28,000
0310675	SR650, N McCarran Bl, .2 mi E of Sullivan Ln.		31,600	29,300	29,500	29,000	32,000	35,500	36,500	38,000*	32,500*	33,000
0310677	SR650, McCarran Bl, .2 mi E of SR-668 (Rock Bl).		32,400	31,600	32,500	30,000	31,500	34,600*	37,500	37,500	33,500	34,000*
0310678	S McCarran Bl, .1 mi N of Mira Loma.		19,400	18,500	18,900	20,000	21,200	24,700	25,600	25,700	26,100	23,000
0310681	US395, S/B off-ramp of the Stead Bl Intch 'Exit 76' 50' S of 'Exit' sign.		435	530	350	490	540	550	660	670	670	600
0310682	US395, N/B on-ramp of the Stead Bl Intch 'Exit 76' 10' S of the RxR Underpass.		535	600	500	530	620	680	780	740	730	720
0310683	SR430, Carson-Reno Hw, 251' S of 9th St.		17,800*	17,500*	17,500*	17,500*	17,500*	16,500	16,500*	16,700	16,000	16,000
0310684	E Prater Wy, 150' W of Greenbrae Dr.		18,400	17,000	17,200	18,000	18,000*	19,300	18,900	20,000*	19,100*	18,000
0310687	E Prater Wy, .2 mi E of Sparks Bl.		9,550	9,650	9,650*	10,000	12,600	12,500	12,400	13,400	12,400	12,000
0310688	SR651, McCarran Bl, 200' W of Lakeside Dr.		21,000	21,700	23,600	21,000	21,000*	23,300	25,300	26,600	26,500	25,000
0310689	Neil Rd, .1 mi S of SR-650 (S McCarran Bl).		11,700	11,900	10,700	10,000	10,100	11,600	11,500*	12,300	13,700	11,000
0310690	Neil Rd, 515' N of DeLucchi Ln.		4,600	5,200	4,700*	4,900	6,000	7,350	7,300	7,950	8,900	6,900
0310694	Pembroke Dr, 115' E of Sinelio Dr.		5,600	6,600	5,350*	5,400	5,900	6,200	6,300	6,300*	5,450*	5,100
0310696	N Virginia St (Old US-395), 700' NW of SR-430 (US-395 Business Rt).		4,500	5,150	4,700	4,900	4,900*	4,950	5,600	6,200	6,000	5,600
0310700	SR673, Stead Bl, .1 mi E of the N/B ramps of the Stead Intch 'Exit 76'.		1,910	1,950	2,000	1,700	1,700*	18,400	20,900	20,200	20,500	21,000
0310703	Terminal Wy, .1 mi N of National Guard Wy.		5,950	5,900	6,700	7,100	7,100*	5,600	6,400	6,150	5,850	6,800
0310705	Terminal Wy, .1 mi S of Vassar St.		12,100	13,700	12,700	12,700*	13,100	12,700*	14,600	15,800	13,600	13,000
0310706	Terminal Wy, .1 mi S of Mill St.		13,500	14,400	14,300	15,000	15,000*	14,500	14,900	16,300	15,100	14,000
0310707	Greg St, 400' NE of Mill St.		13,200	14,500	13,900	13,900*	13,900*	14,000	14,700	16,000*	15,100*	14,000
0310709	Greg St, .1 mi E of SR 668 (Rock Bl).		11,800	12,600	13,500	12,000	11,800	12,600	13,100	14,000*	14,100*	12,000
0310712	Greg St, 200' W of Franklin Wy.		12,300	13,000	14,500	14,000	14,000	16,700	16,700*	18,000*	17,500*	20,000

* Data Adjusted or Estimated

Page 24

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310713	Vista Bl, .15 mi N of E Prater Wy.		13,400	12,300	12,500	24,000	19,200	22,300	23,400	26,300	26,100	28,000
0310715	Baring Bl, 200' E of Springland Dr.		6,750	6,750	7,100	7,100*	8,450	10,300	11,800	12,000	11,600	10,000
0310717	Baring Bl, 400' E of N Truckee Ln.		16,700	16,800	17,300	16,000	17,700	20,100	20,800	19,200	18,400	16,000
0310720	Sparks Bl, .1 mi N of Prater Wy.		17,000	17,500	18,700	19,000	19,000*	19,900	20,900	21,500	21,300	21,000
0310721	Sparks Bl, .2 mi S of Baring Bl.		10,500	11,700	11,400	13,000	12,600	13,800	14,400	15,400	17,000	16,000
0310728	Village Bl, .1 mi W of Country Club Dr in Incline Village.		1,200	1,250	1,250	1,250*	1,100	1,050	1,400	1,400*	1,150*	1,100
0310730	Village Bl, 300' N of Northwood Bl		5,800	4,800	4,900	4,600	5,250	4,850	5,100	5,000*	4,900*	4,400
0310733	Village Bl, 330' N of Southwood in Incline Village.		3,900	3,500	3,500*	3,300	3,350	3,250	3,150	3,150	3,400	3,200
0310736	Country Club Dr, 100' N of Lakeshore Bl.		3,550	3,650	3,350	3,400	2,950	3,100	2,600	2,850	3,150	3,100
0310737	Country Club Dr, 100' N of SR-028 (Tahoe Bl) in Incline Village.		4,950	5,350	5,250	5,300	5,250	5,750	4,650	5,000	4,900	5,200
0310738	Country Club Dr, 125' N of First Green Dr in Incline Village.		2,600	2,450	2,450*	2,600	2,400	2,600*	2,100	2,550	2,600	2,700
0310742	Northwood Bl, 75' E of Village Bl in Incline Village.		2,550	2,700	2,700*	2,700*	2,700*	2,800*	1,550	1,800	1,900	1,500
0310744	Northwood Bl, 50' S of Alder Av		3,250	3,250	3,250	3,250*	3,150	3,300	2,950	3,200	3,400	3,000
0310747	Southwood Bl, 270' E of Mays Bl.		4,000	3,850	4,000	3,700	3,850	3,750	3,550	3,700	3,450	3,900
0310749	Southwood Bl, 50' S of SR-028 (Tahoe Bl) in Incline Village.		4,500	4,450	4,900	2,000	2,200	2,600	1,800	2,100	2,000	1,900
0310756	Lakeshore Bl, 100' E of Village Bl.		4,900	4,750	4,400	4,400	4,050	4,500	4,500*	3,800	4,550	4,300
0310761	Lakeshore Bl, 200' E of SR-028 (Tahoe Bl).		3,100	3,050	3,050*	2,600	2,450*	2,550	2,350	2,500	2,950	2,700
0310770	SR431, Mt Rose Hw, 50' W of Barbara St.		5,450	5,450	5,450	5,540	5,540*	5,600	5,400	5,000*	4,850*	5,300
0310774	US395, N/B on-ramp of the Fire Creek Intch 'Exit 63'.		13,785	12,900	15,150*	13,800	14,000	13,900	14,600	14,100	14,300	14,000
0310775	US395, Fire Creek Intch 'Exit 63' S/B off-ramp from IR-580 to S Virginia St.		9,545	9,720	10,600*	9,900	10,850	10,850*	10,800	11,100	10,700	11,000
0310776	IR580, btwn the Fire Creek Intch 'Exit 63' & Neil Rd Intch 'Exit 62' 100' N of sound wall.		60,605	65,250	67,450	68,600	77,330	80,800*	82,800	83,500	90,000	91,000
0310777	US395, S/B off-ramp of the Neil Rd Intch 'Exit 62'.		6,600	5,605	6,000	6,400	7,000	7,400	7,400	6,850	7,400	7,300
0310778	US395, N/B on-ramp of the Neil Rd Intch 'Exit 62'.		4,025	4,250	4,200	4,500	5,000	5,250	5,450	5,150	5,350	5,200

* Data Adjusted or Estimated

Page 25

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310779	SR667, Kietzke Ln, 150' E of the N/B on-ramp & 488' W of Virginia St.		20,200	21,400	21,200	22,700*	22,300*	23,900	25,600	26,300	25,300	24,000
0310780	SR667, Kietzke Ln, 193' W of S/B ramps of Del Monte Ln-US-395 Intch & 347' E of Kietzke Ln.		7,150	14,700*	17,900	19,000	18,600	22,700	24,200	24,800	25,600	24,000
0310781	Del Monte Ln, 256' W of Kietzke Ln.		1,700	1,800	2,350	2,300	3,650	2,800	2,800	2,900	3,150	2,800
0310782	SR667, Kietzke Ln, .2 mi N of Del Monte Ln.		13,100	13,900	16,700	18,000	16,400	21,100	22,600	23,300	23,900	22,000
0310783	SR667, Kietzke Ln, 264' N of Redfield Pk & 434' S of Fire Creek crossing.		11,800	11,000	12,000*	12,000*	13,500	14,800	15,000*	15,000*	16,100*	14,000
0310784	US395, S/B off-ramp of the Lemmon Valley Intch 'Exit 74'.		810	980	900	900*	1,050	1,050	1,200	1,200	1,500	1,600
0310785	US395, N/B on-ramp of the Lemmon Valley Intch 'Exit 74' 100' N of the cross traffic rd.		1,600	1,760	1,450	1,400	1,500	1,650	1,750	1,950	2,300	2,500
0310786	US395, N/B off-ramp of the Lemmon Valley Intch 'Exit 74' 200' N of the gore.		6,915	7,000	7,280*	7,600	8,600	8,750	9,700	9,850	9,800	11,000
0310787	US395, S/B on-ramp of the Lemmon Valley Intch 'Exit 74'.		6,000	6,100	6,770	6,900	8,010*	7,750	8,700	9,150	9,250	9,900
0310789	Lemmon Valley Dr, E of the Lemmon Valley Dr Intch 'Exit 74' 150' E of the ramps.		15,700	17,900	17,700	17,000	18,200	18,400*	20,900	21,200	23,200	24,000
0310792	IR80, W/B on-ramp of the Sparks Blvd Intch 'Exit 20' .2 mi W of the cross traffic rd.		8,270	9,380	9,600	10,400	9,950	9,250	9,800	9,800	10,800	11,000
0310793	Evans St, S of Enterprise Rd.		2,850	3,050	3,300	3,300*	3,300*	2,800	2,700	3,050	3,100	4,100
0310794	SR671, Huffaker Ln, 242' E of Meadow Vista Dr.		2,800	2,550	3,600	3,400	3,950	3,900	4,050	4,300	4,650	4,600
0310795	US395, S/B on-ramp of the Golden Valley Intch 'Exit 73' 200' N of S/B US-395.		4,885	4,920	5,310	5,500	5,890*	5,950	5,900	6,200*	6,550*	6,700
0310796	US395, S/B off-ramp of the Golden Valley Intch 'Exit 73'.		1,540	1,585	1,780	1,800	2,050	2,250	2,400	2,600	2,700	2,700
0310797	US395, N/B on-ramp of the Golden Valley Intch 'Exit 73' 125' S of N/B US-395.		1,790	1,900	2,030	2,000	2,310	2,650	2,850	3,150	3,150	3,200
0310798	US395, N/B off-ramp of the Golden Valley Intch 'Exit 73'.		5,190	5,300	5,460*	5,700	6,100	6,100*	6,300	6,700	6,700	7,200
0310799	Golden Valley Rd, 75' W of the S/B ramps of the Golden Valley Intch 'Exit 73'.		6,500	7,300	7,900*	6,900	7,550	8,050	7,800	7,950	7,750	8,400

* Data Adjusted or Estimated

Page 26

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310800	Golden Valley Rd, 300' W of N Hills Bl.		11,400	12,900	13,900*	12,000	12,000*	13,000*	15,000	16,800	17,100	17,000
0310801	US395, S/B off-ramp of the Plumb-Villanova Intch 'Exit 65' to the airport 'Exit 65B'.		3,685	3,840	3,750	3,700	3,200	3,150	3,350	3,350	3,500	3,300
0310802	US395, N/B on-ramp of the Plumb-Villanova Intch 'Exit 65' from the airport.		2,300	2,300	2,300	2,200	1,850	1,850*	2,150	2,000	2,250	2,100
0310803	IR80, E/B off-ramp of the Nugget Intch 'Exit 17' onto Nugget Av.		4,105	4,000	3,630*	3,300	3,300*	5,700	3,000*	1,900	4,650	3,500*
0310804	IR80, btwn the W Verdi Intch 'Exit 2' & the Verdi Intch 'Exit 3'.		24,930	27,740	28,735*	28,930	29,550*	28,700*	29,500	29,000*	28,700*	31,000
0310805	IR80, btwn the Garson Intch 'Exit 4' & the E Verdi Intch 'Exit 5'.		28,165	29,440	31,140*	31,460*	31,930	30,500*	32,500*	31,500	32,000	35,000
0310806	IR80, .1 mi E of the W/B off-ramp of the Mogul Intch 'Exit 7'.		33,880	25,920	37,350	37,930	38,860	37,000	40,000	37,000	39,000	41,000
0310807	IR80, .5 mi W of the Robb Dr Intch 'Exit 9'		31,735	34,000	35,100*	35,530*	36,360	34,500	37,000	34,000*	36,500*	36,000*
0310808	IR80, btwn the E 4th St Intch 'Exit 16' & Rock Bl Intch 'Exit 17'.		91,565	104,240	103,550*	104,695*	104,260*	100,500*	97,500*	92,000*	101,000*	108,000*
0310809	IR80, btwn the Rock Bl Intch 'Exit 17' & Pyramid Wy Intch 'Exit 18'.		76,505	90,950	92,400	93,795	93,660*	92,000*	92,600*	86,000*	106,000*	101,000
0310810	IR80, at Sparks Bl Intch 'Exit 20'. (add 31-0830 EB & 31-0792 WB)		48,390	52,040	54,665*	56,095*	57,540*	57,700*	59,800*	57,000*	67,500*	67,000*
0310811	IR80, btwn the Thisbe-Derby Dam Intch 'Exit 36' & the Orchard Intch 'Exit 38'.		20,220	20,080	20,270*	20,520	21,840	21,800	24,400	23,000*	26,100*	27,000
0310812	IR80, btwn the Orchard Intch 'Exit 38' & the Painted Rock Intch 'Exit 40'.		20,265	20,080	20,270*	20,520	21,840	21,700*	24,100	23,300	26,600	27,000
0310814	IR80, E/B on-ramp of the Sparks Bl Intch 'Exit 20'.		1,160	870	800	800*	850	930	1,200	1,000	1,500	1,400
0310815	IR80, W/B off-ramp of the Sparks Bl Intch 'Exit 20'.		665	620	620	870	850	830	1,100	880	1,350	1,200
0310819	US395, S/B on-ramp of the Neil Rd Intch 'Exit 62'.		7,315	7,765	8,070*	10,200	10,800*	10,900	12,000	11,600	12,000	12,000
0310820	US395, N/B off-ramp of the Neil Rd Intch 'Exit 62'.		6,100	6,450	6,700	9,300	9,850	10,300	11,000	10,900	11,500	11,000
0310823	US395, N/B on-ramp of the S Virginia St Intch 'Exit 61' from S/B S Virginia St.		2,900	3,535	3,800	3,700	3,600	3,350	3,350	3,650	3,650	3,300

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310824	US395, N/B off-ramp of the S Virginia St Intch 'Exit 61'.		2,300	2,460	2,450*	2,880	2,880*	3,700	3,050	3,300	3,500	3,800
0310825	US395, N/B on-ramp of the S Virginia St Intch 'Exit 61' from N/B Virginia St.		2,150	2,175	2,425	2,000	2,000*	2,700	3,000	3,000	3,150	3,200
0310826	US395, S/B on-ramp of the S Virginia St Intch 'Exit 61'.		2,170	2,300	2,300*	2,120*	2,150	2,200	2,350	2,900	3,300	3,400
0310827	US395, S/B off-ramp of the S Virginia St Intch 'Exit 61'.		6,315	7,000	6,420	6,300	6,300*	6,300	6,500	7,050	7,000	7,000
0310828	US395, S of S Virginia St Intch 'Exit 61'.		56,500	61,660	64,125*	70,200*	79,110*	83,350*	85,000*	88,000*	93,000*	94,000*
0310830	IR80, E/B off-ramp of the Sparks Bl Intch 'Exit 20'.		8,535	9,070	9,600	10,000	9,900	9,450	9,650	9,600*	10,100*	10,000
0310833	Kings Row, 250' NW of Majestic Dr.		6,900	6,900	6,700	6,700*	6,700*	7,550	7,450	7,350	7,350	6,200
0310834	Spanish Springs Rd, .5 mi N of Goldy Wy.		1,950	2,000	2,000	2,000*	1,950	2,200*	2,500	2,150	2,150	1,900
0310835	Stoker Av, .3 mi N of SR-647 (W Fourth St) 50' S of IR-80 Bridge.		5,100	4,700	4,500	4,400	5,150	5,150*	3,950	4,000*	4,300*	4,000
0310836	Stoker Av, btwn W 6th St & W 7th St.		4,350	4,000	4,000*	4,800	4,800*	4,050	3,800	3,850	3,900	3,900
0310838	Brinkby Av, btwn Lakeside Dr & Portola Dr.		4,500	4,500	4,700	4,500	4,800	4,900				94,000*
0310839	California Av, W of Keele Dr.		600	550	600	560	780	760	780	780*	710*	630
0310840	California Av, 200' W of Mayberry Dr.		1,900	1,900	1,600	1,600	1,750	1,850	1,850	1,850	2,150	1,500
0310841	College Dr, 200' W of Bon Rea Wy.		1,100	990	1,050	950	1,200	1,300	1,250	1,150	1,150	970
0310842	College Dr, 50' E of Mackey Ct.		1,950	2,100	2,100	1,800	1,800*	2,050	2,200	2,050	2,150	2,000
0310843	S Plumas St, 250' N of Ridgeview Dr.		5,550	5,150	5,150*	5,400	6,200	5,300	5,500	5,650	5,200	5,600
0310844	E Ninth St, 175' W of Silverada Bl.		6,100	6,250	6,650	6,650*	6,500	6,950	7,300	7,200	7,800	6,400
0310845	'G' St, 300 'W of El Rancho Dr.		6,800	6,950	8,200*	8,000	8,000*	8,050	8,800	8,800	10,100	8,200
0310846	'G' St, 75' E of Sullivan Ln.		620	680	680*	700	580	670	740	660	750	700*
0310847	Gentry Wy, .1 mi W of SR-667 (Kietzke Ln).		7,000	6,850	6,850	6,500	6,850	6,850*	6,950	6,900*	6,250*	5,900
0310848	Greenbrae Dr, 120' W of SR-668 (Rock Bl).		2,350	2,250	2,300	2,300	2,250	2,400	2,700	2,550	2,800	2,500
0310849	Greenbrae Dr, 300' E of Fourth St.		4,400*	4,650	4,700	4,400	4,350	4,350*	4,450	4,850	3,650	4,300
0310850	Idlewild Dr, .1 mi W of Troy Ln.		1,500	1,500	1,450	1,400	1,750	1,700	1,650	1,500	1,650	1,400
0310851	Caughlin Pk, .2 mi W of McCarran Bl.				4,700	3,300	4,650	4,550	4,950	4,600	3,700	3,600
0310852	Idlewild Dr, 100' E of Hunter Lake Dr.		2,850	2,850	2,750	2,900	3,150	3,150	3,000	2,750	3,100	2,900

* Data Adjusted or Estimated

Page 28

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310853	Lakeside Dr, 200' N of McCarran Bl.		9,150	8,900	10,200	10,000	8,300	11,500	12,100	12,000	11,800	12,000
0310854	Cashill Bl, 376' W of Skyline Bl.				2,300	2,400	2,350	2,250	2,250	2,100	2,100	2,200
0310855	Lakeside Dr, 350' S of Moana Ln.		11,900	11,700	12,400*	12,400*	13,700	14,300*	14,100	15,100	14,500	14,000
0310856	Lakeside Dr, btwn Lakeside Ct & Berrum Ln.		10,500	9,400	10,000	9,900	9,600	10,000*	10,000	9,800	9,250	9,400
0310857	Lemmon Valley Dr, 1.9 mi S of Red Rock Rd.		50	30	90	150	80	80*	110	90	60	60*
0310858	Marsh Av, 278' W of Arlington Av.			450	400	400*	400	420	360	410	390	400
0310859	Manzanita Ln, 290' W of Plumas St.		1,450	1,180	1,650	1,650*	1,950	1,900	1,900	2,000	1,900	1,800
0310860	Manzanita Ln, 120' W of Lakeside Dr.		1,250	1,160	1,500	1,500	1,950	1,800	1,650	1,700	1,600	1,500*
0310861	Manzanita Ln, E of Lakeside btwn Warren Ln & Jasper Ln.		350	260	330	360	510	300	310	300*	260*	290
0310862	Mill St, 100' W of Holcomb Ave.		6,850	6,300	6,400	5,900	5,950	5,900	5,900*	6,400	6,100	5,700*
0310863	US395, S/B on-ramp of the US-395/Clear Acre Intch. from Clear Acre Ln.											8,200
0310864	Monroe St, btwn Mark Twain Av & Nixon Av.		750	820	740	700	700	690*	750	760	720	720
0310865	US395, S/B off-ramp of the Clear Acre-McCarran Intch to McCarran Blvd. (connector ramp).											4,000*
0310866	'I' St, 75' E of Fourth St.		2,650	2,700	2,500	2,400	2,350	2,600	2,800	2,600	2,650	2,400
0310868	Mt Rose St, 102' W of Plumas St.				4,600	4,500*	4,300	4,000*	4,300	4,650	4,450	4,300
0310869	Ralston St, 200' N of W Tenth St.		1,600	1,400	1,350	1,350*	1,400	1,400*	1,400*	1,400	1,400	1,400*
0310872	Sharon Wy, 50' S of Marsh Av.		2,200	2,100	2,250	2,100	2,050	1,950	1,950	1,950	2,400	2,100
0310873	Sierra Madre Dr, btwn Matich Dr & Reggie Rd.		1,500	1,500	1,550	1,400	1,550	1,550*	1,600	1,600	1,450	1,500
0310874	Silverada Bl, 120' N of Carville St.		4,900	4,900	5,200	5,300	5,200	6,100	7,300	6,000	6,550	5,900
0310875	Lakeside Dr, 384' S of McCarran Bl.			8,750	10,500	10,500*	8,300	10,100	11,600	11,400	10,700	11,000
0310876	Silverada Bl, .1 mi N of Oddie Bl.		9,200	8,850	8,600	8,200	8,600	8,600*	9,550	8,950	9,500	8,900
0310877	Valley Rd, 250' N of Manogue Rd.		3,550	3,900	3,950	3,300	3,950	4,600	4,350	4,850	4,550	4,600
0310878	Washington St, 200' N of W Second St.		1,750	1,700	1,800	1,900	2,050	2,050*	2,100*	3,100	2,550	2,100
0310879	Washington St, 200' S of University Terrace.		4,900	5,550	5,500*	5,500*	5,500*	4,650	5,550	4,950	4,650	5,100
0310880	Buck Dr, .1 mi E of Lemmon Valley Dr.			3,850	4,100	4,100	4,100*	5,350	5,200	6,250	6,800	6,800
0310881	Wedeckind Rd, 50' E of Silverada Bl.		7,200	7,600	7,400	7,400*	7,600	7,600*	9,200	9,300	9,150	8,200

* Data Adjusted or Estimated

Page 29

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310882	Wedekind Rd, btwn Clear Acre Ln & Whitfield Wy.		4,800	5,650	5,850	5,850*	5,750	6,000	6,000*	5,800*	6,400*	6,400*
0310884	Yori Av, 200' N of Grove St.		1,450	1,100	1,300	1,500	1,400	1,500	1,450	1,500*	1,650*	1,800*
0310885	Yori Av, S of Casazza Dr.		950	910	1,100	1,100*	1,250	1,350	1,300	1,400*	1,350*	1,200*
0310886	Yori Av, 165' N of Stewart St.		1,250	1,150	1,200	1,200*	1,350	1,500	1,400	1,550	1,700	1,400
0310887	York Wy, 150' E of Rock Bl.		2,500	2,550	2,550*	2,400	2,400*	2,700	2,950	2,800	3,000	2,600
0310888	Caliente St, 308' W of North Virginia St.			780	700	650	580	540	540*	590	620	560
0310889	York Wy, 100' W of Probasco Wy.		2,350	2,600	2,600	2,600*	2,300	2,300*	2,300*	2,550	2,850	2,600
0310890	Lymberry Rd, 350' N of Moana Ln.			3,150	3,400	3,400	2,950	3,400	3,450	3,200	3,200	2,900
0310891	E York Wy, 100' W of SR-650 (McCarran Bl.).		3,050	3,150	3,200	3,200*	2,850	2,900	3,200	3,200	3,900	3,100
0310892	Fourth St, 123' N of Tasker Wy & 129' S of York Wy.		3,250	3,350	2,850	2,850*	2,850	3,250	3,300*	3,250	3,350	3,000
0310893	Fourth St, 154' S of Devere Wy.		2,700	3,100	2,600	2,600*	2,350	2,700	2,900	2,700	2,750	2,700
0310894	Fourth St, 100' N of Queen Wy.		1,200	1,100	1,100	1,100	1,100	1,200	1,200*	1,150	1,050	990
0310895	Gear St, 400' W of Williams Av.		900	750	950	950*	1,050	850	1,100	890	880	640
0310896	Grove St, 400' E of Virginia St.			5,600	5,600*	5,700	6,250	6,350	6,350	6,600	6,650	6,300
0310898	Holcomb Ln, btwn Stewart St & E Liberty St.		4,100	3,950	4,350	4,350*	3,850	4,450	4,700	4,700	4,150	4,200
0310901	Lake St, middle of Bridge over Truckee River.		7,200	6,350	6,550	6,550*	7,600	9,350	6,850	6,150	5,850	5,900*
0310902	SR663, Oddie Bl, 100' N of Kuenzli Ln.		2,800	3,200	3,250	3,250*	3,250	3,250*	3,300*	26,000	26,400	25,000
0310904	Vine St, 200' S of University Terrace.		600*	650	860	920	2,200	2,650	3,550	2,300	2,300	2,200
0310905	Washington St, 160' S of 7th St.		3,900	4,950	4,900	5,400	5,050	4,800	5,850	5,350	4,450	5,200
0310906	Ralston St, 190' N of Elm St.		3,400	3,400	3,400*	3,400*	3,300	3,550	3,700	3,600	3,950	3,400
0310908	Virginia St, 120' S of 8th St.		19,400	16,100*	15,900	15,900*	16,200	15,200	15,200*	15,000*	15,100*	15,000*
0310910	SR686, Evans St, 317' N of 8th St.		2,900	2,850	2,600	2,600*	2,600*	3,050	3,100*	1,950	2,250	2,700
0310911	Valley Rd, 177' S of 8th St.		4,900	4,900	4,850	4,850*	5,150	5,400	5,400*	4,800	4,600	4,600
0310912	Booth St, 75' S of Idlewild Dr.		2,550	2,550*	2,900	2,900*	2,900	2,900*	3,050	3,000	4,300	2,900
0310914	Villanova Dr, 88' W of Market St.			3,200	3,500	3,700	3,550	3,400	4,300	3,650	3,750	3,800*
0310915	Robb Dr, 178' N of W/B off-ramp of Robb Dr. Intch					13,000	8,900	8,500	10,000	10,600	10,600	11,000*
0310916	Ramsey Wy, 164' S of Lemmon Dr.			650	650	700	620	700	800	600	660	770
0310917	Chickadee Wy, .1 mi E of Lemmon Dr.				270	300	240	320	300	290	270	290

* Data Adjusted or Estimated

Page 30

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name **WASHOE**

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	
			AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	
0310918	Flanigan Rd (N of Gerlach), W of SR-447.			25	50	50	30	20	20*	40	30	30	
0310919	S Verdi Rd, .1 mi E of Bridge St			3,300	3,250	3,250*	4,000	3,650	3,400	3,400*	3,450*	3,400*	
0310920	Military Rd, 421' N of Tholl Rd.			6,750	6,200	5,500	5,000	5,200	5,500	7,200	7,350	7,500	
0310921	Foothill Rd, 122' E of Thomas Creek Rd.			680	1,000	1,000	960	980*	1,250	1,300	1,300	1,300	
0310922	W Hidden Valley Dr, 200' N of Mira Loma Dr.			2,100	2,100	2,000	2,000	2,050	2,000	1,950	2,000	1,700	
0310923	'C' St, E of Rock Bl.			1,900	2,000	1,600	1,650	1,650*	1,450	1,800	1,400	1,600	
0310924	Edison Wy, .1 mi N of Rock Bl.			2,200	1,900	2,260	2,200	2,050	2,300	2,200	2,150	2,500	
0310925	Talus Wy, 100' W of North Viginia St.				2,300	2,450	2,400*	2,400*	2,500	2,800	2,600	2,500	
0310926	Patrician Dr, 150' W of Lemmon Dr.				690	1,100	880	1,050	1,100	950	1,250	920	
0310927	Hoge Rd, 268' W of North Virginia St & 54' W of Nola Wy.				850	730	690	800	810	810	790	870	
0310928	Socrates St, 364' N of N McCarran Bl.				2,400	2,300	2,200	2,150	2,350	2,150	2,700	3,200	3,600
0310929	Selmi St, 400' W of Clear Acre.				3,400	3,200	3,200	3,200*	3,200*	3,500	4,700	4,400	4,500*
0310930	SR431, Mt Rose Hw, .2 mi E of the Callahan Ranch Rd.			9,700	10,800	11,000	11,500	12,000*	12,500	13,500	14,000*	14,900*	14,000
0310931	SR651, McCarran Bl, 343' E of Kings Row.			13,700	14,000	16,700	16,700*	16,200	16,500*	21,700	22,400	21,200	20,000
0310932	Sierra Highlands Dr, 165' W of N McCarran Bl.				4,800	6,850	6,800	6,850	6,750	6,400	6,400*	6,450*	6,200
0310933	IR80, W/B on-ramp of the Robb Dr Intch 'Exit 9' 400' W of the cross traffic rd.			525	760	840	970	1,100	1,150	1,200	1,750	1,850	1,800
0310934	IR80, W/B off-ramp of the Robb Dr Intch 'Exit 9' 350' W of the W/B lanes.			3,685	4,330	4,810	5,700*	6,000	7,200	7,750	8,900	9,550	11,000*
0310935	IR80, E/B on-ramp of the Robb Dr Intch 'Exit 9' 50' W of the E/B lanes.			3,900	4,600	5,130	6,100	6,360	8,050*	8,850	9,750	10,600	11,000
0310936	IR80, E/B off-ramp of the Robb Dr Intch 'Exit 9'.			425	660	730*	840	870	740	1,000	1,350	1,400	1,400
0310937	IR80, .5 mi W of the W McCarran Bl Intch 'Exit 10'.			38,370	41,510	43,470*	45,520*	46,750*	47,800*	55,500	50,000*	50,500*	52,000
0310938	Mae Anne Av, 578' E of Robb Dr.				11,100	11,100	9,900	11,100	12,700	13,000*	14,000	15,000	13,000
0310939	Moya Bl, .2 mi S of Red Rock Rd.			2,650	3,050	3,050	3,050*	3,150	3,150	4,400	3,850	4,800	5,100
0310940	Moya Bl, .1 mi S of Lear Bl.			1,850	1,850	2,000	2,000*	2,000	2,000*	2,650	2,350	2,900	3,100
0310941	Lear Bl, 350' S of Stead Bl.			3,100	3,800	3,800	3,200	3,350	3,750	4,050	3,900	4,150	4,100
0310942	Lear Bl, 500' N of Stead Bl.			3,800	3,500	3,300	3,100	3,100*	3,000	3,200	3,100	3,600	3,600

* Data Adjusted or Estimated

Page 31

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0310944	Lemmon Dr, .6 mi E of Military Rd.		10,800	11,100	10,200	10,000	10,100*	11,100	11,900	11,500	11,500	12,000
0310950	Bravo Av, 200' E of Mt Charleston St.		170	200	200	200*	200*	160	240	180	210	170
0310957	Gleeson Wy, 50' W of Tanglewood Dr.(local)		800	800	800*	710	820	840	850	820	1,150	820
0310959	Spanish Springs Rd, .25 mi S of Sparks Bl.		800	900	860	860*	860*	970	1,100	850	930	600
0310963	Howard Dr, 75' N of Greenbrae Dr.(local)		2,800	2,700	2,600	2,600*	2,600	2,650	2,800	2,550	2,600	2,600
0310993	Seneca Dr, .3 miles W of Virginia St at the RxR tracks.		570	570	600	630	630*	730	660	660	600	520
0310994	Robb Dr, .2 mi N of Mae Anne Av.		2,450*	4,500	5,300	4,400	4,900	6,700	6,700	7,650	7,650	7,000
0310995	Alpha Av, 25' E of Mt Vida St.		520	600	630	630*	630*	630*	140	150	110	180
0310996	Silver Lake Rd, .2 mi N of Stead Bl.		6,300	6,600	6,500	6,900	6,900*	6,650	6,600*	9,450	10,200	9,200
0310997	Mt Anderson St, .1 mi W of Mt Bismark St.		540	880*	1,500	1,300	1,300*	1,100	1,300	1,300	1,450	1,600
0310998	Stead Bl, .1 mi N of Lear Bl.		5,700	5,800	5,800*	5,800*	5,800*	6,300	7,200	6,750	6,950	6,800
0310999	Mt Vida St, 50' S of Echo St.		570	1,180*	1,100	1,300	1,200	1,250	1,400	1,250	1,150	1,100
0311000	Sullivan Ln, 259' N of Prater Wy.		7,800	8,100	7,600	7,200	7,850	7,850*	7,750	9,600	9,000	8,500
0311001	Sullivan Ln, 137' N of Wedekind Rd.		3,100	3,200	3,000	3,200	3,150	3,000	3,200	3,950	4,000	3,700
0311002	Mira Loma Dr, .15 mi E of McCarran Bl.			9,900	9,900*	10,000	10,400	11,000	10,900	11,000	10,300	9,800
0311003	Wedge Pk, 245' N of Ghost Rider.			3,100	3,650	4,200	3,650	4,950	5,150	5,650	5,900	5,800
0311004	Toll Rd, .15 mi S of SR-341.			3,600	3,600*	4,100	4,100*	4,100	4,400	4,450	4,250	4,400
0311005	Avenida De Landa, 275' N of Mae Anne Av.				2,900	2,900	4,100*	4,300	4,950	5,250	5,550	4,900
0311006	SR426, South Meadows Pk, 510' E of SR-430 (Virginia St) & W of US-395/IR-580.			5,800	7,450	8,500	8,250	9,300	9,600	8,700	11,300	11,000
0311012	W McCarran Bl, 500' N of Mayberry Dr.							26,300	31,000	28,800	29,500	28,000
0311013	US395, N/B off-ramp of Damonte Ranch Intch 'Exit 59' .15 mi S of cross traffic rd.				160	370	700	1,700	1,500	1,650	2,550	3,000
0311014	US395, N/B on-ramp of Damonte Ranch Intch 'Exit 59 282' N of cross traffic rd.				4,400	4,400*	8,940*	9,200	9,400	9,700	11,700	12,000
0311015	US395, S/B off-ramp of Damonte Ranch Intch 'Exit 59' .25 mi N of cross traffic rd.				3,800	4,100	6,670*	8,400	9,000	9,400	11,200	12,000
0311016	US395, S/B on-ramp of Damonte Ranch Intch 'Exit 59' 293' S of cross traffic rd.				125	300	630	1,500	1,250	1,500*	2,100*	2,600

* Data Adjusted or Estimated

Page 32

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name WASHOE			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	
0311017	W McCarran Bl, 500' N of Plumb Ln.							21,700	25,500	25,500	26,600	24,000	
0311018	W McCarran Bl, 365' S of Plumb Ln.							17,600	19,100	19,400	19,900	18,000	
0311019	US395, 400' S of Damonte Ranch Intch N/B off-ramp.				50,970*	50,930*	52,100*	53,000	54,500*	57,000*	59,000		
0311027	US395, N/B on-ramp of the US-395/Clear Acre Int.											1,200*	
0311028	US395, Northbound off-ramp of the US-395/Clear Acre Int.											8,900*	
0311031	SR341, Geiger Grade, btwn Pinion & of Kivett Ln.					4,400	4,550	4,700	5,000	5,350	5,000		
0311039	Queens Wy, .1 mi E of Probasco.						1,350	1,500	1,350	1,500	1,300		
0311040	Lincoln Wy, 110' W of E McCarran Bl (Sparks)						2,500	2,650	2,600	2,450	2,400		
0311041	SR445, .1 miles S of La Posada Rd.						27,000	26,100	28,800	30,500	31,000		
0311042	Red Baron Bl, 150 ft N of Silver Lake Bl (Stead Area)							1,700	1,900	1,850	1,750	1,500	
0311043	Silver Lake Bl, 500' S of Stead Bl							5,700	6,500	6,550	5,900	6,000	
0311044	Hunter Lake Dr, 300' N of California Av.							3,600	4,100	3,950	4,050	3,700	
0311045	Greensburg Cr, .2 mi N of McCarran Bl.							380	400	420	390	380	
0311046	Gibraltar Dr, 90' S of Cashill Bl							400	540	460	440	480	
0311047	E Taylor St, 200' E of Kirman Av								2,200	2,700	2,500	2,500*	
0311048	Ridgeview Dr, 65' W of Plumas St.							5,150	4,600	4,800	4,700	4,800	
0311049	Pioneer Dr, .1 mi W of Dant Bl.							800	800	760	740	750	
0311050	Dant Bl, 300' N of Pioneer Dr.							840	860	820	760	760	
0311051	Market St, N of Vassar St.								1,200	1,700	1,450	1,400	1,500
0311052	Shadow Ln, 100' E of Sparks Bl.								2,850	2,850	3,000	2,750	3,400
0311053	Lillard Ln, 200' N of Brierley Rd N of IR-80.								1,500	1,600	1,650	1,700	1,600*
0311054	Freeport Bl, 470' E of Souther St.								1,100	1,200	1,250	1,600	1,100
0311055	Industrial Wy, 300' N of Greg St.								2,300	2,950	3,300	4,500	3,200
0311056	Kleppe Ln, 300' E of Meredith Wy-Franklin.								2,000	2,000*	2,000*	2,050*	2,700
0311057	Franklin Wy, 15' S of the RxR tracks-125' S of Greg St.								1,950	1,800	1,700	1,750	1,700

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WASHOE

Station	Route / Location	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT						
0311058	Capitol Bl, .1 mi N of Rock Bl.						2,150	2,150*	2,350	2,400	2,300
0311059	Rio Poco Dr, 118' S of McCarran Bl.						6,650	6,750	6,450	6,200	6,400
0311060	Sparks Bl, N of Greg St.						15,800	12,900	12,700	13,100	9,500
0311061	Sparks Bl, 500' N of Baring Bl.						19,400	20,700	20,000	21,400	20,000
0311062	Sparks Bl, 340' N of Shadow Ln.						17,100	18,900	18,600	20,100	19,000
0311063	SR430, South Virginia St, .1 miles N of South Hills Dr.							21,800	22,500	23,300	22,000
0311064	Vista Bl, .1 mile N of Baring Bl.						19,900	20,000*	24,700	25,500	27,000
0311066	W Seventh Av, 250' W of Sun Valley Bl.						5,700	6,500	6,750	7,700	7,500
0311067	S 21st St, 300' N of Glendale Av & 100' S of North St..						2,600	2,050	1,700	2,150	1,800
0311068	Sullivan Ln, 200' S of El Rancho Dr.						5,300	8,800	10,100	8,500	8,300
0311069	E Glendale Av, 600' E of Mc Carran Bl.				7,100	7,100*	8,800	9,250	8,800	9,000	8,100
0311070	Moana Ln, 100' E of Lakeside Dr.						18,600	13,100	14,500	17,100	14,000
0311071	Mae Anne Av, 360' W of Robb Dr.							13,500	13,500	15,300	14,000
0311072	W 7th St, 216' E of Robb Dr.						5,450	3,150	6,550	7,000	5,700
0311078	Golden Valley Rd, .1 miles W of N Virginia St at the RxR tracks .				3,100	3,100*	3,100*	3,000	3,000	2,800	2,900
0311079	Plumb Ln, 450' E of Harvard Wy / W of I-580						6,700	39,000	39,500	39,500	30,000
0311110	IR80, 0.9 mi E of Vista Bl Intch.	24,885	23,510	25,285	25,880	26,510	27,685	29,956	29,900	35,000	35,000
0311120	IR80, 1 mi E of the NV-CA State line.	25,435	27,305	28,385	27,965	29,210	29,040	29,165	29,100	26,600	29,000*
0311210	IR80, 0.1 mi W of the US-395 Intch	111,960	114,465	116,530	117,835	119,205	118,015	118,000*	114,000*	122,000*	123,000
0311220	IR80, 0.5 mi E of SR-445 Intch (Pyramid Hwy)	58,100	68,820	72,350	74,495	74,315	73,555	74,997	70,000*	82,000*	80,000
0311230	US395, 0.6 Mi. S. of the Neil Rd. Intch.	63,395	69,605	72,020	74,700	85,975	89,790	92,331	95,500	101,000	100,000
0312110	US395, 630 Ft S of the NV-CA State line.	8,660	8,620	8,515	8,600	9,175	9,200	9,321	8,500	9,150	8,900
0312120	US395, 0.2 Mi. S. of the Golden Valley Intch.	51,770	52,610	54,660	58,285	61,785	64,560	67,417	68,490	72,500	73,000
0312210	SR667, Kietzke Ln, 0.15 mi S of Galletti Wy.	14,435	15,045	14,540	15,140	15,790	15,115	17,543	17,900	17,100	16,000
0312220	SR651, McCarran Bl, 0.1 Mi. N. of Mae Anne Ave.	20,615	22,115	22,850	23,485	23,780	25,285	26,860	26,700	26,300	26,000
0312230	SR663, Oddie Bl, 0.1 mi W of Rock Bl.	12,460	13,035	12,735	13,015	13,450	14,955	15,166	15,400	14,500	14,000

* Data Adjusted or Estimated


Page 34

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**


County Name WASHOE

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0312240	SR28, North Shore Rd, 0.2 mi N of Lakeshore Dr.		13,755	13,655	14,080	14,040	14,230	14,310	14,067	13,500	11,700	13,000
0312250	SR648, E 2nd St, 0.1 mi W of 21st St.		19,010	18,610	17,835	17,505	18,660	20,905	20,079	17,700	17,500	16,000
0312260	SR430, S Virginia St, 0.15 mi N of Gentry Wy.		30,600	29,090	32,075	33,150	34,490	33,655	33,413	33,500	33,000	33,000
0312270	SR445, 0.6 mi N of Calle De La Plata Dr		4,550	4,650	4,400	4,400*	3,500	3,795	4,419	4,650	5,050	4,900
0312280	SR430, Carson-Reno Hw, 200' N of SR-651 (N McCarran Bl.)					19,445	19,120	20,635	24,102	27,100	26,200	23,000
0312290	IR80, 0.25 mi W of the USA Parkway Intch.					20,650*	21,855	22,570	24,261	25,400	26,400	24,000
0312300	Sparks Bl, 0.2 mi S of Prater Way.		18,400	18,900	20,200*	20,000	19,385	21,685	22,932	23,500	22,100	20,000
0312310	SR430, South Virginia St, 0.35 miles N of US-395		12,500	12,500	12,500	10,000	15,450	15,380	16,028	14,800	16,800	17,000
0312320	SR650, McCarran Bl, 0.18 mi N of Prater Way		24,200	23,300	22,000	22,000	24,885	25,615	25,800	26,100	24,800	25,000
0312330	Clear Acre Ln, 210 FT N. of Wedekind Rd		5,400	5,600	6,200	6,200	5,495	5,950	6,476	6,300	5,850	5,800
0312350	SR430, Carson-Reno Hw, SR-430 (US-395) 1.4 Mi. N. of East Lake Blvd. Jct.										38,500	37,000
0317120	SR431, Mt Rose Hw, 4.8 mi W of SR-430 (US-395)		8,350	8,720	9,260	9,765	10,190	10,550	11,080	10,400	10,800	11,000


*033



*033



ELY



**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name WHITE PINE			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0330001	Av 'F', in Ely .3 mi E of East Altman St. (next to Bath Lumber Co.).		200	210	160	170	180	190	190*	240	240	210
0330002	Power Line Rd, .9 mi off of US-93 S of McGill.			220	160	150	160	170	170	170	170	170*
0330004	Warm Springs Rd, 2.3 mi W of US-93 at Monte Neva Hot Springs.		10	15	20	20*	20	20	20*	20	30	20
0330005	US50, Aultman St, 1.2 mi E of Fish Creek Rd to Duckwater.		580	600	500	550	580	520	530	590	540	530
0330006	SR892, Strawberry Rd, .1 mi N of US-50.		85	100	80	70	80	120	90	80	110	100
0330008	Ruth Street-Townsite Rd (Avenue A), in McGill 500' E of US-93 at the RxR Tracks.			470	500	440	480	560	450	500	500	520
0330009	First St, in McGill S of RxR crossing.(N of Av E)			440	430	420	420*	420*	440	400	400	410
0330011	Ruth-Kimberly Rd, .1 mi S of US-50.		1,300	900	700	680	700	700*	700*	1,600	1,650	1,700
0330013	Kimberly Branch Rd, 1.8 mi W of site 33-0011.		710	180	90	120	120*	70	70*	960	960	1,100
0330015	US50, Aultman St, 3.6 mi E of Ruth Rd W of the Kennecott Copper RxR overpass W of Ely.		1,820	1,500	1,450	1,400	1,500	1,500*	1,800	2,250	2,250	2,300*
0330016	US50, Aultman St, W of Mill St.		3,900	3,200	3,000	3,000*	3,000*	3,450	3,750	4,100	4,150	3,800
0330017	US6, Mill St, 150' S of US-50 (Aultman St).		3,150	2,400	2,050	1,900	2,050	2,150	2,200	2,150	2,250	1,900
0330018	US50, Aultman St, 25' W of 4th St.		7,600	6,150	5,450	4,900	4,900*	5,700	5,700*	6,100	6,150	5,700*
0330020	US50, Aultman St, 100' W of US-93 jct.		11,340	10,700	9,550	9,400	9,400*	9,900	10,600	11,000*	11,200*	10,000
0330021	Center St, btwn Orson St & Parker St.				120	80	110	130	110	140	150	110
0330022	Lackawanna Rd-Ogden Rd, at the RxR tracks.		970	1,050	960	950	820	940	980	1,000	1,050	1,000
0330023	US93, 200' N of US-50 (Aultman St).		12,300	10,500	11,300*	10,000	10,000*	11,300	11,100	11,000*	11,200*	12,000*
0330025	US50, Aultman St, 100' E of E Aultman St. (US-50)		7,750	7,650	7,500	7,500*	7,500*	8,200	9,450	9,500*	9,650*	10,000*
0330026	US50, Aultman St, .4 mi W of US-006.		4,750	4,900	7,450	7,450*	7,000	8,350	8,900	10,700	11,200	10,000
0330027	County Rd to the Ward Charcoal Ovens State Park, .4 mi SW of US-006-50 and 93.					30	30*	30*	30*	150	180	170*
0330028	Steptoe Creek Forest Camp (Cave Lake Turn Off), .2 mi E of US-006-50 and 93.		130	220	230	200	240	210	210*	210	250	250*
0330030	SR894, Shoshone Rd, .2 mi E of US-93.		40	30	50	50*	50*	30	30*	30	50	50*
0330031	Av 'C', btwn 14th St& 15th St.				530	500	500	470	430	460	460	470

* Data Adjusted or Estimated

Page 1

State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations

County Name WHITE PINE			1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Station	Route / Location		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0330033	SR893, Spring Valley Rd, .2 mi N of US-006 & US-50.		60	45	50	50*	50*	50	50*	70	60	60*
0330035	US50, Aultman St, .2 mi W of the W leg of Wye of SR-487 to Baker.		640	680	660	600	630	630*	730	730	680	700*
0330036	SR487, Baker Rd, .3 mi S of the W leg of Wye of SR-487 to US-006 & US-50.		280	290	270	270*	270	270*	300	300*	280*	280*
0330038	SR488, Lehman Caves Rd, 1.5 mi W of SR-487 in Baker.		400	400	370	320	350	350*	330	390	340	340*
0330039	SR487, Baker Rd, 1.2 mi S of SR-488 to Lehman Caves.		180	170	160*	180	170	170*	220	170	180	180*
0330047	US93, .4 mi S of McGill.		2,900	2,900	2,850	3,100	2,800	3,150	3,100	2,950	3,050	3,400
0330050	Duck Creek Rd, 200' E of US-93.		120	130	130	130	140	140	150	130	160	110
0330054	Cherry Creek Rd, .2 mi W of US-93.		45	60	50	50*	50	50	50*	60	60	70
0330055	US93, .5 mi S of US-93A (Lages Jct).		1,250	1,350	1,350	1,100	1,300	1,350	1,250	1,350	1,400	1,400
0330056	US93, .3 mi N of US-93A (Lages Jct).		950	1,000	1,000	930	1,000	1,050	950	1,050	1,050	1,100
0330057	US93A, .2 mi N of US-93 (Lages Jct).		370	350	380	380*	310	310*	300*	350	360	470
0330058	US6, .45 mi W of Murray St.		1,450	1,600	1,550	1,400	1,600	1,700	1,700*	1,600	1,600	1,500*
0330062	US6, Mill St, .3 mi E of SR-318 to Preston & Lund.		1,320	1,450	1,300	1,300*	1,450	1,450*	1,350	1,450	1,500	1,500*
0330063	US6, Mill St, .2 mi W of SR-318 to Preston & Lund.		330	350	370	370*	370	370*	330	340	330	330*
0330064	SR318, Sunnyside Cut-off Rd, .1 mi S of US-006.		1,030	1,300	1,200	1,200*	1,300	1,200	1,250	1,250	1,350	1,300*
0330065	SR895, Preston Spur, in Preston W of SR-318.		90	90	110	140	90	110	90	110	130	130*
0330067	SR318, Sunnyside Rd, 200' S of Center St in front of School.		1,300	1,600	1,450	1,400	1,500	1,450	1,400	1,450	1,450	1,400*
0330070	US6, Mill St, .3 mi W of US-50 & 93.		2,550	2,800	2,800*	2,900	2,500	2,400	2,250	2,450	2,750	2,800*
0330071	Murray St, .1 mi NW of US-006.		1,180	600	820	860	890	880	1,000	900	910	820
0330072	US50, 0.2 mi E of US-006 jct.		3,300	3,400	3,050	3,300	3,300*	3,050	3,750	4,250	4,350	4,400*
0330073	US50, Aultman St, .1 mi N of US-006-50 with US-93 at Major Woods.		900	950	990	990*	990*	910	860	860*	800*	820*
0330074	US93, .4 mi S of US-6-50 at Majors 100' S of 'US-006-50-93' sign N.		290	450	430	430	430*	370	480	350	360	370*

* Data Adjusted or Estimated

Page 2

**State of Nevada Department of Transportation
Annual Average Daily Traffic Count Stations**

County Name WHITE PINE

Station	Route / Location		1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
		AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT	AADT
0330075	US93, .1 mi N of US-93 mp 55 E.		4,800	4,500	4,850	4,600	5,100	5,300*	5,000	5,000	5,100	5,400
0330076	Campton St, 75' W Reno Rd.		1,650	2,000	1,600	1,600	1,500	1,550	1,600*	1,650	1,750	1,600
0330080	SR490, Prison Rd, 1.5 mi N of US-93 Jct.		390	320	400	400*	370	450	400	430	440	490
0330081	SR490, Prison Rd, .5 mi N of Bothwick Rd.		930	950	960	880	870	960	930	950	970	960
0330082	Ruby Valley Wildlife Rd, 50' N of US-50/0.1 mi E of MP 36				50	40	30	40	40*	50*	90*	40
0330083	Spring Valley Rd, .1 mi E of US-93.				30	30*	30	20	20*	40	60	20
0330084	Charcoal Oven Rd, 200' S of US-50.				30	30*	40	30	30*	40	30	30*
0330085	Baker Cut-off Rd, 1.3 mi S of US-50. (1.5 miles E of SR-487)				150	150	130	180	120	130	100	100*
0332110	US93, 0.5 mi N of McGill.		1,445	1,530	1,485	1,495	1,558	1,535	1,562	1,600	1,700	1,700
0332140	US6, Mill St, 6 mi E of US-50 (Aultman St.)		1,180	1,215	1,200	1,210	1,194	1,250	1,251	1,250	1,300	1,300
0332150	US50, 1 mi W of the rd to Ruth		650	655	635	660	660	660	618	620	610	640